



MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES THE POWER OF YOUR RADIO UNLEASHED



YOUR BATTERY, SAFER, **SMARTER**, **POWERED FOR LONGER**



MOTOTRBO PORTABLE RADIOS

MOTOTRBO radios are already best in class, but to help you work at your best, you need enhancements targeted to your specific workplace. We've developed a line of accessories with unique features designed to optimize the performance of your radio in your work environment, unleashing the full power of the industry's most advanced digital radio platform.

IMPRES[™] BATTERIES AND CHARGERS: YOUR BATTERY, SAFER, SMARTER, POWERED FOR LONGER

Get rid of the guesswork and get more from every battery. Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries – without spending maintenance or record keeping time and effort. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer.

IMPRES[™] AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Be clearly heard the first time and eliminate repeating yourself. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking.

Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.

> Experience IMPRES Audio

WINDPORTING

Communicate clearly in difficult weather. Wherever you work - in howling wind, driving rain, and severe weather - Windporting

helps you communicate effectively and listeners hear clearly. Windporting technology eliminates the whining and howling sounds of wind blowing across your lapel/remote speaker microphone. It also prevents water from clogging the microphone for clearer transmissions.

> Hear the difference Windporting makes

INTELLIGENT AUDIO

Focus on your job instead of your radio volume. Make

adjusting your radio volume based on background noise a thing of the past. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear. If you're heading from a noisy area to a quiet place, you won't disturb others because you forgot to adjust the volume.

Intelligent Audio when complemented with IMPRES Audio takes your communications to a new level.

> See Intelligent Audio in action

OPERATIONS CRITICAL WIRELESS: YOUR RADIO, UNLEASHED

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 30 feet away from your radio. Put your wireless PTT where you want to - on a clipboard, steering wheel or coat pocket – without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours – up to 3 times the battery life of commercial Bluetooth[®] headsets.





XPR 3000 SERIES

ONLY MOTOROLA OFFERS A WEALTH OF EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD EVEN IN THE MOST DEMANDING WORK CONDITIONS

IMPRES™AUDIO: I HEAR YOU, HOWEVER YOU SPEAK	DUAL MICROPHONE AUDIO: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF	WINDPO AUDIO: I NOT THE
Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.	Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.	Reduce t of wind a outdoor i message heard cle





XPR 6000 SERIES

XPR 7000 SERIES



SL SERIES

RTING HEAR YOU, WIND

he effect nd <u>other</u> <u>ises so your</u> es are always early.

NOISE-CANCELING AUDIO: I HEAR YOU, **NOT THE NOISE**

Reduce the effect of background crowd and machinery noise so your messages are always heard clearly.

INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE CANCELING (INC) **REMOTE SPEAKER MICROPHONE?**

SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY - The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available - up to 25% more than other MOTOTRBO RSMs.

WEAR IT WHILE YOU WORK AND COMMUNICATE FREELY – Best practices is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent push-to-talk button.

EASY TO CLEAN DIRT, GRIT AND DEBRIS Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go.

> Experience Dual-Microphone Noise Suppression

WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING - for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> <u>Hear the Difference Windporting Makes</u>

INDUSTRIAL NOISE CANCELING (DUAL MICROPHONE NOISE SUPPRESSION) - loud, industrial outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

NOISE-CANCELING - noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MA	RKETS: Recommer	ndations based o	n typical use case	for each of ve	rticals listed	
REMOTE SPEAKI and secondary audio	ER MICROPHONES AN o accessories engineered	ID PUBLIC SAFETY MICROPHONES Ou to give you clearer communications even in I	ır robust portfolio ir oud environments.	ncludes Remo	ote Speaker M	licrophones, Public Sa	fety Microphones	All remote sp	eaker microp	hones are b	ouilt with to	p quality mat	terials includi	ng durable Ke v	/lar ® cables	that survive t	ough worki	ng condition	S.
PORTABLE RADIOS	REMOTE SPEAKER Microphones	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING*	SIZE (MM)	TRANSPORTATION AND LOGISTICS		UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	80	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4024		•	Windporting			6,	IP54	FM TIA	Small 55 x 60 x 27 (without clip		•	•		•	•	•
		IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack and emergency button, small (IP54)	PMMN4025	•	•	Windporting) (IP54	FM TIA	Small 55 x 60 x 27 (without clip		•	•		•	•	•
XPR 6000 SERIES	B	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040		•	Windporting				● IP57	FM TIA	Small 55 x 60 x 27 (without clip	•	•	•	•			
		IMPRES Windporting Remote Speaker Microphone with volume control, emergency button and programmable button, large, submersible (IP57)	PMMN4046	•		Windporting		V		● IP57	FM TIA	Large 60 x 78 x 28 (without clip		•	•	•			
Ľ.	023	IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54), Noise Canceling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4050	•		Noise-Canceling				IP54	FM TIA	Large 60 x 78 x 28 (without clip		•		•		•	•
XPR 7000 Series	Vo	IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible (IP57)	NNTN8382	•		Dual Mic. Noise Suppression	ě			● IP57	TIA	Large 60 x 78 x 28 (without clip		•	•		•	•	•
		IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone with 3.5 mm threaded audio jack (IP54)	NNTN8383	•		Dual Mic. Noise Suppression	7		No.	IP54	TIA	Large 60 x 78 x 28 (without clip		•	•		•	•	•

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

WINDPORTING (MOTOROLA EXCLUSIVE), NOISE CANCELLING, DUAL MIC. NOISE SUPPRESSION: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

Noise-Canceling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone. Dual Mic Noise Suppression used in the INC RSM suppresses loud background noise so your

message gets through clearly.

AUDIO JACK: Connect a variety of comfortable earpiece styles to the remote speaker microphone for a more discreet communication option.

ORANGE BUTTON: This essential programmable button on top of the microphone is easily digit represents the level of dust protection: 5 provides excellent protection from dust. The activated if you are in trouble. This button can also be set for any programmable feature on second digit represents water protection. IP54 provides protection from water sprayed from the radio, such as emergency. all directions, IP55 protects against driving rain, and IP57 resists submersion in 1 meter of fresh water for 30 minutes.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

VOLUME CONTROL: Conveniently access the volume control. Toggle switch allows you to easily adjust between high and low volume as needed.

IP RATING: The international standard for rating dust and water protection. The first

4 *Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.








INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL
REMOTE SPEAKE and secondary audio	R MICROPHONES AN accessories engineered	ID PUBLIC SAFETY MICROPHONES Ou to give you clearer communications even in I	ır robust portfolio ir oud environments.	ncludes Remo	te Speaker Mi	crophones, Public Sa	fety Microphones	All remote spe	eaker microp	hones are b	uilt with top	quality mate	erials inclu
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING*		TRANSPORTAT AND LOGISTIC
		IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54), Noise Canceling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4071	•		Noise-Canceling				IP54		Large 60 x 78 x 28 (without clip)	
<u></u>		IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP55)	PMMN4073	•		Windporting			J	IP55		Small 55 x 60 x 27 (without clip)	•
XPR 3000 Series		Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting				● IP57		Small 55 x 60 x 27 (without clip)	•
	2	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4076		•	Windporting				IP54		Small 55 x 60 x 27 (without clip)	•


COMPATIBILITY	ACCESSORY			FEATURES	
		ESSORIES WITH STANDARD 3.5MM eive radio communications more discreetly.	JACK		
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING*
,	0	Receive-Only Covered Earbud with coiled cord	AARLN4885	Foam Covered Earbud	FM TIA
AUDIO JACK (3.5 MM)	62	Receive-Only Earpiece with translucent tube and rubber eartip	RLN4941	Clear Rubber Eartip	FM TIA
	¢ Þ	Receive-Only Flexible Earpiece	WADN4190	Over-the-ear	FM TIA
XPR 6000 SERIES SERIES	~	Receive-Only D-Shell Earpiece	PMLN4620	Over-the-ear	FM TIA
	$\left \bigtriangleup \right $	Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
XPR 6000 SERIES XPR 7000	\mathbf{C}	Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		



6 *Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FIM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.

	A 01/	FEATURES	
ED 3.5MM J	AUK		
	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING*
; black. nly.	BDN6719	Over-the-ear	TIA
nly.	BDN6781	Foam Covered Earbud	
nly.	BDN6664	Over-the-ear	TIA
beige. nly.	BDN6665	Over-the-ear	TIA
nly.	BDN6726	Over-the-ear	TIA
black. nly.	BDN6727	Over-the-ear	TIA

COMPATIBILITY	ACCESSORY			FEATURES	
REMOTE SPEAKE	R MICROPHONE ACC	ESSORIES WITH THREADED 3.5MM J	ACK		
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING*
	(p)	One-wire Earpiece with Volume Control, beige. Compatible with NNTN8383 only.	TIA		
ė	0	One-wire Earpiece with Volume Control, black. Compatible with NNTN8383 only.	BDN6728	Over-the-head	TIA
XPR 6000 Series		One-wire Earpiece with Clear Acoustic Tube, beige. Compatible with NNTN8383 only.	RLN5314	Clear Rubber Eartip	TIA
	Lever a	One-wire Earpiece with Clear Acoustic Tube, black. Compatible with NNTN8383 only.	RLN5313	Rubber Eartip	TIA
XPR 7000 Series	S.	Dual Muff Headband Style Headset. Compatible with NNTN8383 only.	RMN4056	Over-the-head	
	.	Dual Muff Hardhat Mount Headset. Compatible with NNTN8383 only.	RMN4057	Helmet-Attached	



HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE?

IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility.

If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.

> Expe	erience l	MPRES	audio

		er the same advanced features as our Remote parately) to improve reception.	Speaker Micropho	FEATURES				All remote spe	aker microph	ones are b	uilt with top		^{dations} based on typ urable Kevlar ®				ions.
TABLE RADIOS	PUBLIC SAFETY Microphones	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	CABLE LENGTH (INCH)	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5mm)	IP RATING	INTRINSIC SAFETY RATING*	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATIO (CAMPUSE
	/	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4041	•	Windporting	30			•	IP54	FM		•		•		•
1	K	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4042	•	Windporting	24			Y	IP54	FM		•		•		•
	Ŭ	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4043	•	Windporting	18				IP54	FM		•		•		•
XPR 6000 SERIES	1	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4047	•	Windporting	30				IP57	FM		•		•		
(UHF/VHF only)	X	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4048	•	Windporting	24				▲ IP57	FM		•		•		
		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4049	•	Windporting	18		-		IP57	FM		•		•		

		FEATURES				
	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
Antenna for	PMAE4046	UHF	403-433		9	Stubby
Antenna for	PMAE4047	UHF	430-470		9	Stubby
Antenna for	PMAD4087	VHF	136-153		11	Whip
Antenna for	PMAD4086	VHF	150-174		11	Whip





HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE?

IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility.

If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.

> <u>Experience IMPRES audio</u>

TIBILITY	ACCESSORY			FEATURES								mendations based on typical use ca	se for each of vertic	als listed.	
that withstar	ACCESSORIES AND E nd tough conditions. A quid	ARPIECES Transmit and receive discreetly ck-disconnect, durable and comfortable tran	with a variety of sur slucent tube enables	veillance kits easy sharing	that feature a between shi	streamlined design fts.	and rugged	Two-wire kits Three-wire kits	have one wire for receiv s feature separate wires	ving transmissions and s for receiving transmi	d one wire with a combined m issions, push-to-talk and micr	nicrophone and push-to-talk. ophone.			
E RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	РП	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING *	TRANSPORTATION AND LOGISTICS MANUFACTUR AND CONSTRUCTION	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCAT (CAMPU
	D	1-Wire Receive-only earpiece, black	PMLN6125		•	Earpiece				FM TIA			•	•	
	r O	1-Wire Receive-only earpiece, beige	PMLN6126		•	Earpiece				FM TIA			•	•	
		IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	•	Earpiece	é			FM TIA			•	•	
		IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	•	•	Earpiece	Ţ	7	Ĩ.	FM TIA			•	•	
PR 6000 ERIES		1-Wire Surveillance Kit with translucent tube, in-line microphone and PTT, black	NNTN8459			Clear Rubber Eartip	-	-		TIA			•	•	
4	\bigcirc	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	•	•	Clear Rubber Eartip	ě			FM TIA			•	•	
R 7000 RIES	No start	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	•	•	Clear Rubber Eartip	Y	Y	Ŷ	FM TIA			•	•	
	- 08	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	•	٠	Clear Rubber Eartip				FM TIA			•	•	
	B	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	•	•	Clear Rubber Eartip		A Star	A start	FM TIA			•	•	

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as pushto-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise. PROGRAMMABLE BUTTON: This programmable button allows you to access key

PROGRAMMABLE BUTTON: This programmable button allows you to access ke features while you keep your radio on your belt or hidden under a jacket.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe.

*Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.

Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

	RIE

COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MAR	KETS: Recommer	ndations based o	n typical use case	for each of vertica	Ils listed.	
SURVEILLANCE A	ACCESSORIES AND EA	ARPIECES															
PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES II	NTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING *	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	*	2-Wire Surveillance Kit with translucent tube, black	PMLN5724		•	Clear Rubber Eartip									•	•	•
		2-Wire Surveillance Kit with translucent tube, beige	PMLN5726		•	Clear Rubber Eartip									•	•	•
	*	2-Wire Surveillance Kit with translucent tube, black; (coming Q2 2015)	PMLN7269		•	Clear Rubber Eartip									•	•	•
XPR 3000 SERIES	XPR 3000 SERIES	2-Wire Surveillance Kit with translucent tube, beige (coming Q2 2015)	PMLN7270		•	Clear Rubber Eartip									•	•	•
		IMPRES 3-Wire Surveillance Kit with quick disconnect translucent tube, programmable button, black	PMLN6754	•	•	Clear Rubber Eartip									•	•	•
	002	IMPRES 3-Wire Surveillance Kit with quick disconnect translucent tube, programmable button, beige	PMLN6755		•	Clear Rubber Eartip									•	•	•
	T.	1-Wire Surveillance Kit with in-line mic and push-to-talk, black	PMLN5957			Clear Rubber Eartip	ø						•		•	•	•
SL SERIES	æ.	1-Wire Surveillance Kit with in-line microphone and push-to-talk, black	PMLN7158			Clear Rubber Eartip							•		•	•	•
	1 And	2-Wire Surveillance Kit with translucent tube, black	PMLN7157			Clear Rubber Eartip									•	•	•

*Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.



CATALOG MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES

MOTOTRBO PORTABLE RADIOS


COMPATIBILITY	ACCESSORY			FEATURES		
SURVEILLANCE A	CCESSORY REPLACE	MENT KITS				
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS	
		Low Noise Kit with translucent tube and 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130, NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7157, PMLN7158	
XPR 3000 SERIES XPR 6000 SERIES XPR 7000		Note: for High noise kit solution combine RLN6 Kit and 5080384F72 Replacement Foam Plugs	5242 Low Noise	Foam Eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130, NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7157, PMLN7158	
SERIES SL SERIES	98	Replacement standard clear rubber eartip. Pack of 50	RLN6282	Clear Rubber Eartip	PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PLMN6127, PMLN6128, PMLN6129, PMLN6130,	
		Replacement Foam Plugs for RLN6242. Noise reduction = 24dB. Pack of 50 pairs	5080384F72	Foam Eartip	NNTN8459, RLN5882, RLN5883, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7157, PMLN7158	
XPR 6000 SERIES	Same	Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883 PMLN5111	
XPR 7000 SERIES	25	High Noise Kit with 2 foam earplugs	RLN5887	Foam Eartip	PMLN5112 PMLN6125 PMLN6126	
XPR 3000 SERIES SL SERIES	1	Replacement standard clear rubber eartip. Pack of 10 (replacement for PMLN5724/PMLN5726 and PMLN5957)	67009254001	Clear Rubber Eartip	PMLN5724 PMLN5726 PMLN5957	
XPR 3000 SERIES		Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5724/26)	HKLN4478	Clear Rubber Eartip	PMLN5724 PMLN5726	
SL SERIES	S	Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5957)	PMLN6175	Clear Rubber Eartip	PMLN5957	
		Small Custom Earpiece - Right Ear	RLN4760	Custom Earpiece		
		Medium Custom Earpiece - Right Ear	RLN4761	Custom Earpiece	_	
XPR 6000 SERIES		Large Custom Earpiece - Right Ear	RLN4762	Custom Earpiece	_	
XPR 7000 SERIES SL SERIES		Small Custom Earpiece - Left Ear R		Custom Earpiece	_	
OL OLINILO		Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece		
		Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece		



OPTIMIZED FOR DIGITAL

Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

> <u>Hear what Chopper Noise sounds like</u>





COMPATIBILITY	ACCESSORY			FEATURES					
SURVEILLANCE	ACCESSORY REPLACE	MENT KITS							
PORTABLE RADIOS	REPLACEMENT KITS	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS						
XPR 6000 SERIES	1	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™ foam eartip	RLN5313, RLN5314, RLN4941, NNTN8459, RLN5882, RLN5883, PMLN5111, PMLN5112,				
XPR 7000 SERIES		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply™ foam eartip	PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130,				
SL SERIES	C	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™ foam eartip	 PMLN6129, PMLN6130, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7157, PMLN7158 				



COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL N case for ea	//ARKETS: Recommend ch of verticals listed.	ations based on t	ypical use
EARPIECES											
PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING*	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XPR 6000 SERIES XPR 7000 SERIES		D-Style Earset with boom microphone and in-line push-to-talk	PMLN5096	D-Style	Boom	In-Line	FM TIA	•	•	•	•
	Rea	Swivel Earpiece with in-line microphone and push-to-talk	PMLN5958	Over-the-Ear	In-Line	In-Line		•		•	•
SL SERIES		Swivel Earpiece with in-line microphone and push-to-talk	PMLN7189	Over-the-ear	In-Line	In-Line		•		•	•
		Adjustable D-style earpiece with in-line microphone and push-to-talk, black	PMLN7159	Adjustable D-Style	In-Line	In-Line		•	•	•	•
XPR 3000 Series		Adjustable D-style earpiece with in-line microphone and push-to-talk, black (coming Q2 2015)	PMLN6757	Adjustable D-Style	In-Line	In-Line		•	•	•	•
MAG ONE [™] ACCE	SSORIES										
SL SERIES	-2	Mag One Earbud with in-line microphone and push-to-talk	PMLN7156	Earbud	In-Line	In-Line		•		•	•
. I	(J)	Mag One Earbud with in-line microphone and push-to-talk	PMLN5733	Earbud	In-Line	In-Line		•		•	•
XPR 3000 SERIES	\sim	Mag One Swivel Earpiece with in-line microphone and push-to-talk	PMLN5727	Over-the-Ear	In-Line	In-Line		•		•	•
SEKIES	G.	Mag One Earset with boom microphone and in-line push-to-talk	PMLN5732	Earset	In-Line	In-Line		•		•	•

16 *Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.



HOW DO TEMPLE TRANSDUCERS WORK?

These headsets use transducers that rest on your temple to convert audio into sound vibration and transmit it to your inner ear. If you're using hearing protection or directing heavy traffic, you can hear the audio from your radio and the surrounding environment. Since the transducer sits in front of your ears, you can also wear earplugs and still hear the radio.



COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MA	RKETS: Recom
HEADSETS													
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING*	TRANSPORTATION AND LOGISTICS	MANUFACTUR AND CONSTRUCTIO
	Ċ	Heavy-Duty Headset with Noise-Canceling boom mic and in-line push-to-talk, noise reduction = 24dB (See user guide for replacement parts)	PMLN5731	Over-the-Head	Dual-Ear			Boom	In-Line	Heavy Duty	FM	•	•
		Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB (see user guide for replacement parts)	PMLN6760	Behind-the-head	Dual-Ear		•	Boom	On Ear Cup	Heavy Duty		•	•
XPR 3000 SERIES	Ì	IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN6759	Behind-the-head	Bone Conduction	•	•	Boom	In-Line	Lightweight		•	•
	C)	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	PMLN6635	Over-the-Head	Single-Ear			Boom	In-Line	Lightweight			•
		Mag One Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01- Windscreen; 4204005K01-Clothing clip)	PMLN6761	Behind-the-head	Single-Ear		•	Boom	In-Line	Ultra Lightweight			٠

18 *Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system

ecommendations based on typical use case for each of verticals listed.



COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
HEADSETS																		
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING*	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB (See user guide for replacement parts)	PMLN6852	Behind-the-Head	Dual-Ear		•	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
	Ĵ	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24dB, FM, TIA (See user guide for replacement parts)	PMLN5275	Behind-the-Head	Dual-Ear		•	Boom	In-Line	Heavy Duty	FM TIA	•	•	•	•			
	Ê	IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN5101	Behind-the-Head	Bone Conductor	•	•	Boom	In-Line	Lightweight	FM	•	•	•	•	•		•
XPR 6000 SERIES	Ċŝ	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	RMN5058	Over-the-Head	Single-Ear		•	Boom	In-Line	Lightweight	FM TIA		•	•		•	•	•
XPR 7000 SERIES		Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01 – Windscreen; 4204005K01 – Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•	Boom	In-Line	Ultra Lightweight	FM TIA		•	•		•	•	•
SERIES	9 - D	Tactical PTT Interface Module	PMLN6827									•	•	•		•		•
	-0-	Tactical Temple Transducer with noise cancelling boom microphone (Requires interface module PMLN6827)	PMLN6833	Over-the-Head	Bone Conductor			Boom	Interface module PMLN6827	Heavy Duty		•	•	•		•		•
	0,0	Tactical Remote Body PTT (For use with interface module PMLN6827)	PMLN6767									•	•	•		•		•
		Tactical Remote Ring PTT (For use with interface module PMLN6827)	PMLN6830									•	•	•		•		•

20 *Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system

COMPATIBILITY	ACCESSORY				FEATURES					
3M PELTOR HEAD	DSETS									
PORTABLE RADIOS	HEADSETS	DESCRIPTION AND ADAPTER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)
(MT Series Over-The-Head Headset, direct radio connect	RMN5137	MT7H79A-C5063-34	Over-The-Head	Connects directly to Radio	Dual-Ear	25dB	Boom	On Ear Cup
XPR 6000 SERIES		MT Series Neckband Headset, direct radio connect	RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24dB	Boom	On Ear Cup
XPR 7000 SERIES		MT Series Hard Hat Attached Headset, direct radio connect	RMN5139	MT7H79P3E- C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21dB	Boom	On Ear Cup
PTT ADAPTER CO	ONFIGURATIONS									
		MT Series Over-the-Head Headset with Nexus connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095
I		MT Series Neckband Headset with Nexus connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24dB	Boom	Requires PTT Adapter PMLN6095
XPR 6000		MT Series Hard Hat Attached with Nexus connector	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21dB	Boom	Requires PTT Adapter PMLN6095
SERIES		TacticalPro Series Over-The-Head Headset with Nexus connector	RMN4052	MT15H7A-34	Over-The-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adapter PMLN6095
XPR 7000 SERIES	0,0	TacticalPro Series Neckband Headset with Nexus connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095
		TacticalPro Series Hard Hat Attached with Nexus connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adapter PMLN6095
		PTT Nexus Adapter	PMLN6095	FL5063-34	N/A	N/A	N/A	N/A	N/A	N/A
	-									


COMPATIBILITY	ACCESSORY				FEATURES					
RSM CONFIGURA	ATIONS									
PORTABLE RADIOS	HEADSETS	DESCRIPTION AND ADAPTER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)
XPR 3000 SERIES XPR 6000		HT Series Listen Only Over-The-Head Headset with 3.5mm NON threaded connector	RMN4055	HTM79A-34	Over-The-Head	3.5mm NON threaded	Dual-Ear	25dB	(Listen-Only)	MOTOTRBO radios require
SERIES XPR 7000 Series		HT Series Listen Only Neckband Headset with 3.5mm NON threaded connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24dB	(Listen-Only)	RSM: PMMN4024, PMMN4025, PMMN4041, PMMN4042, PMMN4043, PMMN4050, PMMN4071, PMMN4073
	A	HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON threaded connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23dB	(Listen-Only)	or PMMN4076
XPR 6000 SERIES XPR 7000 SERIES	ß	HT Series Listen Only Over-The-Head Headset with 3.5 threaded connector	RMN4056	HTM79A-42	Over-The-Head	3.5mm threaded	Dual-Ear	25dB	(Listen-Only)	MOTOTRBO radios require
	ê.,	HT Series Listen Only Hard Hat Attached Headset with 3.5 threaded connector	RMN4057	HTM79P3E-42	Hard Hat Attached	3.5mm threaded	Dual-Ear	23dB	(Listen-Only)	RSM: NNTN8383

COMPATIBILITY	ACCESSORY			
REPLACEMENT P	ARTS			
PORTABLE RADIOS	REPLACEMENT PELTOR HEADSET PARTS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER
I	6	Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
	4 0	Earmuff Hygiene Kit Gel Sealing	RLN6541	HY80
XPR 6000 SERIES		Hygiene Tape for Microphone	RLN6542	HYM1000
XPR 7000 SERIES		Boom Microphone Wind Screen	RLN6543	M40/1
	e st	Metal Boom with Microphone	RMN5131	MT7N





COMPATIBILITY	ACCESSORY			FEATURES	
HEARING PROTEC	TION ACCESSORIES	– CAN BE USED ALONE OR IN CONJU	NCTION WITH	HEAVY-DUTY HEADSE	TS
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™ foam eartip	RLN5313, RLN5314, RLN4941, NNTN8459,
XPR 6000 SERIES XPR 7000 SERIES SL SERIES		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply [™] foam eartip	RLN5882, RLN5883, PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130, RLN4941, PMLN7269,
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply [™] foam eartip	PMLN7270, PMLN6754, PMLN6755



XBT HEAVY-DUTY WIRELESS HEADSET IN USE

a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS[™] situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

> See the XBT Headset in action


COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL N
		JETOOTH [®] ACCESSORIES This portfolio is m your belt and stay connected within 30 feet		,						Note: SL SER	IES and XPR 7	000 portable	e radios have	e Bluetooth	ı embedded ir	the radio and
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING*	TRANSPORTATI AND LOGISTICS
XPR 6000 SERIES		Operations Critical Wireless Bluetooth Adapter	PMLN5712	N/A	N/A	On Adapter			30	65 x 22 x 20	Operations Critical	Standard		♦ IP57		•
XPR 6000 SERIES XPR 7000		XBT Operations Critical Wireless Behind- the-Neck Headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7	429		Operations Critical	Standard		IP54		•
SERIES	Ø.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7	422		Operations Critical	Standard		IP54		•

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort[™] style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.

OPERATIONS CRITICAL/ENHANCED OPERATIONS CRITICAL: This Bluetooth® solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all

*Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FIM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.



and some devices have intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need grab-and-go device can all pair at the same time without connecting to the wrong radio.




HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place her radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.

> See Operations Critical Wireless Accessories in action

COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL N
OPERATIONS CRI giving you the flexibility	FICAL WIRELESS BLU ty to remove the radio fro	JETOOTH® ACCESSORIES This portfolio i m your belt and stay connected within 30 fee	is a game changer t.	,						Note: SL SE	RIES and XPR 3	7000 portable	e radios hav	e Bluetootl	n embedded i	n the radio and
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	Charge Time (Hours)	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING**	TRANSPORTATI AND LOGISTICS
] [\mathbf{S}	Operations Critical Wireless Earpiece with 12 inch cable	NNTN8125	Over-the-ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•
	00	Operations Critical Wireless push-to-talk pod	NNTN8127	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•
XPR 6000 SERIES SERIES	(IC	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT)	RLN6500	Over-the-ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•
SL SERIES		Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT)	PMLN7181	Over-the-ear (Swivel)	Boom	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•
ENHANCED OPER	ATIONS CRITICAL W	IRELESS														
1		Enhanced Operations Critical Wireless Adapter with touch pairing	PMLN5993	N/A	N/A	On Adapter			35	65 x 22 x 20	Enhanced Operations Critical	Touch		● IP57	FM	•
XPR 6000		Enhanced Operations Critical Wireless Earpiece with 12 inch cable and push-to-talk pod	NTN2570	Over-the-ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Enhanced Operations Critical	Touch	30	IP54	FM	•
SERIES (EXCEPT XPR 6100)		Enhanced Operations Critical Wireless push-to-talk pod	NTN2571	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Enhanced Operations Critical	Touch	30	IP54	FM	•






COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL MAR	RKETS: Recommend	lations based on typ	ical use case for ea	ach of verticals lis	sted.	
OPERATIONS CR	RITICAL WIRELESS BLU	JETOOTH® ACCESSORIES												
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
OPERATIONS CR	RITICAL AND ENHANC	ED OPERATIONS CRITICAL WIRELESS	ACCESSORIES	AND EARPIECES										
		Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
	Con Con	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
XPR 6000 SERIES		Operations Critical Wireless 1-Wire Surveillance kit with quick disconnect translucent tube	PMLN7052	Clear Rubber Eartip	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
XPR 7000 SERIES	5-5	Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the- shelf headphones)	NNTN8296	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical					•		
SL SERIES	~~~??	Swivel Earpiece with in-line microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-Ear (Swivel)	In-line	On Radio**	Operations Critical	•	•	•		•	•	•
		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	On Radio**	Operations Critical	•	•	•		•	•	•


COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL MAR	KETS: Reco
OPERATIONS CR	TICAL WIRELESS BLU	JETOOTH® ACCESSORIES							
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS	MANUFACT AND CONSTRUC
OPERATIONS CR	TICAL WIRELESS CO	MPLETELY DISCREET KIT*							
XPR 6000	20	Completely Discreet Earpiece Kit (includes Phonak phonito intra earpiece and inductive neckloop)	RLN4922	Completely discreet	On Y-adapter (order separately)	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical		
XPR 6000 SERIES	.0	Wireless Neckloop Y-adapter and retention hook	NNTN8385		Separate wire	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical		
XPR 7000 SERIES SL SERIES		Wireless Push-to-Talk Pod	NNTN8127		On Y-adapter (order separately)	On PTT Pod	Operations Critical		


COMPATIBILITY	ACCESSORY			
WIRELESS REPLA	CEMENT KITS			BLEND IN PERFECTLY
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	WITH YOUR
	5	Replacement Wireless Earpiece 12 inch cable for NNTN8125	NTN2572	ENVIRONMENT
XPR 6000 SERIES	$\langle c \rangle$	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for comport earpiece	NTN8821	
XPR 7000 SERIES	000 ⁰⁰⁰⁰⁰⁰ 000000000000000000000000000	Ear strap for comport earpiece (pack of 10)	NTN8988	> Experience the Completely
SL SERIES	5	Eartube for comport earpiece (pack of 10)	RLN5037	<u>Discreet Wireless Kit</u>



Note: SL series and XPR 7000 series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter. * Must order all 3 items for the complete solution - RLN4922, NNTN8385 and NNTN8127.

Note: SL series and XPR 7000 series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.





MPATIBILITY	ACCESSORY			FEATURES							
OTOROLA ORIG OTOTRBO radio. M	INAL [®] TWO-WAY RA	ADIO BATTERIES The only batteries develo Proven Tough, in lab test after lab test, to with	ped, tested and ce stand shocks, knoc	rtified for optir cks, drops and	nal performan shakes and o	ce with your utperform the	other brands.				
RTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING*	IP RATING
XPR 3000 SERIES		Slim Li-lon 1500 mAh battery Submersible (IP57)	PMNN4406		Li-Ion	1600	Analog: 8 Digital: 11.5	113 x 52 x 18	125		● IP57
		IMPRES Slim Li-lon 1500 mAh battery Submersible (IP57)	PMNN4407	•	Li-Ion	1600	Analog: 8 Digital: 11.5	113 x 52 x 18	125		● IP57
XPR 3000 SERIES		IMPRES Li-lon 2150 mAh battery Submersible (IP57)	PMNN4409	•	Li-Ion	2250	Analog: 11 Digital: 16.5	113 x 52 x 23	150		● IP57
XPR 7000 SERIES		Long life (LiMn) 1300 mAh battery Submersible (IP57), -30°C rated	PMNN4435		LiMn	1400	Analog: 7 Digital: 10	113 x 52 x 23	150		● IP57
		IMPRES Hi-Cap Li-Ion 2700 mAh battery Submersible (IP57)	PMNN4448	•	Li-Ion	2800	Analog: 14 Digital: 20.5	113 x 52 x 23	150		● IP57
	Ŀ	IMPRES Li-lon 2300 mAh battery Submersible (IP57), Intrinsically safe (FM)	NNTN8129	•	Li-Ion	2350	Analog: 12 Digital: 17.5	113 x 52 x 23	150	FM	● IP57
XPR 7000 SERIES		IMPRES Hi-Cap Li-Ion 2500 mAh battery Submersible (IP57), Intrinsically safe (TIA4950)	NNTN8560	•	Li-Ion	2500	Analog: 12.5 Digital: 18.5	113 x 52 x 23	195	TIA	● IP57

34 *Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system

AT IS THE LONG-LIFE COLD PERATURE BATTERY?

otorola Original[®] Long-Life Cold erature Lithium Manganese battery has up) full charge/discharge cycles and is rated listand extreme temperatures down to -30 es C. Maintenance-free and lightweight, ttery does not require reconditioning or lous waste disposal.




CKS. DROPS. SHOCKS. VIBRATION. STATIC.

radio gets banged on a ride, rattled by heavy equipment or ad by static electricity, our batteries will stay true and stand tough. rigorous lab tests prove that Motorola radio batteries perform y and reliably, despite the toughest conditions. What's more, we behind every battery we build.

<u>vw.motorolasolutions.com/proventough</u> for details.

VEN TOUGH BATTERY TESTING PASS RATE



BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low erts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it dio and exactly when an IMPRES battery has reached the end of service life.


IC SAFETY RATING: Motorola-approved batteries are a critical part of the overall radio system by a recognized testing organization as intrinsically safe. Non-Motorola approved batteries may not be or MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous

WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against to in workmanship for **four years** – twice as long as most leading competitive batteries.

Compatibility MOTOROLA ORI	ACCESSORY GINAL® TWO-WAY	RADIO BATTERIES The only batteries develo	ped, tested and ce	FEATURES	mal performan	ce with your					
OTOTRBO radio.	MOTOTRBO batteries ar	e Proven Tough, in lab test after lab test, to with	stand shocks, knoo	cks, drops and	l shakes and o	TYPICAL	other brands. APPROXIMATE OPERATIONAL TIME		WEIGHT	INTRINSIC	
ORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	RATED CAPACITY (mAh)	OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS)	(MAX.	SAFETY RATING*	IP RATING
		IMPRES [™] Li-Ion 1500 mAh battery Submersible (IP57)	PMNN4066	•	Li-Ion	1600	Analog: 9 Digital: 13	129 x 55 x 21	145		♦ IP57
XPR 6000 SERIES		IMPRES Li-Ion 1400 mAh battery Submersible (IP57), Intrinsically safe (FM)	PMNN4069	•	Li-Ion	1450	Analog: 8.5 Digital: 12	129 x 55 x 23	155	FM	♦ IP57
XPR 6000 SERIES	1	IMPRES Li-lon 2150 mAh battery Submersible (IP57)	PMNN4077	•	Li-Ion	2250	Analog: 13 Digital: 18	129 x 55 x 23	160		♦ IP57
	1	NiMH 1300 mAh battery Submersible (IP57)	PMNN4065		NiMH	1400	Analog: 8 Digital: 11	129 x 55 x 21	215		♦ IP57
	C MOTOROLA C CC SS C	BT100x Li-lon 2300 mAh Battery	PMNN4468		Li-lon	2300	14	12 x 36 x 54	50		
	Hanna CCO X Hanna COMPACTOR COMPACTOR State	BT90 Li-Ion 1800 mAh Battery	HKNN4013		Li-lon	1800	11.5	9 x 36 x 54	38		
		BT7X Li-Ion 1400 mAh Battery	PMNN4425		Li-lon	1400	8.5	7 x 36 x 54	30		
SL SERIES		Replacement Battery Cover (BT100x - ultra high capacity battery)	PMLN6745								
	1	Replacement Battery Cover (BT90 - high capacity battery)	PMLN6001			R				-to	
		Replacement Battery Cover (BT7X - standard battery)	PMLN6000	J		The					

36 *Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system

ONLY IMPRES BATTERIES CAN BE CHARGED 150 TIMES MORE THAN STANDARD BATTERIES AND LAST 43% LONGER



W DO IMPRES BATTERIES AND ARGERS SAVE MONEY?

y reduce the number of spare batteries you buy and increase time before you need replacements. Only IMPRES batteries can charged 150 additional times versus a standard battery – a 43% rease in charge cycles. If you charge radios two to three times a ek, you'll get more than an extra year out of every IMPRES battery.

PRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low ery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it our radio and exactly when an IMPRES battery has reached the end of service life.

HINSIC SAFETY RATING: Motorola-approved batteries are a critical part of the overall radio system ied by a recognized testing organization as intrinsically safe. Non-Motorola approved batteries may not be ied for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous

TERY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against lefects in workmanship for **four years** – twice as long as most leading competitive batteries.

MPATIBILITY	ACCESSORY			FEATU	RES			
HARGER SOLU d be confident yo	TIONS Choose from a our radio is charged and	variety of solutions including single-unit, multi-ur d ready to go the moment you need it.	it, travel and in-ve	ehicle cha	rgers			
RTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) H X L X D	NUMBER POCKETS
XPR 3000 SERIES	e.	Single-Unit Rapid Rate Charger, 120V (US Plug)	NNTN8275		Li-Ion, NiMh	120V		1
.		IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN4232	•	Li-Ion, NiMh	120V	61 x 97 x 163	1
		IMPRES Multi-Unit Rapid Rate Charger with 1 Display , 120V (US plug)	WPLN4212	•	Li-Ion, NiMh	120V	153 x 445 x 292	6
PR 3000 ERIES SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays , 120V (US plug)	WPLN4219	•	Li-Ion, NiMh	120V	153 x 445 x 292	6
	A	Display Module for IMPRES Multi-Unit Charger	RLN5382	•				
XPR 7000 SERIES	1111 5555	Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967					
		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, 120V (US plug)	PMPN4009		Li-Ion	120V		1
SL SERIES	Þ	Tri-unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), 120V (US plug)	PMLN6701		Li-Ion	120V	52 x 93 x 113	2 +
	andone	Six-Pocket Multi-Unit Rapid Rate Charger, 120V (US plug)	PMLN6687		Li-Ion	120V	65 x 424 x 110	6
EHICULAR AND	TRAVEL CHARGE	RS						
XPR 3000 SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger, heavy-duty permanent mount	NNTN7616*	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
XPR 6000 SERIES XPR 7000 SERIES		Travel Charger, Rapid Rate with voltage regulated adapter, custom charger base, mounting bracket and coil cord	NNTN8525		Li-lon, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1
MPRES BATTER	RY MANAGEMENT	TOOLS						
		IMPRES Battery Reader	NNTN7392		IMPRE	S: Get the mo	ost out of every bat	terv
		IMPRES Battery Management Multi-Unit Charger Interface Unit	NNTN7677		and elin alerts". how mu	ninate the sur IMPRES char ich capacity is	prise of "low batte gers tell you exactl s in an IMPRES bat o your radio and ex	y tery
PR 3000 ERIES XPR 6000 SERIES	(III)	IMPRES Battery Management Single-Unit Charger Interface Unit	NNTN8045		when ai end of s	n IMPRES bat ervice life.	tery has reached th	ne
					NIIMP		ETC. MOTOTORDO	multi-

HKVN4036

NNTN7676

NUMBER OF POCKETS: MOTOTRBO multi-

unit chargers let you simultaneously charge up to 6 radios and/or batteries. The unique

tri-unit charger for the SL Series enables you to charge a radio, spare battery and wireless

device simultaneously




IMPRES BATTERY MANAGEMENT TOOLS

With the IMPRES Battery Reader and IMPRES Battery Fleet Management systems, efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software applications alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

NEW IMPRES OVER THE AIR (OTA) BATTERY MANAGEMENT

IMPRES OTA Battery Management, for XPR 7000 or XPR 3000 Series radios when used with IMPRES batteries, automatically collects battery information over the air while radios are in use. It eliminates the need for wired network connections and a computer at charger locations. It also enables real-time data querying of any radio in the field and adds radio related data for radio asset tracking and other uses.

> For more information go to www.motorolasolutions.com



REAL TIME BATTERY HEALTH REPORT Enables immediate battery health and capacity querying

IMPRES Battery Management Software, XPR 7000 SERIES

* Must be C revision or greater for compatibility with XPR 3000 series and XPR 7000 series radios.

IMPRES Battery Management

downloadable from Motorolasolutions.com

License Key


8 A B

-

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION	NS Carrying cases are av es keep your hands-free, s	ailable in sizes designed to fit your radio and l so you can concentrate on the task at hand.	battery and permit	audio to be heard c	learly.		
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
	É	Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display
	U.	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display
	T	Hard Leather Carry Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display
	Ê	Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display
XPR 3000 Series	Ć	Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5870	Nylon	3	Fixed	Non Display
	ľ	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5868	Hard Leather	2.5	Swivel	Non Display
	U	Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5866	Hard Leather	3	Swivel	Non Display
	1	Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5864	Hard Leather	3	Fixed	Non Display
J	Ó	Nylon Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5015	Nylon	3	Fixed	Display
		Nylon Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5024	Nylon	3	Fixed	Non Display
XPR 6000 Series	Ú	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5019	Hard Leather	2.5	Swivel	Display

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.


SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.



		FEATURES			
ses, straps, hol	sters and clips,				
	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
inch Swivel	PMLN5020	Hard Leather	3	Swivel	Display
inch Fixed	PMLN5021	Hard Leather	3	Fixed	Display
1.5 inch nodel)	PMLN5028	Hard Leather	2.5	Swivel	Non Display
inch Swivel	PMLN5029	Hard Leather	3	Swivel	Non Display
inch Fixed	PMLN5030	Hard Leather	3	Fixed	Non Display
elt Loop	PMLN5844	Nylon	3	Fixed	Display
h Swivel Belt	PMLN5842	Hard Leather	2.5	Swivel	Display
Swivel Belt	PMLN5840	Hard Leather	3	Swivel	Display
Fixed Belt	PMLN5838	Hard Leather	3	Fixed	Display
elt Loop	PMLN5845	Nylon	3	Fixed	Non Display
h Swivel Belt	PMLN5843	Hard Leather	2.5	Swivel	Non Display
Swivel Belt	PMLN5846	Hard Leather	3	Swivel	Non Display
Fixed Belt	PMLN5839	Hard Leather	3	Fixed	Non Display




COMPATIBILITY CARRY SOLUTION	ACCESSORY S			FEATURES	-	
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED
		Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2.5	
		Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5	
XPR 3000 SERIES		Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
		Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel
J		Replacement 2.5 inch Leather Swivel Belt Loop	PMLN5022	Hard Leather	2.5	Swivel
		Replacement 3 inch Leather Swivel Belt Loop	PMLN5023	Hard Leather	3	Swivel
XPR 6000 SERIES	•	Spring Action 2.5 inch Belt Clip	PMLN4652	Plastic	2	
_		Carry Holder/Holster for SL series radio with Swivel Belt Loop	PMLN5956	Plastic		Swivel
SL SERIES	~	Nylon Wrist Strap for securely carrying Motorola two-way radios	PMLN6074	Nylon		
	1	Soft leather carry case with 1.5 inch quick release swivel belt clip	PMLN7040	Soft Leather	1.5	Swivel



		FEATURES
	PART NUMBER	MATERIAL
p for -way radios	HLN9985	
	4200865599	Leather
o Holder, Pouch	HLN6602	
Radio Holder Pouch	RLN4570	
2 and	1505596Z02	
	RLN4815	
vaists larger	4280384F89	
p	NTN5243	Nylon
	RLN6486	Leather
	RLN6487	Leather
adio Straps	RLN6488	Leather
er	1571477L01	Plastic
er	PMLN6066	Plastic
er	15012157001	Plastic

COMPATIBILITY	ACCESSORY			Career and a second second second
SCREEN PROTEC	CTORS			Contraction (Section)
PORTABLE RADIOS	SCREEN PROTECTORS	DESCRIPTION	PART NUMBER	
XPR 7000 SERIES	Ch 1 City Parks Contact Zone	Screen Protector, clear (single pack - Ωty 1)	AY000267A01	Ch 1 City Parks Contact Zone
SL SERIES	Ch 1 Security c Contacts Scan	Screen Protector, clear (single pack - Ωty 1)	AY000269A01	P1 P2 P2 P2 P2 P2 P2 P2 P2 P2 P2





COMPATIBILITY	ACCESSORY			FEATURES						
ANTENNAS										
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE		
I	/	VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz range	PMAD4067	VHF	136-147	٠	16	Helical		
		VHF/GPS Combination Helical Whip Antenna for the 147-160 MHz range	PMAD4068	VHF	147-160	•	16	Helical		
		VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz range	PMAD4069	VHF	160-174	•	16	Helical		
		Whip 350-400 MHz + GPS Fld Mnp Antenna 16.5cm	PMAD4112	VHF	350-400	•	16.5	Whip		
XPR 6000 SERIES	/	GPS/800/900 MHz Combination Helical Antenna	PMAF4003	800/900 MHz	806-941	•	18	Helical		
	/	Whip Antenna 806-870 MHz 1/2 Wave	NAF5087	800/900 MHz	806-870		7	Whip		
		Whip Antenna 896-941 MHz 1/2 Wave	NAF5088	800/900 MHz	896-941		6.6	Whip		

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.


INTEGRATED GPS: A GPS antenna is integrated into the RF antenna. (The XPR 3000 series radios do not have GPS capability, but use these antennas.)

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS Get the offer superior perform	e best possible reception ance over XPR 6000 Se	n wherever you operate. New stubby antenna ries stubby antennas.	as for the XPR 7000 a	ind XPR 3000 s	eries radios			
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
	/	UHF Wideband Flexible Whip Antenna for the 403-470 MHz range	PMAE4022	UHF	403-470		16	Whip
		UHF Wideband Flexible Whip Antenna for the 450-512 MHz range	PMAE4049	UHF	450-512		16	Whip
		VHF Wideband Flexible Whip Antenna for the 136-174 MHz range	PMAD4124/ PMAD4088	VHF	136-174		21	Whip
		UHF/GPS Combination Stubby Antenna for the 403-433 MHz range	PMAE4021	UHF	403-433	•	9	Stubby
XPR 6000 SERIES	/	UHF/GPS Combination stubby antenna for the 430-470 MHz range	PMAE4023	UHF	430-470	•	9	Stubby
		UHF/GPS Combination Stubby Antenna for the 450-512 MHz range	PMAE4048	UHF	450-512	•	9	Stubby
		VHF Stubby Antenna for the 136-147 MHz range	PMAD4093	VHF	136-147		11	Stubby
		VHF Stubby Antenna for the 147-160 MHz range	PMAD4094	VHF	147-160		11	Stubby
		VHF Stubby Antenna for the 160-174 MHz range	PMAD4095	VHF	160-174		11	Stubby
	/	UHF/GPS Combination Wideband Slim Whip Antenna (403-527 MHz)	PMAE4079	UHF	403-527	•	15	Whip
XPR 3000 SERIES		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	•	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	•	15	Helical
XPR 7000 SERIES	Ŧ	VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	•	15	Helical

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
		UHF/GPS Combination Stubby Antenna (403-450 MHz)	PMAE4069	UHF	403-450	•	11	Stubby
	/	UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	•	11	Stubby
		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	•	11	Stubby
	,	VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	•	9	Stubby
XPR 3000 SERIES		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	•	9	Stubby
		VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	160-174			Stubby
XPR 7000 SERIES		VHF Stubby Antenna (300-337 MHz)	PMAD4137	VHF	300-337			Stubby
		VHF Stubby Antenna (320-360 MHz)	PMAD4135	VHF	320-360			Stubby
		VHF Stubby Antenna (350-380 MHz)	PMAD4136	VHF	350-380			Stubby
		VHF Stubby Antenna (360-400 MHz)	PMAD4133	VHF	360-400			Stubby
		VHF Whip Antenna (300-360 MHz)	PMAD4138	VHF	300-360			Whip
		VHF Whip Antenna (350-400 MHz)	PMAD4139	VHF	350-400			Whip

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS Portable radios	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
XPR 7000 SERIES	/	800 MHz Flexible Whip Antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870		14	Whip
		900 MHz Flexible Whip Antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941		16.4	Whip
		800/900 Stubby Antenna (806-870 MHz)	PMAF4009	800/ 900 MHz	806-870			Stubby
		800/900 Stubby Antenna (896-941 MHz)	PMAF4010	800/ 900 MHz	896-941			Stubby
	-	UHF Antenna Kit for the 403-425 MHz range	PMAE4078	UHF	403-425		1.9	Stubby
		UHF Antenna Kit for the 420-445 MHz range	PMAE4076	UHF	420-445		1.9	Stubby
		UHF Antenna Kit for the 438-470 MHz range	PMAE4077	UHF	438-470		1.9	Stubby
SL SERIES		UHF Stubby Antenna Kit for the 450-490 MHz range	PMAE4091	UHF	450–490		1.9	Stubby
		UHF Stubby Antenna Kit for the 480-527 MHz range	PMAE4092	UHF	480–527		1.9	Stubby
	-	Antenna Kit for the 800 MHz range	PMAF4017	800/ 900 MHz	806-870		1.1	Stubby
		Antenna Kit for the 900 MHz range	PMAF4018	800/ 900 MHz	896-941		0.5	Stubby





	PART NUMBER
screws	PMLN6040
of 10pcs)	32012144001
k of 10pcs)	32012144002
c of 10pcs)	32012144003
of 10pcs)	32012144004
c of 10pcs)	32012144005

COMPATIBILITY	ACCESSORY			
PROGRAMMING (CABLES			
PORTABLE RADIOS	PROGRAMMING CABLES	DESCRIPTION	PART NUMBER	n <i>i</i> au
I		Portable Programming Cable (USB) for XPR 3000 series	PMKN4115	
XPR 3000 SERIES		Programming Cable Slim Conn to DB25 and TTR	PMKN4116	
		Programming, Test, and Alignment Cable for XPR 3000 series	PMKN4117	
		Portable Programming Cable (USB) for XPR 6000/7000 series	PMKN4012B	
XPR 7000 SERIES		Programming, Test, and Alignment Cable for XPR 6000/7000 series	PMKN4013	
	<i>.</i> 0	Portable Telemetry Cable	PMKN4040	-
XPR 6000 SERIES		Portable to RS232 DB25M Connector Cable	PMKN4071	and the second sec
		IMPRES Mobile MMP Non-PC Adapter	PMKN4072	
XPR 6000 SERIES		IMPRES Mobile MAP Non-PC Adapter	PMKN4070	-
XPR 7000 SERIES		Test Alignment, TTR and Programming Cable	PMKN4126	
	\bigcirc	Portable Programming Cable (micro USB) for SL series	25-124330-01R	
SL SERIES		Programming Cable, Micro USB, with Tuning Connector	30012055001	_

MOTOTRBO MOBILE DIOS

XPR 5000 SERIES

XPR 4000 SERIES

XPR 2500 SERIES

The XPR 5000 series shares the same connector as the XPR 4000 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth[®], giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 30 feet of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.

INTEGRATED VOICE AND DATA ON THE GO XPR 4000 SERIES

Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XPR 4000 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.

XPR 2500 SERIES


The XPR 2500 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XPR 2500 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that guickly fills with chattering children - you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.



UNRIVALED VOICE AND DATA ON THE GO XPR 5000 SERIES

COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONES K The heavy-duty micro	eypad microphones let y ophone is easy to use wh	ou easily navigate menus on your XPR 4550 or ile wearing gloves and the telephone-style ha	XPR 5550, dial phone ndset enables more d	numbers and send text messa liscreet communication.	ges.
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
	2 -	IMPRES Keypad Microphone with 4-way navigation button	RMN5127	Keypad + Navigation	•
XPR 5000 SERIES	Ţ	MOTOTRBO Mobile Handheld Control Head Upgrade Kit with 3M Straight Cable	PMLN7131		
	Q	MOTOTRBO Mobile Handheld Control Head 5 Meter Straight Extension Cable	PMKN4174		
XPR 4000 Series	S.	IMPRES Keypad Microphone	RMN5065	Keypad	•
		Standard Compact Microphone	RMN5052	Compact	
	Ś	IMPRES Heavy-Duty Microphone	RMN5053	Heavy-Duty	•
XPR 5000 SERIES	٦	IMPRES Telephone Style Handset	HMN4098	Telephone Style Handset	•
XPR 4000 SERIES	10	IMPRES Visor Microphone	RMN5054	Visor	•
	-	Desktop Microphone	RMN5050	Desktop	
	"	Compact Microphone	PMMN4090	Compact	
XPR 2500 SERIES	t jõ	Heavy Duty Microphone	PMMN4091	Heavy-Duty	








		FEATURES	
	PART NUMBER	MICROPHONE STYLE	IMPRES
	PMMN4089	Keypad	
	GMMN4065	Visor	
ı	PMLN6481	Telephone Style Handset	
	PMMN4098	Desktop	


COMPATIBILITY	ACCESSORY		
MOBILE MICROPI	HONE ACCESSORIES		
MOBILE RADIOS	MICROPHONE ACCESSORIES	DESCRIPTION	PART NUMBER
XPR 5000 SERIES XPR 4000	di elo	Microphone Hang-Up Clip (Requires installation)	HLN9073
SERIES XPR 2500 SERIES	0	Universal Microphone Hang-Up Clip (No installation required)	HLN9414
	A	10-Foot Mobile Microphone Extension Cable	PMKN4033
XPR 5000 SERIES		20-Foot Mobile Microphone Extension Cable	PMKN4034
XPR 4000		Compact Microphone Replacement Cable	3075336B07
SERIES		Heavy Duty / Keypad Microphone Replacement Cable	075336B10

COMPATIBILITY ACCESSORY

EXTERNAL PUSH-TO-TALK (PTT) Activate the PTT or emergency footswitch without having to use the mobile microphone. A simple pushbutton PTT can be held in the hand or mounted in your vehicle for easy access, while the emergency footswitch lets you discreetly activate emergency hands-free when a critical situation arises.

MOBILE RADIOS	MICROPHONE Accessories	DESCRIPTION	PART NUMBER
XPR 5000 SERIES	0	Pushbutton push-to-talk to interface with your visor microphone	RLN5926
XPR 4000 Series		Emergency Footswitch can be used with a visor microphone	RLN5929
		Emergency Footswitch can be used with a visor microphone	RLN4836
XPR 2500 SERIES	-0	Remote Mount Footswitch Push-to-Talk to interface with your visor microphone	RLN4856
	8	Remote Mount Pushbutton Push-to-Talk to interface with your visor microphone	RLN4857





OPTIMIZED FOR DIGITAL

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for XPR[™] 2500 mobile radios.

COMPATIBILITY	ACCESSORY			FEATURES												VERTICAI listed	MARKETS:	Recommendatio	ons based on	typical use c	ase for each of verticals
LONG RANGE WI Bluetooth gateway. T never thought possib	The Long Range Wireless	e Wireless Remote Speaker Microphone (RSN RSM works up to 100 meters away line-of-sig	Л) pairs instantly v ht from the mobile	vith touch pairing t radio, keeping yo	o the mobile mi u in communica	crophone with ition where you				y - Just at pairing qu		e gateway microph	one to your	radio, align t	he two devices	where indic	ated by the	blue dot and	you are rea	idy to go. Vo	ice prompts will walk
PORTABLE RADIOS	REMOTE SPEAKER Microphones	DESCRIPTION	PART NUMBER	WINDPORTING, NOISE- CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	TALK TIME (HRS)	CHARGE TIME (HRS)	WEIGHT (G)	SIZE DIMENSIONS (MM)	OPERATIONS CRITICAL / ENHANCEI OPERATIONS CRITICA	TOUCH / D STANDARD L PAIRING	RANGE	IP RATING/ SUBMERSIBLE	TRANSPOR- TATION AND LOGISTICS	MANUFAC- TURING AND CONS- TRUCTION	UTILITIES OR Public Service		PRIVATE SECURITY	HOSPITALITY AND RETAIL (CAMPUSES)
		Long Range Wireless Kit with charger Includes: Long Range Wireless RSM; Mobile Mic Bluetooth Gateway; Vehicular Charger	RLN6551	Windporting	ě	ő	► B h	28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300 ft. line of sight	● IP55	•	•	•		•	•
		Long Range wireless kit Includes: Long Range Wireless RSM; Mobile Mic Bluetooth Gateway	RLN6552	Windporting				28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300 ft. line of sight	● IP55	•	•	•		•	•
		Dual unit charger (Charger base with US power supply)	PMLN7120						3							•	•	•		•	•
		Power Supply for Dual Unit Charger US	25012022001																		
		Mobile Microphone with Bluetooth Gateway	PMMN4097									Enhanced Operations Critical	Touch	300 ft. line of sight	l₽55	•	•	•		•	•
XPR 5000 SERIES		Wireless RSM (Remote Speaker Microphone) with Battery and Clip	RLN6544	Windporting	Ó	Ŏ		28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300 ft. line of sight	IP55						
XPR 4000 SERIES	battery only	Wireless RSM Battery, 1750mA Li-Ion 3.6 VDC	PMNN4461					28	3												
	Ĵ	Vehicular Charger with coil cord cigarette lighter plug	PMLN6716							2	-	17									
	I	Hang Up Clip, required for vehicular charger	HLN5391							No.	-							on thoir h	iah		
		D Ring Swivel Clip	42009312001		(11				q		po mu	ver mob st work	or custome ile radio fo outside of	or systen their vel	n connec nicle. Th	ction but e Long Ra	ange	7699 1125 - 1	
	62	Receive-Only Earpiece with Comfort Eartube	RLN4941		1	- Star	/								olution allo note job si		to maint	ain critica	ai comm	iunicatio	DIIS
	S.	Receive-Only Earbud	AARLN4885						A.			-									





HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

MPATIBILITY	ACCESSORY			FEATURES								
ERATIONS CR	ITICAL WIRELESS BLI our desk and still remain c	UETOOTH [®] ACCESSORIES This portfolio connected to your radio up to 30 feet away.	is a game changer	for your business as you h	ave the flexibility to leave your truck							
BILE RADIOS	OPERATIONS CRITICAL WIRELESS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	DIMENSIONS (MM)	WEIGHT (GRAMS)	PAIRING TYPE	IP RATING
	5	Operations Critical Wireless Earpiece with 12 inch cable	NNTN8125	Over-the-ear tube (CommPort™)	Directional, above the earpiece	On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
Surveillance kit with quick dis translucent tube Operations Critical Wireless E 11.5 inch cable	Operations Critical Wireless 1-Wire Surveillance kit with quick disconnect translucent tube	PMLN7052	Clear Rubber Eartip	In-line	Requires separate PTT Pod	10 with pod				Standard	IP54	
	Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	Requires separate PTT pod	10 with PTT pod				Standard	IP54	
	Carro	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	Requires separate PTT pod	10 with PTT pod				Standard	IP54
XPR 5000 SERIES		Operations Critical Wireless push-to-talk pod	NNTN8127	N/A	N/A	On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
	QC	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT)	PMLN6500	Over-the-ear (Swivel)	In-line	On Radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
		Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT)	PMLN7181	Over-the-ear (Swivel)	Boom	On Radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
-		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7		429	Standard	IP54
	Q.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7		422	Standard	IP54
ION series mobile rac	ios have Bluetooth embedded in the ra	adio		1		*Note: PTT on radio or with se	enarate wireless PTT.					

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort[™] style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is great for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.



COMPATIBILITY	ACCESSORY			FEATURES		
WIRELESS REPLA	CEMENT PARTS					
MOBILE RADIOS	WIRELESS REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ
	5	Mission Critical/Operations Critical Replacement Wireless Earpiece with 12 inch cable	NTN2572	Over-the- ear tube (CommPort™)	Directional, above the earpiece	N/A
	$\langle c \rangle$	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens	NTN8821	N/A	N/A	N/A
	00 ⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰⁰	Ear strap for comport earpiece (pack of 10)	NTN8988	N/A	N/A	N/A
	5	Eartube for comport earpiece (pack of 10)	RLN5037	N/A	N/A	N/A
XPR 5000 SERIES		Replacement ear tips for wireless earbuds (20 small, 20 medium, 20 larger and 10 clips)	NNTN8361	Earbud	N/A	N/A
		Replacement or spare micro-USB plug-in charger (US plug) for wireless pod	PMPN4027	N/A	N/A	N/A
	4	Swivel clip for Operations Critical Wireless pod and Enhanced Operations Critical Wireless pod	PMLN6246A			
	~~~?	Swivel Earpiece with in-line microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-Ear (Swivel)	In-line	On radio*
		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	On radio*




COMPATIBLETT	AUCESSON		
CONTROL STATIO	N ACCESSORIES Quic on, manufacturing and pul	kly and conveniently convert your radio into lic service operations that have dispatch rea	a base station. quirements.
MOBILE RADIOS	CONTROL STATION ACCESSORIES	DESCRIPTION	PART NUMBER
	~	Desktop Tray with speaker	RSN4005
	-	Desktop Tray without speaker	GLN7318
	<i>c</i>	Adapter Cable for Control Station	HKN9088
XPR 5000 SERIES		Power Supply, 25-60W, 1-60W cord included	HPN4007
XPR 4000 SERIES		Switchmode Power Supply, 1-25W radios only with provision for back-up battery hook-up	GPN6145
	$\overline{\mathbb{O}}$	Power Supply Cable for GPN6145	GKN6266
		US Line cord for GPN6145	3060665A04
		Mini-UHF to PL259 antenna adapter cable	HKN9557

COMPATIBILITY ACCESSORY




COMPATIBILITY ACCESSORY INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio be mounted in the trunk when dash space is limited. INSTALLATION AND MOUNTING ACCESSORIES MOBILE RADIOS DESCRIPTION -Low Profile Trunnion Kit keeps radio tucked RLN6077 up under dash XPR 4000 SERIES XPR 5000 SERIES Low Profile Trunnion Kit keeps radio tucked RLN6466 XPR 2500 SERIES up under dash High Profile Trunnion Kit with under dash or RLN6078 floor mount XPR 4000 SERIES XPR 5000 SERIES High Profile Trunnion Kit with under dash or RLN6467 XPR 2500 SERIES floor mount Key Lock Trunnion Kit provides extra RLN6079 protection from theft XPR 4000 SERIES XPR 5000 SERIES Key Lock Trunnion Kit provides extra RLN6468 XPR 2500 SERIES protection from theft Direct In Dashboard Mounting Kit RLN5933 XPR 4000 SERIES Contract of Direct In Dashboard Mounting Kit RLN6465 XPR 5000 SERIES MOTOTRBO Mobile Remote Mount PMLN5404 Adapter Kit ........... XPR 4000 SERIES MOTOTRBO Mobile Remote Mount PMLN6404A Adapter Kit XPR 5000 SERIES






	PART NUMBER
	FTN6083
t, 15 amp	
	HKN4137
t, 20 amp	HKN4191
t, 20 amp	HKN4192
	HKN9327
	3012045001
in your vehicl	e with external
in your vehicl	le with external
in your vehicl	e with external PART NUMBER
in your vehicl	PART NUMBER
in your vehicl	
in your vehicl	PART NUMBER
in your vehicl	PART NUMBER RSN4002 RSN4003
in your vehicl	PART NUMBER RSN4002 RSN4003 RSN4004
in your vehicl	PART NUMBER RSN4002 RSN4003
in your vehicl	PART NUMBER RSN4002 RSN4003 RSN4004
in your vehicl	PART NUMBER RSN4002 RSN4003 RSN4004
in your vehicl	PART NUMBER RSN4002 RSN4003 RSN4004 HSN8145
in your vehicl	PART NUMBER RSN4002 RSN4003 RSN4004 HSN8145





COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4073
XPR 4000 SERIES		Mobile Remote Mount 3-Meter Cable Kit	PMKN4074
	0	Mobile Remote Mount 5-Meter Cable Kit	PMKN4144
XPR 5000 SERIES		Mobile Remote Mount 3-Meter Cable Kit	PMKN4143
		Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191
XPR 5000 SERIES	99	Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192
XPR 4000 SERIES		Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137



	PART NUMBER
	RKN4136
ssory	PMKN4010
ramming,	PMKN4016
or Universal	PMKN4018
е	HKN6184
y Connector	PMLN5072
e	PMKN4147
or Universal	PMKN4151
with	GMBN1021
	PMLN4148
	HLN9457
	PMLN5620
ector	3202607Y01
	6680388A26




COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS A va	ariety of antennas ensure	the best possible reception wherever you opera	ate. Choose from a	ntennas with inf	tegrated GPS to	o standalone RF	antennas.	
MOBILE RADIOS	UHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE	
COMBINATION	<b>GPS/UHF ANTENNAS</b>	3						
		GPS/UHF Combination 1/4 Wave Antenna for the 403-430 MHz range	PMAE4030	UHF	403-430	•	Through- hole	
	1	GPS/UHF Combination 1/4 Wave Antenna for the 450-470 MHz range	PMAE4031	UHF	450-470	•	Through- hole	
	- 🌮	GPS/UHF Combination Antenna for the 406-420 MHz range, 3.5 dB Gain	PMAE4032	UHF	406-420	•	Through- hole	
		GPS/UHF Combination Antenna for the 450-470 MHz range, 3.5 dB Gain	PMAE4033	UHF	450-470	•	Through- hole	
XPR 5000 SERIES		GPS/UHF Combination Antenna for the 450-470 MHz range, 5 dB Gain	PMAE4034	UHF	450-470	•	Through- hole	
XPR 4000 SERIES		GPS/UHF Combination Antenna for the 403-527 MHz range, 2 dB Gain	HAE6019	UHF	403-527	•	Through- hole	
	Ţ	GPS/UHF Combination 1/4 Wave Antenna for the 470-527 MHz range	HAE6020	UHF	470-527	•	Through- hole	
		GPS/UHF Combination Through-Hole Mount Antenna for 470-494 MHz, 3.5 dB Gain	HAE6024	UHF	470-494	•	Through- hole	
		GPS/UHF Combination Through-Hole Mount Antenna, 494-512 MHz, 3 dB Gain	HAE6026	UHF	494-512	•	Through- hole	
UHF ANTENNA	S (RF ONLY)							
XPR 4000 SERIES XPR 5000		UHF Wide Area Through-Hole Mount Antenna for the 406-420 MHz range, 3.5 dB Gain, Mini-U	HAE4010	UHF	406-420		Through- hole	
SERIES XPR 2500 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 450-470 MHz range, 3.5 dB Gain, Mini-U	HAE4011	UHF	450-470		Through- hole	
XPR 4000 SERIES XPR 5000 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 470-494 MHz range, 3.5 dB Gain	HAE4012	UHF	470-494		Through- hole	

**FREQUENCY BAND:** Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

**INTEGRATED GPS:** To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna.

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTIN STYLE
UHF ANTENNAS	RF ONLY)						
XPR 5000 SERIES		UHF Wide Area Through-hole Mount Antenna for the 403-527 MHz range 2dB Gain, Mini-U	HAE6022	UHF	403-527		Through- hole
XPR 4000 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 445-470 MHz range, 5 dB Gain, Mini-U (with base)	RAE4004ARB	UHF	445-470		Through hole
		UHF Urban Roof Mount 1/4 Wave Antenna for the 403-430 MHz range, Mini-U	HAE4002	UHF	403-430		Roof mount
XPR 2500 SERIES	¢	UHF Urban Roof Mount 1/4 Wave Antenna for the 450-470 MHz range, Mini-U	HAE4003	UHF	450-470		Roof mount
	<b>N</b>	UHF Urban Roof Mount 1/4 Wave Antenna for the 470-512 MHz range, Mini-U	HAE4004	UHF	470-512		Roof mount
		UHF Wide Area Roof Mount Antenna for the 494-512 MHz range, 3.5 dB Gain	HAE4013	UHF	494-512		Through hole
		UHF Stubby Through hole Mount Antenna, 410-430 MHz	RAE4163ARB	UHF	410-430		Through hole
XPR 5000 SERIES	a	UHF Stubby Through hole Mount Antenna, 430-450 MHz	RAE4164ARB	UHF	430-450		Through hole
SERIES		UHF Stubby Through hole Mount Antenna, 450-470 MHz	RAE4168ARB	UHF	450-470		Through hole
XPR 4000 SERIES		UHF Antenna Kit 403-430 MHz, 1/4 Wave	PMAE4039	UHF	403-430		
		UHF Antenna Kit 450-470 MHz, 1/4 Wave	PMAE4041	UHF	450-470		
		UHF Antenna Kit 450-470 MHz, 3.5 dB Gain	PMAE4042	UHF	450-470		
		UHF Antenna Kit 450-470 MHz, 5.0 dB Gain	PMAE4043	UHF	450-470		

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	UHF / VHF / GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS (I	RF ONLY)						
		UHF Antenna Kit 470-527 MHz, 1/4 Wave, Through-hole Mount	HAE6030	UHF	470-527		Through- hole
XPR 5000 SERIES		UHF Antenna Kit 403-527 MHz, 2 dB Gain, Through-hole Mount	HAE6029	UHF	403-527		Through- hole
XPR 4000 SERIES		UHF Antenna Kit 470-494 MHz, 3 dB Gain, Through-hole Mount	HAE6028	UHF	470-494		Through- hole
		UHF Antenna Kit 494-512 MHz, 3 dB Gain, Through-hole Mount	HAE6027	UHF	494-512		Through- hole
COMBINATION GR	S/VHF ANTENNAS			1			
		GPS/VHF Combination Through-Hole Mount 1/4 wave Antenna for the 136-144 MHz range	RAD4214	VHF	136-144	•	Through- hole
		GPS/VHF Combination Through-Hole Mount 1/4 wave Antenna for the 146-150.8 MHz range	RAD4215	VHF	146-150.8	•	Through- hole
XPR 5000 SERIES		GPS/VHF Through-Hole Mount 1/4 wave Antenna for the 150.8-162 MHz range	RAD4216	VHF	150.8-162	•	Through- hole
XPR 4000 SERIES		GPS/VHF Through-Hole Mount 1/4 wave Antenna for the 162-174 MHz range	RAD4217	VHF	162-174	•	Through- hole
		GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz range, 3 dB Gain	RAD4218	VHF	146-172	•	Through- hole




		FEATURES			
	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
ve Antenna ni-U	HAD4006	VHF	136-144		Roof mount
ve Antenna ⁄lini-U	HAD4007	VHF	146-150.8		Roof mount
ve Antenna /ini-U	HAD4008	VHF	150.8-162		Roof mount
ve Antenna ni-U	HAD4009	VHF	162-174		Roof mount
fount ange 3dB	HAD4022	VHF	132-174		Through- hole
าล	PMAN4000	N/A	N/A	•	Fixed
na	PMAN4001	N/A	N/A	•	Glass
ntenna	PMAN4002	N/A	N/A	•	Magnetic


#### CATALOG MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES

## MOTOTRBO MOBILE RADIOS

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
MOBILE RADIOS	800/900 VHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE	
COMBINATION	GPS/800/900 ANTENN/	AS						
		GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz range	HAF4029	800/900	806-941	•	Through- hole	
XPR 5000 SERIES		GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz range, 3 dB Gain	HAF4030	800/900	806-941	•	Through- hole	
		GPS/800/900 MHz Stubby Antenna for the 806-941 MHz range	HAF4032	800/900	806-941	•	Through- hole	
XPR 4000 SERIES		GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain	HAF4033	800/900	806-941	•	Through- hole	
COMBINATION	GPS + RF							
XPR 5000 SERIES XPR 4000 SERIES	000 E	— Kit, Combination GPS+RF, Base Only, Through-hole Mount, Mini-U	PMAN4004				Through- hole	
800/900 VHF ANT	ENNAS (RF ONLY)			1				
	e arama	Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz range, 3 dB Gain	HAF4013	800/900	806-941		Through- hole	
XPR 5000 SERIES		Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz range	HAF4025	800/900	806-941		Through- hole	
XPR 4000 SERIES		Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain	HAF4026	800/900	806-941		Through- hole	
	r.	Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain	HAF4027	800/900	806-941		Through- hole	

COMPATIBILITY	ACCESSORY			
ANTENNA ACCE	SSORIES			
MOBILE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER	
XPR 5000 SERIES	<b>e</b>	Mobile Mini-U Antenna Adapter, 8-foot cable	HKN9088	
XPR 4000 SERIES		PL259/Mini-U Antenna Adapter, 8-foot cable	HKN9557	











For more information on Motorola accessories, visit motorolasolutions.com/mototrbo.

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2015 Motorola Solutions, Inc. All rights reserved. RC-3-1001E



