



MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES THE POWER OF YOUR RADIO UNLEASHED



YOUR BATTERY, SAFER, **SMARTER**, **POWERED FOR LONGER**



MOTOTRBO PORTABLE RADIOS

MOTOTRBO radios are already best in class, but to help you work at your best, you need enhancements targeted to your specific workplace. We've developed a line of accessories with unique features designed to optimize the performance of your radio in your work environment, unleashing the full power of the industry's most advanced digital radio platform.

IMPRES[™] BATTERIES AND CHARGERS: YOUR BATTERY, SAFER, SMARTER, POWERED FOR LONGER

Get rid of the guesswork and get more from every battery. Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries – without spending maintenance or record keeping time and effort. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer.

IMPRES[™] AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Be clearly heard the first time and eliminate repeating yourself. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking.

Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.

> Experience IMPRES Audio

WINDPORTING

Communicate clearly in difficult weather. Wherever you work - in howling wind, driving rain, and severe weather - Windporting

helps you communicate effectively and listeners hear clearly. Windporting technology eliminates the whining and howling sounds of wind blowing across your lapel/remote speaker microphone. It also prevents water from clogging the microphone for clearer transmissions.

> Hear the difference Windporting makes

INTELLIGENT AUDIO

Focus on your job instead of your radio volume. Make

adjusting your radio volume based on background noise a thing of the past. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear. If you're heading from a noisy area to a quiet place, you won't disturb others because you forgot to adjust the volume.

Intelligent Audio when complemented with IMPRES Audio takes your communications to a new level.

> See Intelligent Audio in action

OPERATIONS CRITICAL WIRELESS: YOUR RADIO, UNLEASHED

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 30 feet away from your radio. Put your wireless PTT where you want to - on a clipboard, steering wheel or coat pocket - without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours – up to 3 times the battery life of commercial Bluetooth[®] headsets.





XPR 3000 SERIES

ONLY MOTOROLA OFFERS A WEALTH OF EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD EVEN IN THE MOST DEMANDING WORK CONDITIONS

IMPRES™AUDIO: I HEAR YOU, HOWEVER YOU SPEAK	DUAL MICROPHONE AUDIO: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF	WINDPO AUDIO: I NOT THE
Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.	Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.	Reduce t of wind a outdoor message heard cl





XPR 7000 SERIES



SL SERIES

ORTING HEAR YOU, E WIND

the effect and other <u>oises so</u> your es are always early.

NOISE-CANCELING AUDIO: I HEAR YOU, **NOT THE NOISE**

Reduce the effect of background crowd and machinery noise so your messages are always heard clearly.

INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE CANCELING (INC) **REMOTE SPEAKER MICROPHONE?**

SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY – The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available – up to 25% more than other MOTOTRBO RSMs.

WEAR IT WHILE YOU WORK AND COMMUNICATE FREELY – Best practices is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent push-to-talk button.

EASY TO CLEAN DIRT, GRIT AND DEBRIS Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go.

> Experience Dual-Microphone Noise Suppression

WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING - for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> <u>Hear the Difference Windporting Makes</u>

INDUSTRIAL NOISE CANCELING (DUAL MICROPHONE NOISE SUPPRESSION) - loud, industrial, outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

NOISE-CANCELING – noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL M	ARKETS: Recomme	ndations based o	n typical use case	e for each of ve	rticals listed	
REMOTE SPEAK and secondary aud	ER MICROPHONES AI	ID PUBLIC SAFETY MICROPHONES Ou to give you clearer communications even in l	ur robust portfolio ir loud environments.	icludes Remo	ote Speaker M	icrophones, Public Sa	afety Microphones	All remote sp	eaker micropl	nones are b	ouilt with top	o quality ma	terials includ	ing durable Ke	vlar® cables	that survive t	ough worki	ng condition	S.
PORTABLE RADIOS	REMOTE SPEAKER Microphones	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATIN	SIZE G (MM)	TRANSPORTATIO AND LOGISTICS	IN MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	80	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4024		•	Windporting			•	IP54	FM	Small 55 x 60 x 27 (without clip		•	•		•	•	•
		IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack and emergency button, small (IP54)	PMMN4025	•	•	Windporting			J (IP54	FM	Small 55 x 60 x 27 (without clip		٠	•		•	•	•
XPR 6000 SERIES	R	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040		•	Windporting				● IP57	FM	Small 55 x 60 x 27 (without clip		•	•	•			
		IMPRES Windporting Remote Speaker Microphone with volume control, emergency button and programmable button, large, submersible (IP57)	PMMN4046	•		Windporting				● IP57	FM	Large 60 x 78 x 28 (without clip		•	•	•			
Ú	53	IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4050	•		Noise-Canceling				IP54	FM	Large 60 x 78 x 28 (without clip		•		•		•	•
XPR 7000 SERIES	Vo	IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible (IP57)	NNTN8382	•		Dual Mic. Noise Suppression	ě			♦ IP57		Large 60 x 78 x 28 (without clip		•	•		•	•	•
	V	IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone with 3.5 mm threaded audio jack (IP54)	NNTN8383	•		Dual Mic. Noise Suppression	7		N.	IP54		Large 60 x 78 x 28 (without clip		•	•		•	•	•

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

WINDPORTING (MOTOROLA EXCLUSIVE), NOISE CANCELLING, DUAL MIC. NOISE SUPPRESSION: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

Noise-Canceling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone. Dual Mic Noise Suppression used in the INC RSM suppresses loud background noise so your

message gets through clearly.

AUDIO JACK: Connect a variety of comfortable earpiece styles to the remote speaker microphone for a more discreet communication option.

ORANGE BUTTON: This essential programmable button on top of the microphone is easily IP RATING: The international standard for rating dust and water protection. The first activated if you are in trouble. This button can also be set for any programmable feature on digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, and IP57 resists submersion in 1 meter the radio, such as emergency. PROGRAMMABLE BUTTON: This programmable button allows you to access key of fresh water for 30 minutes.

features while you keep your radio on your belt or hidden under a jacket.

VOLUME CONTROL: Conveniently access the volume control. Toggle switch allows you to easily adjust between high and low volume as needed.



INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL
REMOTE SPEAKE and secondary audio	R MICROPHONES AN accessories engineered	ND PUBLIC SAFETY MICROPHONES Ou to give you clearer communications even in I	ır robust portfolio iı oud environments.	ncludes Remo	te Speaker Mi	crophones, Public Sa	afety Microphones	All remote sp	eaker microp	hones are	built with top	quality mat	erials inclu
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING		TRANSPORTATI AND LOGISTICS
		IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4071	•		Noise-Canceling				IP54		Large 60 x 78 x 28 (without clip)	
		IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP55)	PMMN4073	•		Windporting			J	IP55		Small 55 x 60 x 27 (without clip)	•
XPR 3000 SERIES		Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting				● IP57		Small 55 x 60 x 27 (without clip)	•
	2	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4076		•	Windporting				IP54		Small 55 x 60 x 27 (without clip)	•

COMPATIBILITY	ACCESSORY			FEATURES	
		CESSORIES WITH STANDARD 3.5MM eive radio communications more discreetly.	JACK		
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
•	0	Receive-Only Covered Earbud with coiled cord	AARLN4885	Foam Covered Earbud	FM
UDIO ACK J5 MM)	42	Receive-Only Earpiece with translucent tube and rubber eartip	RLN4941	Clear Rubber Eartip	FM
	69	Receive-Only Flexible Earpiece	WADN4190	Over-the-ear	FM
XPR 6000 XPR 3000 SERIES SERIES	~	Receive-Only D-Shell Earpiece	PMLN4620	Over-the-ear	FM
	\bigtriangleup	Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
XPR 6000 SERIES XPR 7000	\mathbf{C}	Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		



AL MARKETS: Recommendations based on typical use case for each of verticals listed. Cluding durable Kevlar® cables that survive tough working conditions. TATION MANUFACTURING ADD CONSTRUCTION UTILITIES OR PUBLIC SERVICE OIL AND GAS PRIVATE SECURITY HOSPITALITY (CAMPUSES)

		FEATURES
ED 3.5MM J	ACK	
	PART NUMBER	EARPIECE TYPE
; black. nly.	BDN6719	Over-the-ear
nly.	BDN6781	Foam Covered Earbud
nly.	BDN6664	Over-the-ear
beige. nly.	BDN6665	Over-the-ear
nly.	BDN6726	Over-the-ear
black. nly.	BDN6727	Over-the-ear

COMPATIBILITY	ACCESSORY			FEATURES
REMOTE SPEAKER	R MICROPHONE ACC	ESSORIES WITH THREADED 3.5MM J/	ACK	
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE
	(2)	One-wire Earpiece with Volume Control, beige. Compatible with NNTN8383 only.	BDN6666	Over-the-head
	0	One-wire Earpiece with Volume Control, black. Compatible with NNTN8383 only.	BDN6728	Over-the-head
XPR 6000 SERIES		One-wire Earpiece with Clear Acoustic Tube, beige. Compatible with NNTN8383 only.	RLN5314	Clear Rubber Eartip
	Harris Car	One-wire Earpiece with Clear Acoustic Tube, black. Compatible with NNTN8383 only.	RLN5313	Rubber Eartip
XPR 7000 Series	S.	Dual Muff Headband Style Headset. Compatible with NNTN8383 only.	RMN4056	Over-the-head
	2	Dual Muff Hardhat Mount Headset. Compatible with NNTN8383 only.	RMN4057	Helmet-Attached





COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MAR	KETS: Recommer	idations based on ty	oical use case for e	ach of verticals lis	ted.	
		er the same advanced features as our Remote arately) to improve reception.	e Speaker Micropho	nes				All remote sp	eaker microp	hones are b	uilt with top	quality materia	ls including o	lurable Kevlar ®	cables that su	irvive tough w	vorking condit	ions.
PORTABLE RADIOS	PUBLIC SAFETY MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	CABLE LENGTH (INCH)	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5mm)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	/	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4041	•	Windporting	30			-	IP54	FM			•		•		•
[K	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4042	•	Windporting	24	-		Y	IP54	FM			•		•		•
4		IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4043	•	Windporting	18				IP54	FM			•		•		•
XPR 6000 SERIES	1	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4047	•	Windporting	30				♦ IP57	FM			•		•		
UHF/VHF only)	X	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4048	•	Windporting	24	-			♦ IP57	FM			•		•		
	\bigcirc	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4049	•	Windporting	18	-			♦ IP57	FM			•		•		

		FEATURES				
	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
Antenna for	PMAE4046	UHF	403-433		9	Stubby
Antenna for	PMAE4047	UHF	430-470		9	Stubby
Antenna for	PMAD4087	VHF	136-153		11	Whip
Antenna for	PMAD4086	VHF	150-174		11	Whip



COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MA	RKETS: Recomme	endations based or	n typical use case	for each of vertica	als listed.	
SURVEILLANCE A cables that withstand	ACCESSORIES AND E d tough conditions. A qui	EARPIECES Transmit and receive discreetly v ick-disconnect, durable and comfortable transl	vith a variety of su ucent tube enable	rveillance kits s easy sharing	that feature a between shift	streamlined design a ts.	nd rugged		ave one wire for receivir feature separate wires f					sh-to-talk.			
PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		1-Wire Receive-only earpiece, black	PMLN6125		•	Earpiece									•	•	•
XPR 6000 SERIES	1	1-Wire Receive-only earpiece, beige	PMLN6126		•	Earpiece									•	٠	•
		IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	•	Earpiece	ě								•	٠	•
XPR 7000 SERIES		IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	•	•	Earpiece	Ţ	7	7						•	•	•

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as pushto-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise. **PROGRAMMABLE BUTTON:** This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MA	ARKETS: Recomme	ndations based o	n typical use cas	e for each of vertic	als listed.	
SURVEILLANCE A	ACCESSORIES AND EA	ARPIECES															
ORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	РТТ	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	N MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		1-Wire Surveillance Kit with translucent tube, in-line microphone and PTT, black	NNTN8459			Clear Rubber Eartip									•	•	•
Ë	\bigcirc	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	•	•	Clear Rubber Eartip									•	•	•
XPR 6000 Series	E g	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	•	•	Clear Rubber Eartip	7	7	7						•	•	•
Ú	-98	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	•	•	Clear Rubber Eartip									٠	•	•
XPR 7000 SERIES	0	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	•	•	Clear Rubber Eartip		P	P						•	٠	•
4	P-Las	2-Wire Surveillance Kit with translucent tube, black	PMLN5724		•	Clear Rubber Eartip									•	•	•
XPR 3000 SERIES	S	2-Wire Surveillance Kit with translucent tube, beige	PMLN5726		•	Clear Rubber Eartip									•	•	•
SL SERIES	- ES-	1-Wire Surveillance Kit with in-line mic and push-to-talk, black	PMLN5957			Clear Rubber Eartip	C .						•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE A	CCESSORY REPLACE	MENT KITS			
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Low Noise Kit with translucent tube and 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN6123, PMLN6124 PMLN6129, PMLN6130 NNTN8459
XPR 6000 SERIES		Note: for High noise kit solution combine RLN6 Kit and 5080384F72 Replacement Foam Plugs	242 Low Noise	Foam Eartip	PMLN6123, PMLN6124 PMLN6129, PMLN6130 NNTN8459
	I B	Replacement standard clear rubber eartip. Pack of 50	RLN6282	Clear Rubber Eartip	PMLN6123, PMLN6124 PLMN6127, PMLN6128 PMLN6129, PMLN6130
XPR 7000 Series		Replacement Foam Plugs for RLN6242. Noise reduction = 24dB. Pack of 50 pairs	5080384F72	Foam Eartip	NNTN8459, RLN5882 RLN5883, PMLN5111 PMLN5112, PMLN6125 PMLN6126



CATALOG MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES

MOTOTRBO PORTABLE RADIOS

COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE A	CCESSORY REPLACE	MENT KITS			
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
XPR 6000 SERIES	South	Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883 PMLN5111
XPR 7000 SERIES	25	High Noise Kit with 2 foam earplugs	RLN5887	Foam Eartip	PMLN5112 PMLN6125 PMLN6126
XPR 3000 SERIES SL SERIES	1	Replacement standard clear rubber eartip. Pack of 10 (replacement for PMLN6724/PMLN6726 and PMLN5957)	67009254001	Clear Rubber Eartip	PMLN5724 PMLN5726 PMLN5957
XPR 3000 SERIES		Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5724/26)	HKLN4478	Clear Rubber Eartip	PMLN5724 PMLN5726
SL SERIES	\mathcal{N}	Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5957)	PMLN6175	Clear Rubber Eartip	PMLN5957
		Small Custom Earpiece - Right Ear	RLN4760	Custom Earpiece	
	Ð	Medium Custom Earpiece - Right Ear	RLN4761	Custom Earpiece	
XPR 6000 SERIES		Large Custom Earpiece - Right Ear	RLN4762	Custom Earpiece	
I.		Small Custom Earpiece - Left Ear	RLN4763 Custom Earpiece		
	C.	Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece	
XPR 7000 SERIES		Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece	
SL SERIES	4.5	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™ foam eartip	RLN5313, RLN5314, RLN4941, NNTN8459, RLN5882, RLN5883,
		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply™ foam eartip	PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6218,
	8	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™foam eartip	PMLN6129, PMLN6130, PMLN5724, PMLN5726, PMLN5957



OPTIMIZED FOR DIGITAL

Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

> See what Chopper Noise sounds like





COMPATIBILITY	ACCESSORY			FEATURES					MARKETS: Recommend ch of verticals listed.	ations based on t	ypical use
EARPIECES											
PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XPR 6000 SERIES XPR 7000 SERIES		D-Style Earset with boom microphone and in-line push-to-talk	PMLN5096	D-Style	Boom	In-Line	FM	•	•	•	•
SL SERIES	R	Swivel Earpiece with in-line microphone and push-to-talk	PMLN5958	Over-the-Ear	In-Line	In-Line		•		•	•
MAG ONE [™] ACCES	SSORIES										
1		Mag One Earbud with in-line microphone and push-to-talk	PMLN5733	Earbud	In-Line	In-Line		•		•	•
XPR 3000 SERIES		Mag One Swivel Earpiece with in-line microphone and push-to-talk	PMLN5727	Over-the-Ear	In-Line	In-Line		•		•	•
SERIES		Mag One Earset with boom microphone and in-line push-to-talk	PMLN5732	Earset	In-Line	In-Line		•		•	•

	COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MA	RKETS: Reco
	HEADSETS													
	PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTU AND CONSTRUCTIO
		B	Heavy-Duty Headset with Noise-Canceling boom mic and in-line push-to-talk, noise reduction = 24dB (See user guide for replacement parts)	PMLN5731	Over-the-Head	Dual-Ear			Boom	In-Line	Heavy Duty	FM	•	•
	XPR 3000 SERIES	C.	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic (Replacement parts: RLN6283-Kit includes foam earpad and microphone cover)	PMLN6635	Over-the-Head	Single-Ear			Boom	In-Line	Lightweight			•
		9	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24dB (See user guide for replacement parts)	PMLN5275	Behind-the-Head	Dual-Ear		•	Boom	In-Line	Heavy Duty	FM	•	•
	XPR 6000 SERIES	()	IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN5101	Behind-the-Head	Bone Conductor	•	•	Boom	In-Line	Lightweight	FM	•	•
		Ċŝ	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic (Replacement parts: RLN6283-Kit includes foam earpad and microphone cover)	RMN5058	Over-the-Head	Single-Ear		•	Boom	In-Line	Lightweight	FM		•
	XPR 7000 SERIES		Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•	Boom	In-Line	Ultra Lightweight	FM		•
_														

HOW DO TEMPLE FRANSDUCERS WORK?

These headsets use transducers that rest on your temple to convert audio into sound vibration and transmit it to your inner ear. If you're using hearing protection or directing heavy traffic, you can hear the audio from your radio and the surrounding environment. Since the transducer sits in front of your ears, you can also wear earplugs and still hear the radio.





COMPATIBILITY	ACCESSORY				FEATURES					
3M PELTOR HEAD	DSETS - AVAILABLE	APRIL								
PORTABLE RADIOS	HEADSETS	DESCRIPTION AND ADAPTER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)
Č.	Â	MT Series Over-The-Head Headset, direct radio connect	RMN5137	MT7H79A-C5063-34	Over-The-Head	Connects directly to Radio	Dual-Ear	25dB	Boom	On Ear Cup
XPR 6000 SERIES		MT Series Neckband Headset, direct radio connect	RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24dB	Boom	On Ear Cup
XPR 7000 SERIES		MT Series Hard Hat Attached Headset, direct radio connect	RMN5139	MT7H79P3E- C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21dB	Boom	On Ear Cup
PTT ADAPTER CO	ONFIGURATIONS – C	OMING SOON								
		MT Series Over-the-Head Headset with Nexus connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095
I		MT Series Neckband Headset with Nexus connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24dB	Boom	Requires PTT Adapter PMLN6095
		MT Series Hard Hat Attached with Nexus connector	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21dB	Boom	Requires PTT Adapter PMLN6095
XPR 6000 SERIES		TacticalPro Series Over-The-Head Headset with Nexus connector	RMN4052	MT15H7A-34	Over-The-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adapter PMLN6095
XPR 7000 SERIES	0,0	TacticalPro Series Neckband Headset with Nexus connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095
	J.	TacticalPro Series Hard Hat Attached with Nexus connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adapter PMLN6095
	-	PTT Nexus Adapter	PMLN6095	FL5063-34	N/A	N/A	N/A	N/A	N/A	N/A

COMPATIBILITY	ACCESSORY				FEATURES					
RSM CONFIGUR	ATIONS – COMING S	COON								
PORTABLE RADIOS	HEADSETS	DESCRIPTION AND ADAPTER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)
	6	HT Series Listen Only Over-The-Head Headset with 3.5mm NON threaded connector	RMN4055	HTM79A-34	Over-The-Head	3.5mm NON threaded	Dual-Ear	25dB	(Listen-Only)	_ MOTOTRBO radios require
XPR 6000 SERIES		HT Series Listen Only Neckband Headset with 3.5mm NON threaded connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24dB	(Listen-Only)	RSM: PMMN4024, PMMN4025, PMMN4041, PMMN4042, PMMN4043, PMMN4050, PMMN4071, PMMN4073
	2	HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON threaded connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23dB	(Listen-Only)	or PMMN4076
XPR 7000 SERIES	6	HT Series Listen Only Over-The-Head Headset with 3.5 threaded connector	RMN4056	HTM79A-42	Over-The-Head	3.5mm threaded	Dual-Ear	25dB	(Listen-Only)	MOTOTRBO radios require
	ê.,	HT Series Listen Only Hard Hat Attached Headset with 3.5 threaded connector	RMN4057	HTM79P3E-42	Hard Hat Attached	3.5mm threaded	Dual-Ear	23dB	(Listen-Only)	RSM: NNTN8383

COMPATIBILITY	ACCESSORY			
REPLACEMENT I				
PORTABLE RADIOS	REPLACEMENT PELTOR HEADSET PARTS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER
1	6	Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
	Ø	Earmuff Hygiene Kit Gel Sealing	RLN6541	HY80
XPR 6000 SERIES		Hygiene Tape for Microphone	RLN6542	HYM1000
XPR 7000 SERIES		Boom Microphone Wind Screen	RLN6543	M40/1
	s st	Metal Boom with Microphone	RMN5131	MT7N



COMPATIBILITY	ACCESSORY			FEATURES	
HEARING PROTEC	TION ACCESSORIES	– CAN BE USED ALONE OR IN CONJU	NCTION WITH	HEAVY-DUTY HEADSE	TS
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™foam eartip	RLN5313, RLN5314,
XPR 6000 SERIES	8 8	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply™foam eartip	RLN4941, NNTN8459, RLN5882, RLN5883, PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6218, PMLN6129, PMLN6130, PMLN5724, PMLN5726,
SL SERIES		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™foam eartip	PMLN5957



XBT HEAVY-DUTY WIRELESS HEADSET IN USE

a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS[™] situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

> See the XBT Headset in action

COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL N
		JETOOTH [®] ACCESSORIES This portfolio is m your belt and stay connected within 30 feet								Note: SL SI	ERIES and X	PR 7000 pc	ortable rad	ios have l	Bluetooth e	embedded ir
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	Charge Time (Hours)	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING		TRANSPORTATIO AND LOGISTICS
XPR 6000 SERIES		Operations Critical Wireless Bluetooth Adapter	PMLN5712	N/A	N/A	On Adapter			30	65 x 22 x 20	Operations Critical	Standard		● IP57		•
XPR 6000 SERIES XPR 7000		XBT Operations Critical Wireless Behind- the-Neck Headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7	429		Operations Critical	Standard		IP54		•
SERIES SL SERIES	8.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7	422		Operations Critical	Standard		IP54		•

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort[™] style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.

OPERATIONS CRITICAL/ENHANCED OPERATIONS CRITICAL: This Bluetooth®

and intrinsically safe certification for hazardous environments. This means multiple workers solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all on shifts who need grab-and-go device can all pair at the same time without connecting to the wrong radio. this, plus instant pairing with just a touch of the accessory to the radio's Bluetooth adapter,





HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place her radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.

> See Operations Critical Wireless Accessories in action

COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL M
OPERATIONS CRIT giving you the flexibilit	TICAL WIRELESS BLU y to remove the radio from	ETOOTH® ACCESSORIES This portfolio is m your belt and stay connected within 30 feet	s a game changer	,						Note: SL S	ERIES and λ	KPR 7000 p	ortable ra	dios have	Bluetooth e	embedded in
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	Charge Time (Hours)	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATIO AND LOGISTICS
	5	Operations Critical Wireless Earpiece with 12 inch cable	NNTN8125	Over-the-ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•
XPR 6000 SERIES SERIES		Operations Critical Wireless push-to-talk pod	NNTN8127	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•
SL SERIES	CC	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT)	RLN6500	Over-the-ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•
ENHANCED OPER/	ATIONS CRITICAL WI	RELESS														
		Enhanced Operations Critical Wireless Adapter with touch pairing	PMLN5993	N/A	N/A	On Adapter			35	65 x 22 x 20	Enhanced Operations Critical	Touch		● IP57	FM	•
XPR 6000 SERIES (EXCEPT		Enhanced Operations Critical Wireless Earpiece with 12 inch cable and push-to-talk pod	NTN2570	Over-the-ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Enhanced Operations Critical	Touch	30	IP54	FM	•
(LAGE1 + XPR 6100)		Enhanced Operations Critical Wireless push-to-talk pod	NTN2571	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Enhanced Operations Critical	Touch	30	IP54	FM	•

*Note: PTT on radio or with separate wireless PTT



COMPATI	IBILITY	ACCESSORY			FEATURES				VERTICAL MAI	RKETS: Reco
OPERA	TIONS CRI	TICAL WIRELESS BLU	IETOOTH® ACCESSORIES							
PORTABLE	RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS	MANUFACT AND CONSTRUCT
OPERA	TIONS CRI	TICAL AND ENHANCE	ED OPERATIONS CRITICAL WIRELESS	ACCESSORIES						
			Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•
XPR 600 SERIES XPR 700 SERIES	S 100	Contra Co	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•
SL SERI	IIES	8.5	Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the- shelf headphones)	NNTN8296	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical		
OPERA	TIONS CRI	TICAL WIRELESS CON	MPLETELY DISCREET KIT*							
YPR 600	00	20	Completely Discreet Earpiece Kit (includes Phonak phonito intra earpiece and inductive neckloop)	RLN4922	Completely discreet	On Y-adapter (order separately)	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical		
XPR 600 SERIES XPR 700 SERIES SL SERI	100 S	2	Wireless Neckloop Y-adapter and retention hook	NNTN8385		Separate wire	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical		
			Wireless Push-to-Talk Pod	NNTN8127		On Y-adapter (order separately)	On PTT Pod	Operations Critical		

 * Must order all 3 items for the complete solution - RLN4922, NNTN8385 and NNTN8127.

COMPATIBILITY	ACCESSORY			
WIRELESS REPL/	ACEMENT KITS			BLEND IN PERFECTLY
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	WITH YOUR
	5	Replacement Wireless Earpiece 12 inch cable for NNTN8125	NTN2572	ENVIRONMENT
XPR 6000 SERIES	$\langle \phi \rangle$	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for comport earpiece	NTN8821	\bigcirc
XPR 7000 SERIES SL SERIES	or a construction of the second secon	Ear strap for comport earpiece (pack of 10)	NTN8988	
	5	Eartube for comport earpiece (pack of 10)	RLN5037	> Experience the Completely Discreet Wireless Kit

COMPATIBILITY WIRELESS REPL	ACCESSORY ACEMENT KITS		
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER
		Replacement ear tips kit for wireless ear buds (20 Small, 20 Medium, 20 Large and 10 clips)	NNTN8361
XPR 6000 SERIES XPR 7000 SERIES SL SERIES		Replacement or spare micro-USB plug-in charger (US plug) for wireless pod	PMPN4027
	4	Swivel clip for Operations Critical and Enhanced Operations Critical Wireless pods	PMLN6246

Note: SL series and XPR 7000 series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.

Note: SL series and XPR 7000 series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.





28

MOTOTRBO PORTABLE RADIOS

BU radio. N	NUTUTRBU batteries an	e Proven Tough, in lab test after lab test, to with	istand shocks, kno	cks, drops and	d shakes and o						
RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	MIN. RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
1		IMPRES [™] Li-Ion 1500 mAh battery Submersible (IP57)	PMNN4066	•	Li-Ion	1500	Analog: 9 Digital: 13	129 x 55 x 21	145		♦ IP57
1		IMPRES Li-lon 1400 mAh battery Submersible (IP57), Intrinsically safe (FM)	PMNN4069	•	Li-Ion	1400	Analog: 8.5 Digital: 12	129 x 55 x 23	155	FM	♦ IP57
6000 ES		IMPRES Li-lon 2150 mAh battery Submersible (IP57)	PMNN4077	•	Li-Ion	2150	Analog: 13 Digital: 18	129 x 55 x 23	160		♦ IP57
		NiMH 1300 mAh battery Submersible (IP57)	PMNN4065		NiMH	1300	Analog: 8 Digital: 11	129 x 55 x 21	215		♦ IP57
000 S		Slim Li-Ion 1500 mAh battery Submersible (IP67)	PMNN4406		Li-Ion	1500	Analog: 8 Digital: 11.5	113 x 52 x 18	125		♦ IP67
	0	IMPRES Slim Li-Ion 1500 mAh battery Submersible (IP67)	PMNN4407	•	Li-Ion	1500	Analog: 8 Digital: 11.5	113 x 52 x 18	125		♦ IP67
000 S		IMPRES Li-lon 2150 mAh battery Submersible (IP67)	PMNN4409	•	Li-Ion	2150	Analog: 11 Digital: 16.5	113 x 52 x 23	150		♦ IP67
000 S		Long life (LiMn) 1300 mAh battery Submersible (IP57), -30°C rated	PMNN4435		LiMn	1300	Analog: 7 Digital: 10	113 x 52 x 23	150		♦ IP57
		IMPRES Hi-Cap Li-Ion 2700 mAh battery Submersible (IP57)	PMNN4448	•	Li-Ion	2700	Analog: 14 Digital: 20.5	113 x 52 x 23	150		♦ IP67
000 S		IMPRES Li-lon 2300 mAh battery Submersible (IP67), Intrinsically safe (FM)	NNTN8129	•	Li-Ion	2300	Analog: 12 Digital: 17.5	113 x 52 x 23	150	FM	♦ IP67
	● #07084064 ● ■ ■ ●	BT100 Li-Ion 2200 mAh battery	PMNN4459		Li-Ion	2200	14	12 x 36 x 54	50		
		BT90 Li-Ion 1800 mAh Battery	HKNN4013		Li-Ion	1800	11.5	9 x 36 x 54	38		
		BT7X Li-Ion 1400 mAh Battery	PMNN4425		Li-lon	1400	8.5	7 x 36 x 54	30		
ERIES		Replacement Battery Cover (BT100 - ultra high capacity battery)	PMLN6745								
	2	Replacement Battery Cover (BT90 - high capacity battery)	PMLN6001								
		Replacement Battery Cover (BT7X - standard battery)	PMLN6000								

OCKS. DROPS. SHOCKS. VIBRATION. STATIC.

radio gets banged on a ride, rattled by heavy equipment or ted by static electricity, our batteries will stay true and stand tough. rigorous lab tests prove that Motorola radio batteries perform ly and reliably, despite the toughest conditions. What's more, we behind every battery we build.

ROLA

TIPLIER

Iotorola Original[®] Long-Life Cold Temperature Lithium Manganese ry has up to 1000 full charge/discharge cycles and is rated to tand extreme temperatures down to -30 degrees C. Maintenance-Ind lightweight, this battery does not require reconditioning or dous waste disposal.

reduce the number of spare batteries you buy and increase me before you need replacements. Only IMPRES batteries can harged 150 additional times versus a standard battery – a 43% ease in charge cycles. If you charge radios two to three times a you'll get more than an extra year out of every IMPRES battery.

/ww.motorolasoluti ons.com/proventough for details.



IAT IS THE LONG-LIFE COLD **IPERATURE BATTERY?**

W DO IMPRES BATTERIES AND **ARGERS SAVE MONEY?**

S BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it radio and exactly when an IMPRES battery has reached the end of service life.

SIC SAFETY RATING: Motorola-approved batteries are a critical part of the overall radio system I by a recognized testing organization as intrinsically safe. Non-Motorola approved batteries may not be I for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous

RY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against ects in workmanship for four years - twice as long as most leading competitive batteries.

OMPATIBILITY	ACCESSORY			FEATU	RES			
		variety of solutions including single-unit, multi-un d ready to go the moment you need it.	it, travel and in-ve	hicle char	rgers			
ORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) H X L X D	NUMBE POCKET
XPR 3000 SERIES	Q. a	Single-Unit Rapid Rate Charger, 120V (US Plug)	NNTN8275		Li-Ion, NiMh	120V		1
		IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN4232	•	Li-Ion, NiMh	120V	61 x 97 x 163	1
		IMPRES Multi-Unit Rapid Rate Charger with 1 Display , 120V (US plug)	WPLN4212	•	Li-Ion, NiMh	120V	153 x 445 x 292	6
XPR 3000 SERIES SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays , 120V (US plug)	WPLN4219	•	Li-Ion, NiMh	120V	153 x 445 x 292	6
	4	Display Module for IMPRES Multi-Unit Charger	RLN5382	•				
XPR 7000 SERIES	1111	Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967					
		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, 120V (US plug)	PMPN4009		Li-Ion	120V		1
	9	Tri-unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), 120V (US plug)	PMLN6701		Li-Ion	120V	52 x 93 x 113	2 -
SL SERIES	antina	Six-Pocket Multi-Unit Rapid Rate Charger, 120V (US plug)	PMLN6687		Li-Ion	120V	65 x 424 x 110	6
EHICULAR AND	TRAVEL CHARGE	RS						
XPR 3000 SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger, heavy-duty permanent mount	NNTN7616*	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
XPR 6000 SERIES XPR 7000 SERIES		Travel Charger, Rapid Rate with voltage regulated adapter, custom charger base, mounting bracket and coil cord	NNTN8525		Li-Ion, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1
XPR 6000 Series	<	Travel Charger, rapid rate with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	RLN6433		Li-Ion, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1
MPRES BATTER	Y MANAGEMENT	TOOLS						
t	and a	1						

NNTN7392

NNTN7677

NNTN8045

HKVN4036

NNTN7676

IMPRES: Get the most out of every battery and eliminate the surprise of "low battery" alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

NUMBER OF POCKETS: MOTOTRBO multiunit chargers let you simultaneously charge up to 6 radios and/or batteries. The unique tri-unit charger for the SL Series enables you to charge a radio, spare battery and wireless device simultaneously.

IMPRES BATTERY MANAGEMENT TOOLS?

With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, efficiently manage your batteries with realtime data not available with other manufacturers' batteries. Our easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

IMPRES BATTERY FLEET MANAGEMENT SOFTWARE REPORTS

	*		<u>.</u> 2	2 2					
- Arabled A	Aufter Balliote	-		1 . The 10					
A 19 Address Taxaban	44 -4	10.00	(B) (B)	7.0.0	6 B.				
· 18.000000		1000	A POINT	and the second second	11000	Sec. 1	100	land 1	des ser
() Chevenitry its April (Dayed	Tana Inador	ALC: N	dista -	Radio Facely	IT MADE	20empty	15	Canada III	Gaste
Is much that	Buccoughters.	100	Building L	N'S ROUTERLY COM	Permitta a	late .	157	14.8	1.00
	BOOOD ARAMI	Page 1	Daturk	1	Decision in a	Justa .	1	21.00	1440
gi hadu fundu	ALL COLUMN	Phil sel	Depty	49	WINCOM	butto .	10	100	100
In Density to Sameraminian	NUCCOLLEGISCO	100		Collegement instant	Automa .	Prist.	10	1116	346
	Sector Party	100	Building 1	175 Acres (\$10, 1005	Married B.	100	100	174	100
a) Chendry	ACCOUNTS.	ilea -	Bullet L	112203-01212-0121-01200	10/10/2514	1-04	15	10.08	244
. Sheetsta	Succession.	Partna .	Pone	Telev .		and a	15	1000	2400
· · ·	Incontrastiva.	Part	(halony)	PERSONAL PROPERTY AND	100000	Ar Las	15	A	144
It Chamatry its Apr Chest	REDOOT NOCE IN	(See	Bulling 2	173 MIL 175-174 MIL	WITCHING IN	h-lar	15	2016	1440
V Denter to health (%)	1000039-038	ing .	Net	Debr	Interesting in	NO	100	2009	040
Contraction of the local sector	ACCORDING.	Street	Advantation	Ort-shared terms	A DOMAGE	Bullet	140	1410	104
It have furth to Aprillined	B0000 4,140	10	many 1	171 Bullet Box 2000	Tel: Tenting	juma .	1-	1710	1.000
In Table Territoria matter (No)	R00000-#1200	No.	b. George 1	of's mouther. loss	AUGMOUT	Prid.	16	100	100
The same random statement of the	Tesson Carlos	204	Delutiv.	MP1	PROTECTION.	Baller	100	10.00	1911
 g And Softwise 	Succession in the local division of the loca	Part	Depthy	an .	W/W/W/A	aure .	1-	10.00	1.441
	MILLIONAL PLAT	Plant.	0.4812	1179 WARD (\$10,7000	ALCOHOL:	Ar bin	100	2842	1004
(Chevrally by readin (%)	BUDDOD6A2888	din.	mananana.	100000000	MARKING.	Ariet.	16	Lim.	104
Construity in Sale of Last Real	1000006A2576	Platy	AllANUNDIA	CHOOL HED SHIELD	INVANIONA.	NG	14	100	1100
		994	Building 1	41	PROTECTION A	Dutta	1	20.44	31461
32 Radio Parify By Date of Last Asst	Sector Contractor	Fam	Service	411	WINDOW	derine.	144	P(10	1014
In Addit Partic Symposity (No.)	BIDDOLOPHE.7	- 14	heltonana	ALL DOCTORS	-exected	inia .	16	100	1540
12 2 3 1 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C	8000004A223	line .	Bullety 2	1475.50310400/0800	MOAHEEN	Jun .	1	pine .	2070
e grates	ACCOUNT AND	14	Aground the	POTOTRAL .		12-58	144	2418	300
all banks to be harded	Manageral	Frank	making 1	41	No. Topic Sea	and the	110	2008	3.580
	REDOLL 17:54.3	Tim.	Depty	10011460	The Avenue	Arim.	1	100	144
1.0	Record Kopping	(Billy)	Mahdamanas	WH .	PROPERTY	June .	1	10.00	2448
Part No.	MODOL WALL	darf .	hukbry T	40.009R0 Selle	4044001.6	MARK.	1.	Lens .	1242
Apone A	MILLIOUT NUMB	Sim:	Sec.my	of a state (data/insta	W. Talling	3-100	16	11.50	2012
	ALL COLUMN	100	Advertidation	OFT COMPANY	14141916	parts.	1-	100	144
Cavity Honika	RUDGOL BATTRA	Part.	Buddery L			Arise.	16	1000	1000

IMPRES BATTERY FLEET MANAGEMENT **ACTIVE BATTERY REPORT**

* Must be C revision or greater for compatibility with XPR 3000 series and XPR 7000 series radios.

License Key

IMPRES Battery Reader

IMPRES Battery Fleet Management

Multi-Unit Charger Interface Unit

IMPRES Battery Fleet Management

Single-Unit Charger Interface Unit

IMPRES Battery Fleet Management

IMPRES Battery Fleet Management

Software, downloadable from

Motorolasolutions.com

XPR 3000 SERIES

XPR 6000 SERIES

im.

XPR 7000 SERIES





	end Number 50000009CAD? Chemistry NICd
- A	Ka Number NNTN44368 Read Successful
wa V	Advanced
sent Charge	605 milh (Present Charge)
	42 % of 1647 mAh (Potential Capacity)
	40 % of 1700 mAh (Rated Capacity)
	2001 mAh (bittal Capacity)
May 11, 2000	
Jun 30, 2008	Date of First Use (Month Day, Year)
10	Days since Last Reconditioning/Calibration
	Days since Removal from DMPRES Charger
223	Total IMPRES Charge Cycles
2	Total Estimated Non-DIPRES Charge Cycles
13	Total Reconditioning/Calibration Cycles
20	Estimated Days Until Next Recorditioning/Calibration
connerdator	
o Recommend	
O M DOORNAMER C	
	2 C

GENERAL INFORMATION SCREEN

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTIO	NS Carrying cases are aves keep your hands-free,	vailable in sizes designed to fit your radio and l so you can concentrate on the task at hand.	battery and permit	audio to be heard o	learly.		
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
	Ć	Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display
	U.	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display
	T	Hard Leather Carry Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display
	B	Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display
XPR 3000 SERIES	Ċ	Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5870	Nylon	3	Fixed	Non Display
	Ű	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5868	Hard Leather	2.5	Swivel	Non Display
	đ	Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5866	Hard Leather	3	Swivel	Non Display
	1	Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5864	Hard Leather	3	Fixed	Non Display
	Ó	Nylon Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5015	Nylon	3	Fixed	Display
XPR 6000 SERIES	-	Nylon Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5024	Nylon	3	Fixed	Non Display
	Ű	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5019	Hard Leather	2.5	Swivel	Display

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.



		FEATURES			
ses, straps, hol	sters and clips,				
	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
inch Swivel	PMLN5020	Hard Leather	3	Swivel	Display
l inch Fixed	PMLN5021	Hard Leather	3	Fixed	Display
1.5 inch nodel)	PMLN5028	Hard Leather	2.5	Swivel	Non Display
inch Swivel	PMLN5029	Hard Leather	3	Swivel	Non Display
inch Fixed	PMLN5030	Hard Leather	3	Fixed	Non Display
elt Loop	PMLN5844	Nylon	3	Fixed	Display
h Swivel Belt	PMLN5842	Hard Leather	2.5	Swivel	Display
Swivel Belt	PMLN5840	Hard Leather	3	Swivel	Display
Fixed Belt	PMLN5838	Hard Leather	3	Fixed	Display
elt Loop	PMLN5845	Nylon	3	Fixed	Non Display
h Swivel Belt	PMLN5843	Hard Leather	2.5	Swivel	Non Display
Swivel Belt	PMLN5846	Hard Leather	3	Swivel	Non Display
Fixed Belt	PMLN5839	Hard Leather	3	Fixed	Non Display



COMPATIBILITY	ACCESSORY			FEATURES		
CARRY SOLUTION	IS					
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED
		Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2.5	
		Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5	
XPR 3000 SERIES XPR 7000 SERIES		Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
		Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel
J		Replacement 2.5 inch Leather Swivel Belt Loop	PMLN5022	Hard Leather	2.5	Swivel
		Replacement 3 inch Leather Swivel Belt Loop	PMLN5023	Hard Leather	3	Swivel
XPR 6000 SERIES	0	Spring Action 2.5 inch Belt Clip	PMLN4652	Plastic	2	
		Carry Holder/Holster for SL series radio with Swivel Belt Loop	PMLN5956	Plastic		Swivel
SL SERIES	~	Nylon Wrist Strap for securely carrying Motorola two-way radios	PMLN6074	Nylon		



		FEATURES
	PART NUMBER	MATERIAL
ip for I-way radios	HLN9985	
th clip to none to shirt	RLN4295	Leather
	4200865599	Leather
o Holder, Pouch	HLN6602	
Radio Holder Pouch	RLN4570	
2 and	1505596Z02	
	RLN4815	
vaists larger	4280384F89	
р	NTN5243	Nylon
	RLN6486	Leather
	RLN6487	Leather
adio Straps	RLN6488	Leather
er	1571477L01	Plastic
er	15012157001	Plastic
er	PMLN6066	Plastic



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
I	/	UHF/GPS Combination Folded Monopole Whip Antenna for the 403-433 MHz range	PMAE4018	UHF	403-433	•	14	Whip
		UHF/GPS Combination Folded Monopole Whip Antenna for the 430-470 MHz range	PMAE4024	UHF	430-470	•	14	Whip
XPR 6000 SERIES		UHF/GPS Combination Folded Monopole Whip Antenna for the 450-495 MHz range	PMAE4050	UHF	450-495	•	14	Whip
		UHF/GPS Combination Folded Monopole Whip Antenna for the 495-527 MHz range	PMAE4051	UHF	495-527	•	14	Whip



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
I	/	VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz range	PMAD4067	VHF	136-147	٠	16	Helical
		VHF/GPS Combination Helical Whip Antenna for the 147-160 MHz range	PMAD4068	VHF	147-160	٠	16	Helical
ä		VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz range	PMAD4069	VHF	160-174	٠	16	Helical
XPR 6000 SERIES	/	GPS/800/900 MHz Combination Helical Antenna	PMAF4003	800/900 MHz	806-941	•	18	Helical
	/	Whip Antenna 806-870 MHz 1/2 Wave	NAF5087	800/900 MHz	806-870		7	Whip
		Whip Antenna 896-941 MHz 1/2 Wave	NAF5088	800/900 MHz	896-941		6.6	Whip

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

INTEGRATED GPS: A GPS antenna is integrated into the RF antenna. (The XPR 3000 series radios do not have GPS capability, but use these antennas.)

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS Get the offer superior perform	e best possible reception ance over XPR 6000 Ser	n wherever you operate. New stubby antenna ies stubby antennas.	s for the XPR 7000 a	ind XPR 3000 s	eries radios			
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
	1	UHF Wideband Flexible Whip Antenna for the 403-470 MHz range	PMAE4022	UHF	403-470		16	Whip
XPR 6000 SERIES		UHF Wideband Flexible Whip Antenna for the 450-512 MHz range	PMAE4049	UHF	450-512		16	Whip
		VHF Wideband Flexible Whip Antenna for the 136-174 MHz range	PMAD4124/ PMAD4088	VHF	136-174		21	Whip
		UHF/GPS Combination Stubby Antenna for the 403-433 MHz range	PMAE4021	UHF	403-433	•	9	Stubby
	/	UHF/GPS Combination stubby antenna for the 430-470 MHz range	PMAE4023	UHF	430-470	•	9	Stubby
		UHF/GPS Combination Stubby Antenna for the 450-512 MHz range	PMAE4048	UHF	450-512	•	9	Stubby
		VHF Stubby Antenna for the 136-147 MHz range	PMAD4093	VHF	136-147		11	Stubby
		VHF Stubby Antenna for the 147-160 MHz range	PMAD4094	VHF	147-160		11	Stubby
		VHF Stubby Antenna for the 160-174 MHz range	PMAD4095	VHF	160-174		11	Stubby
XPR 3000 SERIES		UHF/GPS Combination Wideband Slim Whip Antenna (403-527 MHz)	PMAE4079	UHF	403-527	•	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	•	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	•	15	Helical
	Ŧ	VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	•	15	Helical

COMPATIBILITY	ACCESSORY			FEATURES					
ANTENNAS									
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	
XPR 3000 SERIES XPR 7000 SERIES		UHF/GPS Combination Stubby Antenna (403-450 MHz)	PMAE4069	UHF	403-450	•	11	Stubby	
		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	•	11	Stubby	
		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	•	11	Stubby	
	/	VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	•	9	Stubby	
		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	•	9	Stubby	
	/	800 MHz Flexible Whip Antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870		14	Whip	
XPR 7000 SERIES		900 MHz Flexible Whip Antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941		16.4	Whip	
		UHF Antenna Kit for the 403-425 MHz range	PMAE4078	UHF	403-425		1.9	Stubby	
		UHF Antenna Kit for the 420-445 MHz range	PMAE4076	UHF	420-445		1.9	Stubby	
		UHF Antenna Kit for the 438-470 MHz range	PMAE4077	UHF	438-470		1.9	Stubby	
SL SERIES		UHF Stubby Antenna Kit for the 450-490 MHz range	PMAE4091	UHF	450–490		1.9	Stubby	
		UHF Stubby Antenna Kit for the 480-527 MHz range	PMAE4092	UHF	480–527		1.9	Stubby	
		Antenna Kit for the 800 MHz range	PMAF4017	800/ 900 MHz	806-870		1.1	Stubby	
		Antenna Kit for the 900 MHz range	PMAF4018	800/ 900 MHz	896-941		0.5	Stubby	

CATALOG MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES

MOTOTRBO PORTABLE RADIOS

COMPATIBILITY	ACCESSORY			
ANTENNA ACCES	SORIES			RAI
PORTABLE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER	n <i>i</i> AL
SL SERIES		Antenna Mounting Kit with 10 screws and plugs	PMLN6040	
		Gray Antenna ID Bands (pack of 10pcs)	32012144001	
XPR 3000 SERIES		Yellow Antenna ID Bands (pack of 10pcs)	32012144002	
1		Green Antenna ID Bands (pack of 10pcs)	32012144003	1
		Blue Antenna ID Bands (pack of 10pcs)	32012144004	
XPR 7000 SERIES		Purple Antenna ID Bands (pack of 10pcs)	32012144005	
PROGRAMMING	CABLES			
		Portable Programming Cable (USB) for XPR 3000 series	PMKN4115	
XPR 3000 SERIES		Programming, Test, and Alignment Cable for XPR 3000 series	PMKN4117	Chill and the
		Portable Programming Cable (USB) for XPR 6000/7000 series	PMKN4012B	
		Programming, Test, and Alignment Cable for XPR 6000/7000 series	PMKN4013	
XPR 6000 SERIES XPR 7000 SERIES	<i>.</i> 0,	Portable Telemetry Cable	PMKN4040	ECI
		Portable to RS232 DB25M Connector Cable	PMKN4071	
SL SERIES	\bigcirc	Portable Programming Cable (micro USB) for SL series	25-124330-01R	

MOTOTRBO MOBILE DIOS

XPR 5000 SERIES

XPR 4000 SERIES

XPR 2500 SERIES

The XPR 5000 series shares the same connector as the XPR 4000 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth[®], giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 30 feet of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.

INTEGRATED VOICE AND DATA ON THE GO XPR 4000 SERIES

Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XPR 4000 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.

XPR 2500 SERIES

The XPR 2500 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XPR 2500 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that guickly fills with chattering children - you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.



UNRIVALED VOICE AND DATA ON THE GO XPR 5000 SERIES

COMPATIBILITY	ACCESSORY			FEATURES
MICROPHONES K The heavy-duty micr	Keypad microphones let ophone is easy to use v	you easily navigate menus on your XPR 4550 ov vhile wearing gloves and the telephone-style h	or XPR 5550, dial phon andset enables more	e numbers and send text messages. discreet communication.
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE IMPRES
XPR 5000 SERIES		IMPRES Keypad Microphone with 4-way navigation button	RMN5127	Keypad + Navigation
XPR 4000 SERIES	S.	IMPRES Keypad Microphone	RMN5065	Keypad •
		Standard Compact Microphone	RMN5052	Compact
	Ś	IMPRES Heavy-Duty Microphone	RMN5053	Heavy-Duty
XPR 5000 SERIES	7	IMPRES Telephone Style Handset	HMN4098	Telephone Style Handset
XPR 4000 SERIES	10	IMPRES Visor Microphone	RMN5054	Visor
	-	Desktop Microphone	RMN5050	Desktop
	"🛡	Compact Microphone	PMMN4090	Compact
	+	Heavy Duty Microphone	PMMN4091	Heavy-Duty
	P	Keypad Microphone	PMMN4089	Keypad
XPR 2500 SERIES	-<	Visor Microphone	GMMN4065	Visor
		Telephone Style Handset with hang-up cup	PMLN6481	Telephone Style Handset
		Desktop Microphone	PMMN4098	Desktop



HOW CAN I COMMUNICATE SAFELY IN MY VEHICLE?

The IMPRES Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road. IMPRES Audio compensates for the distance of the visor mic from your mouth so that your radio communications are loud and clear.

	the emergency footswit	n PTT can be held in the hand or mounted in you ch lets you discreetly activate emergency hands	
MOBILE RADIOS	MICROPHONE ACCESSORIES	DESCRIPTION	PART NUMBER
XPR 5000 SERIES		Pushbutton push-to-talk to interface with your visor microphone	RLN5926
XPR 4000 SERIES		Emergency Footswitch can be used with a visor microphone	RLN5929
	W	Emergency Footswitch can be used with a visor microphone	RLN4836
XPR 2500 SERIES	0.1	Remote Mount Footswitch Push-to-Talk to interface with your visor microphone	RLN4856
	8	Remote Mount Pushbutton Push-to-Talk to interface with your visor microphone	RLN4857

	PART NUMBER
	HLN9073
Clip	HLN9414
ension	PMKN4033
ension	PMKN4034





OPTIMIZED FOR DIGITAL

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for XPR[™] 2500 mobile radios.



HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

OMPATIBILITY	ACCESSORY			FEATURES								
PERATIONS CR walk away from y	RITICAL WIRELESS BL	UETOOTH® ACCESSORIES This portfolio connected to your radio up to 30 feet away.	is a game changer	for your business as you ha	ve the flexibility to leave your truck							
OBILE RADIOS	OPERATIONS CRITICAL WIRELESS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	ρττ	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	DIMENSIONS (MM)	WEIGHT (GRAMS)	PAIRING TYPE	IP RATING
	S	Operations Critical Wireless Earpiece with 12 inch cable	NNTN8125	Over-the-ear tube (CommPort™)	Directional, above the earpiece	On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
		Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	Requires separate PTT pod	10 with PTT pod				Standard	IP54
	Core Core	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	Requires separate PTT pod	10 with PTT pod				Standard	IP54
XPR 5000		Operations Critical Wireless push-to-talk pod	NNTN8127	N/A	N/A	On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
XPR 5000 Series	(DC	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT)	PMLN6500	Over-the-ear (Swivel)	In-line	On radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7		429	Standard	IP54
	Ø.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7		422	Standard	IP54

Note: XPR 5000 series mobile radios have Bluetooth embedded in the radio. *Note: PTT on radio or with separate wireless PTT.

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort[™] style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is great for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.



COMPATIBILITY	ACCESSORY			FEATURES		
WIRELESS REPLA	CEMENT PARTS					
MOBILE RADIOS	WIRELESS REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
	5	Mission Critical/Operations Critical Replacement Wireless Earpiece with 12 inch cable	NTN2572	Over-the- ear tube (CommPort™)	Directional, above the earpiece	N/A
	$\langle c \rangle$	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens	NTN8821	N/A	N/A	N/A
	2000 CON	Ear strap for comport earpiece (pack of 10)	NTN8988	N/A	N/A	N/A
XPR 5000		Eartube for comport earpiece (pack of 10)	RLN5037	N/A	N/A	N/A
SERIES		Replacement ear tips for wireless earbuds (20 small, 20 medium, 20 larger and 10 clips)	NNTN8361	Earbud	N/A	N/A
		Replacement or spare micro-USB plug-in charger (US plug) for wireless pod	PMPN4027	N/A	N/A	N/A
	4	Swivel clip for Operations Critical Wireless pod and Enhanced Operations Critical Wireless pod	PMLN6246A			



COMPATIBILITY	ACCESSORY		
CONTROL STATIO Ideal for transportatio	N ACCESSORIES Quid n, manufacturing and pu	kly and conveniently convert your radio into a blic service operations that have dispatch rec	a base station. Juirements.
MOBILE RADIOS	CONTROL STATION ACCESSORIES	DESCRIPTION	PART NUMBER
	1	Desktop Tray with speaker	RSN4005
		Desktop Tray without speaker	GLN7318
	0	Adapter Cable for Control Station	HKN9088
XPR 5000 SERIES		Power Supply, 25-60W, 1-60W cord included	HPN4007
		Switchmode Power Supply, 1-25W radios only with provision for back-up battery hook-up	GPN6145
XPR 4000 SERIES	\odot	Power Supply Cable for GPN6145	GKN6266
		US Line cord for GPN6145	3060665A04
		Mini-UHF to PL259 antenna adapter cable	HKN9557



COMPATIBILITY ACCESSORY INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio be mounted in the trunk when dash space is limited. INSTALLATION AND MOUNTING ACCESSORIES MOBILE RADIOS DESCRIPTION Low Profile Trunnion Kit keeps radio tucked RLN6077 up under dash XPR 4000 SERIES XPR 5000 SERIES Low Profile Trunnion Kit keeps radio tucked RLN6466 XPR 2500 SERIES up under dash 1 High Profile Trunnion Kit with under dash or RLN6078 floor mount XPR 4000 SERIES XPR 5000 SERIES High Profile Trunnion Kit with under dash or RLN6467 floor mount XPR 2500 Series Key Lock Trunnion Kit provides extra RLN6079 protection from theft XPR 4000 SERIES XPR 5000 SERIES Key Lock Trunnion Kit provides extra RLN6468 XPR 2500 SERIES protection from theft Direct In Dashboard Mounting Kit RLN5933 XPR 4000 SERIES -RLN6465 Direct In Dashboard Mounting Kit XPR 5000 SERIES MOTOTRBO Mobile Remote Mount PMLN5404 Adapter Kit ----XPR 4000 SERIES -MOTOTRBO Mobile Remote Mount PMLN6404A Adapter Kit XPR 5000 SERIES

COMPATIBILITY	ACCESSORY		
INSTALLATION	AND MOUNTING ACC	ESSORIES	
MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER
		In-Dash Mounting Kit - DIN	FTN6083
		Power Cable to Battery - 10 foot, 15 amp 14 AWG	HKN4137
		Power Cable to Battery - 10 foot, 20 amp 12 AWG	HKN4191
XPR 2500 Series	Ø	Power Cable to Battery - 20 foot, 20 amp 10 AWG	HKN4192
	0	Ignition Sense Cable	HKN9327
		Trunnion Mounting Screws	3012045001
COMPATIBILITY	ACCESSORY		la with automa
speakers. Different	watt speakers can be cus	ur control station on your desk or in your vehi tomized to your environment.	cie with externa
MOBILE RADIOS	EXTERNAL SPEAKERS	DESCRIPTION	PART NUMBER
		13W External Speaker	RSN4002
XPR 5000 SERIES		7.5W External Speaker	RSN4003
XPR 4000 SERIES		5W External Speaker	RSN4004
		7.5W External Speaker	HSN8145
VDP 2500		13W External Speaker	RSN4001
XPR 2500 SERIES			

		pmized to your environment.
MOBILE RADIOS	EXTERNAL SPEAKERS	DESCRIPTION
		13W External Speaker
XPR 5000 SERIES		7.5W External Speaker
XPR 4000 SERIES	O	5W External Speaker
	1	7.5W External Speaker
XPR 2500 SERIES	·	13W External Speaker
	, Q	Speaker Extension Cable





COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4073
XPR 4000 SERIES		Mobile Remote Mount 3-Meter Cable Kit	PMKN4074
	0	Mobile Remote Mount 5-Meter Cable Kit	PMKN4144
XPR 5000 SERIES		Mobile Remote Mount 3-Meter Cable Kit	PMKN4143
		Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191
XPR 5000 SERIES	Ŷŷ	Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192
XPR 4000 SERIES		Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137



	PART NUMBER
	RKN4136
ssory	PMKN4010
ramming,	PMKN4016
or Universal	PMKN4018
е	HKN6184
y Connector	PMLN5072
e	PMKN4147
or Universal	PMKN4151
with	GMBN1021
	PMLN4148
	HLN9457
	PMLN5620
ector	3202607Y01
	6680388A26



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS A va	ariety of antennas ensure	the best possible reception wherever you opera	ate. Choose from a	intennas with in	tegrated GPS to	o standalone RF	antennas.	
MOBILE RADIOS	UHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE	
COMBINATION	GPS/UHF ANTENNAS	S						
		GPS/UHF Combination 1/4 Wave Antenna for the 403-430 MHz range	PMAE4030	UHF	403-430	•	Through- hole	
		GPS/UHF Combination 1/4 Wave Antenna for the 450-470 MHz range	PMAE4031	UHF	450-470	•	Through- hole	
		GPS/UHF Combination Antenna for the 406-420 MHz range, 3.5 dB Gain	PMAE4032	UHF	406-420	٠	Through- hole	
		GPS/UHF Combination Antenna for the 450-470 MHz range, 3.5 dB Gain	PMAE4033	UHF	450-470	•	Through- hole	
XPR 5000 SERIES		GPS/UHF Combination Antenna for the 450-470 MHz range, 5 dB Gain	PMAE4034	UHF	450-470	•	Through- hole	
XPR 4000 SERIES		GPS/UHF Combination Antenna for the 403-527 MHz range, 2 dB Gain	HAE6019	UHF	403-527	•	Through- hole	
	1	GPS/UHF Combination 1/4 Wave Antenna for the 470-527 MHz range	HAE6020	UHF	470-527	•	Through- hole	
		GPS/UHF Combination Through-Hole Mount Antenna for 470-494 MHz, 3.5 dB Gain	HAE6024	UHF	470-494	•	Through- hole	
		GPS/UHF Combination Through-Hole Mount Antenna, 494-512 MHz, 3 dB Gain	HAE6026	UHF	494-512	•	Through- hole	
UHF ANTENNA	S (RF ONLY)							
XPR 4000 SERIES XPR 5000 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 406-420 MHz range, 3.5 dB Gain, Mini-U	HAE4010	UHF	406-420		Through- hole	
SERIES XPR 2500 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 450-470 MHz range, 3.5 dB Gain, Mini-U	HAE4011	UHF	450-470		Through- hole	
XPR 4000 SERIES XPR 5000 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 470-494 MHz range, 3.5 dB Gain	HAE4012	UHF	470-494		Through- hole	

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

INTEGRATED GPS: To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna.

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTIN STYLE
UHF ANTENNAS	(RF ONLY)						
XPR 5000 SERIES		UHF Wide Area Through-hole Mount Antenna for the 403-527 MHz range 2dB Gain, Mini-U	HAE6022	UHF	403-527		Through hole
XPR 4000 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 445-470 MHz range, 5 dB Gain, Mini-U (with base)	RAE4004ARB	UHF	445-470		Through hole
		UHF Urban Roof Mount 1/4 Wave Antenna for the 403-430 MHz range, Mini-U	HAE4002	UHF	403-430		Roof mount
XPR 2500 SERIES	¢	UHF Urban Roof Mount 1/4 Wave Antenna for the 450-470 MHz range, Mini-U	HAE4003	UHF	450-470		Roof mount
		UHF Urban Roof Mount 1/4 Wave Antenna for the 470-512 MHz range, Mini-U	HAE4004	UHF	470-512		Roof mount
XPR 5000 SERIES		UHF Wide Area Roof Mount Antenna for the 494-512 MHz range, 3.5 dB Gain	HAE4013	UHF	494-512		Through hole
		UHF Stubby Through hole Mount Antenna, 410-430 MHz	RAE4163ARB	UHF	410-430		Through hole
XPR 4000 SERIES		UHF Stubby Through hole Mount Antenna, 430-450 MHz	RAE4164ARB	UHF	430-450		Through hole
		UHF Stubby Through hole Mount Antenna, 450-470 MHz	RAE4168ARB	UHF	450-470		Through hole
COMBINATION	GPS/VHF ANTENNA	S		1			
		GPS/VHF Combination Through-Hole Mount 1/4 wave Antenna for the 136-144 MHz range	RAD4214	VHF	136-144	•	Through hole
XPR 5000 SERIES		GPS/VHF Combination Through-Hole Mount 1/4 wave Antenna for the 146-150.8 MHz range	RAD4215	VHF	146-150.8	•	Through hole
SERIES		GPS/VHF Through-Hole Mount 1/4 wave Antenna for the 150.8-162 MHz range	RAD4216	VHF	150.8-162	•	Through hole
		GPS/VHF Through-Hole Mount 1/4 wave Antenna for the 162-174 MHz range	RAD4217	VHF	162-174	•	Through hole
XPR 4000 SERIES	· ·	GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz range, 3 dB Gain	RAD4218	VHF	146-172	•	Through hole

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS MOBILE RADIOS	VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF/VHF/		INTEGRATED	MOUNTING
VHF ANTENNAS (RF ONLY)			(800/900 MHz)	BAND (MHz)	GPS	STYLE
		VHF Urban Roof Mount 1/4 Wave Antenna for the 136-144 MHz range, Mini-U	HAD4006	VHF	136-144		Roof mount
	Š	VHF Urban Roof Mount 1/4 Wave Antenna for the 146-150.8 MHz range, Mini-U	HAD4007	VHF	146-150.8		Roof mount
XPR 5000 SERIES	*	VHF Urban Roof Mount 1/4 Wave Antenna for the 150.8-162 MHz range, Mini-U	HAD4008	VHF	150.8-162		Roof mount
XPR 4000 SERIES	S	VHF Urban Roof Mount 1/4 Wave Antenna for the 162-174 MHz range, Mini-U	HAD4009	VHF	162-174		Roof mount
		VHF Wide Area Through-hole Mount Antenna for the 132-174 MHz range 3dB Gain, Mini-U	HAD4022	VHF	132-174		Through- hole
STANDALONE GP	S ANTENNAS						
	•	Fixed Mount GPS Active Antenna	PMAN4000	N/A	N/A	•	Fixed
XPR 5000 SERIES		Glass Mount GPS Active Antenna	PMAN4001	N/A	N/A	•	Glass
XPR 4000 SERIES		Magnetic Mount GPS Active Antenna	PMAN4002	N/A	N/A	•	Magnetic

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
MOBILE RADIOS	800/900 VHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTIN STYLE	
COMBINATION G	PS/800/900 ANTENN/	AS						
		GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz range	HAF4029	800/900	806-941	•	Through hole	
XPR 5000 SERIES		GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz range, 3 dB Gain	HAF4030	800/900	806-941	•	Through hole	
		GPS/800/900 MHz Stubby Antenna for the 806-941 MHz range	HAF4032	800/900	806-941	•	Through hole	
XPR 4000 SERIES		GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain	HAF4033	800/900	806-941	•	Through hole	
800/900 VHF ANTI	ENNAS (RF ONLY)							
	•	Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz range, 3 dB Gain	HAF4013	800/900	806-941		Through hole	
		Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz range	HAF4025	800/900	806-941		Through hole	
XPR 5000 SERIES		Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain	HAF4026	800/900	806-941		Through hole	
		Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain	HAF4027	800/900	806-941		Through hole	
COMPATIBILITY	ACCESSORY					1	2	
MOBILE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER	4			1	
XPR 5000 Series	<i>~</i>	Mobile Mini-U Antenna Adapter, 8-foot cable	HKN9088			1		
XPR 4000 SERIES		PL259/Mini-U Antenna Adapter, 8-foot cable	HKN9557	1.5	16			







For more information on Motorola accessories, visit **motorolasolutions.com/mototrbo**.

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2014 Motorola Solutions, Inc. All rights reserved. RC-3-1001D



