




MOTOTRBOT PROFESSIONAL SERIES RADIO ACCESSORIES




THE POWER OF YOUR RADIO UNLEASHED



YOUR BATTERY, SAFER, SMARTER, **POWERED FOR LONGER**



MOTOTRBO PORTABLE RADIOS



MOTOTRBO radios are already best in class, but to help you work at your best, you need enhancements targeted to your specific workplace. We've developed a line of accessories with unique features designed to optimize the performance of your radio in your work environment, unleashing the full power of the industry's most advanced digital radio platform.

IMPRES™ BATTERIES AND CHARGERS: YOUR BATTERY, SAFER, SMARTER, POWERED FOR LONGER

Get rid of the guesswork and get more from every battery.

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries – without spending maintenance or record keeping time and effort. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer.

IMPRES™ AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Be clearly heard the first time and eliminate repeating yourself. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking.

Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.

> Experience IMPRES Audio

WINDPORTING

Communicate clearly in difficult weather. Wherever you work - in howling wind, driving rain, and severe weather - Windporting

helps you communicate effectively and listeners hear clearly. Windporting technology eliminates the whining and howling sounds of wind blowing across your lapel/remote speaker microphone. It also prevents water from clogging the microphone for clearer transmissions.

> Hear the difference Windporting makes

INTELLIGENT AUDIO

Focus on your job instead of your radio volume. Make adjusting your radio volume based on background noise a thing of the past. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear. If you're heading from a noisy area to a quiet place, you won't disturb others because you forgot to adjust the volume.

Intelligent Audio when complemented with IMPRES Audio takes your communications to a new level.

> See Intelligent Audio in action

OPERATIONS CRITICAL WIRELESS: YOUR RADIO, UNLEASHED

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 30 feet away from your radio. Put your wireless PTT where you want to - on a clipboard, steering wheel or coat pocket – without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours – up to 3 times the battery life of commercial Bluetooth® headsets.









XPR 3000 SERIES

SL SERIES

ONLY MOTOROLA OFFERS A WEALTH OF EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD EVEN IN THE MOST DEMANDING WORK CONDITIONS

IMPRES™ AUDIO: I HEAR YOU. **HOWEVER YOU SPEAK**

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

DUAL MICROPHONE AUDIO: I HEAR YOU. EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly. **WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND**

Reduce the effect of wind and other outdoor noises so your messages are always heard clearly.

NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE NOISE

Reduce the effect of background crowd and machinery noise so your messages are always heard clearly.

INTELLIGENT **AUDIO: YOUR CALLS. ALWAYS AT THE** PERFECT VOLUME

Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE CANCELING (INC) REMOTE SPEAKER MICROPHONE?

SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY – The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available – up to 25% more than other MOTOTRBO RSMs.



EASY TO CLEAN DIRT, GRIT AND DEBRIS Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go.

> Experience Dual-Microphone Noise Suppression



the shoulder or in front of your mouth).

> Hear the Difference Windporting Makes

INDUSTRIAL NOISE CANCELING (DUAL MICROPHONE NOISE SUPPRESSION) — loud, industrial outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

NOISE-CANCELING — noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).





| MADATIDUITY | AGGEGGARY | | | FFATURES | | | | | | | | | VEDTION: 15 | ADVETC. D | | A minuture | - f | orinala linta d | |
|--------------------|-------------------------------|---|-------------|----------|----------------------|--|------------------------------|------------------------|------------------------|---------------|--------------------------------|---|--------------------------------|--|--------------------------------|-------------|---------------------|---------------------------|----------------|
| | | ND PUBLIC SAFETY MICROPHONES Ou I to give you clearer communications even in I | | | | licrophones, Public Sa | fety Microphones | All remote sp | eaker microp | hones are t | ouilt with top | quality mat | | ARKETS: Recomme | | | | | ıs. |
| ABLE RADIOS | REMOTE SPEAKER MICROPHONES | DESCRIPTION | PART NUMBER | IMPRES | INTELLIGENT AUDIO | WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION | VOLUME CONTROL (HIGH/LOW) | PROGRAMMABLE BUTTON | AUDIO JACK (3.5 MM) | IP RATING | INTRINSIC SAFETY RATING* | SIZE (MM) | TRANSPORTATIO AND LOGISTICS | N MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUC/ (CAMI |
| | 80 | Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54) | PMMN4024 | | • | Windporting | | | • | IP54 | FM TIA | Small 55 x 60 x 27 (without clip) | • | • | • | | • | • | |
| | | IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack and emergency button, small (IP54) | PMMN4025 | • | • | Windporting | | | J (| IP54 | FM TIA | Small 55 x 60 x 27 (without clip) | • | • | • | | • | • | |
| XPR 6000 SERIES | B | Windporting Remote Speaker Microphone, small, submersible (IP57) | PMMN4040 | | • | Windporting | | | | ♦ IP57 | FM TIA | Small 55 x 60 x 27 (without clip) | • | • | • | • | | | |
| SERIES | | IMPRES Windporting Remote Speaker Microphone with volume control, emergency button and programmable button, large, submersible (IP57) | PMMN4046 | • | | Windporting | | | | ♦ IP57 | FM TIA | Large 60 x 78 x 28 (without clip) | • | • | • | • | | | |
| | 00 | IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54), Noise Canceling (IP54) NOT INTENDED FOR FIRE MARKETS | PMMN4050 | • | | Noise-Canceling | | | 7 | IP54 | FM TIA | Large 60 x 78 x 28 (without clip) | | • | | • | | • | |
| XPR 7000 SERIES | 190 | IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible | NNTN8382 | • | | Dual Mic. Noise Suppression | | | | ♦ IP57 | TIA | Large 60 x 78 x 28 (without clip) | • | • | • | | • | • | |

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you have every call

WINDPORTING (MOTOROLA EXCLUSIVE), NOISE CANCELLING, DUAL MIC.

NOISE SUPPRESSION: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

Noise-Canceling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

Dual Mic Noise Suppression used in the INC RSM suppresses loud background noise so your message gets through clearly.

NNTN8383

Dual Mic. Noise

Suppression

AUDIO JACK: Connect a variety of comfortable earpiece styles to the remote speaker microphone for a more discreet communication option.

ORANGE BUTTON: This essential programmable button on top of the microphone is easily activated if you are in trouble. This button can also be set for any programmable feature on the radio, such as emergency.

Large

60 x 78 x 28

(without clip)

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

IP54

VOLUME CONTROL: Conveniently access the volume control. Toggle switch allows you to easily adjust between high and low volume as needed.

IP RATING: The international standard for rating dust and water protection. The first

digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, and IP57 resists submersion in 1 meter of fresh water for 30 minutes.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

IMPRES Industrial Noise Canceling (INC)

Speaker Microphone with 3.5 mm threaded

Dual Mic. Noise Suppression Remote

audio jack (IP54)

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | | | | | VERTICAL MA | RKETS: Recomme | endations based o | n typical use case | e for each of ver | ticals listed. | |
|--------------------|-------------------------------|---|-------------|----------|----------------------|-----------------------------------|------------------------------|------------------------|------------------------|---------------|--------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-----------------------------|--------------------|---------------------|---------------------------|-------------------------|
| | | ND PUBLIC SAFETY MICROPHONES On to give you clearer communications even in | | | ote Speaker Mi | crophones, Public Sa | fety Microphones | All remote sp | eaker micropl | nones are b | ouilt with top qua | ality mate | erials includir | ng durable Ke | e vlar ® cables | that survive t | ough workii | ng condition | S. |
| PORTABLE RADIOS | REMOTE SPEAKER MICROPHONES | DESCRIPTION | PART NUMBER | IMPRES | INTELLIGENT AUDIO | WINDPORTING OR NOISE-CANCELING | VOLUME CONTROL (HIGH/LOW) | PROGRAMMABLE BUTTON | AUDIO JACK (3.5 MM) | IP RATING | INTRINSIC SAFETY RATING* | SIZE (MM) | TRANSPORTATION AND LOGISTICS | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSES) |
| | 9 | IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54), Noise Canceling (IP54) NOT INTENDED FOR FIRE MARKETS | PMMN4071 | • | | Noise-Canceling | | | • | IP54 | 60 | arge O x 78 x 28 vithout clip) | | • | | | | • | • |
| | 9 | IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP55) | PMMN4073 | • | | Windporting | | |)(| IP55 | 55 | mall 5 x 60 x 27 vithout clip) | • | | • | | • | • | • |
| XPR 3000 SERIES | 0 | Windporting Remote Speaker Microphone, small, submersible (IP57) | PMMN4075 | | • | Windporting | | | | ♦ IP57 | 55 | mall 5 x 60 x 27 vithout clip) | • | | • | | • | | |
| | 7 | Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54) | PMMN4076 | | • | Windporting | | | 7 | IP54 | 55 | mall 5 x 60 x 27 vithout clip) | • | | • | | • | • | • |

| RTABLE RADIOS | RSM ACCESSORIES | DESCRIPTION | PART NUMBER | EARPIECE TYPE | INTRINSIC SAFETY RATING |
|----------------------------------|-----------------|--|-------------|---------------------|-------------------------|
| | 0 | Receive-Only Covered Earbud with coiled cord | AARLN4885 | Foam Covered Earbud | FM TIA |
| DIO XPR 7000 CK SERIES MM) | 42 | Receive-Only Earpiece with translucent tube and rubber eartip | RLN4941 | Clear Rubber Eartip | FM TIA |
| | 69 | Receive-Only Flexible Earpiece | WADN4190 | Over-the-ear | FM TIA |
| R 6000 XPR 3000 RIES SERIES | 4 | Receive-Only D-Shell Earpiece | PMLN4620 | Over-the-ear | FM TIA |
| | | Replacement Coil Cord Kit for PMMN4024 and PMMN4040 | RLN6074 | | |
| PR 6000 XPR 7000 ERIES SERIES | | Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050 | RLN6075 | | |

| COMPATIBILITY | ACCESSORY | | | FEATURES | |
|---------------------------------|-----------------|--|-------------|---------------------|--------------------------|
| REMOTE SPEAKE | R MICROPHONE AC | CESSORIES WITH THREADED 3.5MN | I JACK | | |
| PORTABLE RADIOS | RSM ACCESSORIES | DESCRIPTION | PART NUMBER | EARPIECE TYPE | INTRINSIC SAFETY RATING* |
| 1 Parl | | One-wire Flexible Ear Receiver, black. Compatible with NNTN8383 only. | BDN6719 | Over-the-ear | TIA |
| REMOTE SPEAKER MICROPHONE | | One-wire Earbud, black. Compatible with NNTN8383 only. | BDN6781 | Foam Covered Earbud | |
| | | One-wire Earpiece, beige. Compatible with NNTN8383 only. | BDN6664 | Over-the-ear | TIA |
| XPR 6000 SERIES | (8) | Extra Loud One-wire Earpiece, beige. Compatible with NNTN8383 only. | BDN6665 | Over-the-ear | TIA |
| | 0 | One-wire Earpiece, black. Compatible with NNTN8383 only. | BDN6726 | Over-the-ear | TIA |
| XPR 7000 SERIES | | Extra Loud One-wire Earpiece, black. Compatible with NNTN8383 only. | BDN6727 | Over-the-ear | TIA |

| COMPATIBILITY | ACCESSORY | | | FEATURES | |
|--------------------|------------------|---|-------------|---------------------|--------------------------|
| REMOTE SPEAK | ER MICROPHONE AC | CESSORIES WITH THREADED 3.5MM J | ACK | | |
| PORTABLE RADIOS | RSM ACCESSORIES | DESCRIPTION | PART NUMBER | EARPIECE TYPE | INTRINSIC SAFETY RATING* |
| | (8) | One-wire Earpiece with Volume Control, beige. Compatible with NNTN8383 only. | BDN6666 | Over-the-head | TIA |
| | 0 | One-wire Earpiece with Volume Control, black. Compatible with NNTN8383 only. | BDN6728 | Over-the-head | TIA |
| XPR 6000 SERIES | | One-wire Earpiece with Clear Acoustic Tube, beige. Compatible with NNTN8383 only. | RLN5314 | Clear Rubber Eartip | TIA |
| | | One-wire Earpiece with Clear Acoustic Tube, black. Compatible with NNTN8383 only. | RLN5313 | Rubber Eartip | TIA |
| XPR 7000 SERIES | 6 | Dual Muff Headband Style Headset. Compatible with NNTN8383 only. | RMN4056 | Over-the-head | |
| | - | Dual Muff Hardhat Mount Headset. Compatible with NNTN8383 only. | RMN4057 | Helmet-Attached | |

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | |
|--------------------|------------------|---|-------------|------------------------------|----------------------------|-------------------|----------------|--------|
| PUBLIC SAFETY N | IICROPHONE ANTEN | NAS | | | | | | |
| PORTABLE RADIOS | ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | LENGTH (CM) | TYPE |
| , | 1 | UHF Public Safety Microphone Antenna for the 403-433 MHz range | PMAE4046 | UHF | 403-433 | | 9 | Stubby |
| | A. | UHF Public Safety Microphone Antenna for the 430-470 MHz range | PMAE4047 | UHF | 430-470 | | 9 | Stubby |
| XPR 6000 SERIES | | VHF Public Safety Microphone Antenna for 136-153 MHz range | PMAD4087 | VHF | 136-153 | | 11 | Whip |
| | | VHF Public Safety Microphone Antenna for 150-174 MHz range | PMAD4086 | VHF | 150-174 | | 11 | Whip |

HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE?

IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility.

If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.

> Experience IMPRES audio



| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | | | | VERTICAL MA | RKETS: Recommen | dations based on typ | pical use case for e | ach of verticals li | sted. | |
|--------------------|------------------------------|--|---------------------|----------|-----------------------------------|---------------------------|------------------------------|------------------------|-----------------------|---------------|--------------------------------|---------------------------------|--------------------------------------|--------------------------------|----------------------|---------------------|---------------------------|-------------------------|
| | | er the same advanced features as our Remo parately) to improve reception. | te Speaker Micropho | ones | | | | All remote sp | eaker microp | hones are | built with top | quality materia | als including d | urable Kevlar ® | cables that su | ırvive tough v | working condit | ions. |
| PORTABLE RADIOS | PUBLIC SAFETY MICROPHONES | DESCRIPTION | PART NUMBER | IMPRES | WINDPORTING OR NOISE-CANCELING | CABLE LENGTH (INCH) | VOLUME CONTROL (HIGH/LOW) | PROGRAMMABLE BUTTON | AUDIO JACK (3.5mm) | IP RATING | INTRINSIC SAFETY RATING* | TRANSPORTATION AND LOGISTICS | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSES) |
| | - 1 | IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54) | PMMN4041 | • | Windporting | 30 | | | | IP54 | FM | | | • | | • | | • |
| | H | IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54) | PMMN4042 | • | Windporting | 24 | - | | 7 | IP54 | FM | | | • | | | | • |
| | | IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54) | PMMN4043 | • | Windporting | 18 | | | | IP54 | FM | | | • | | • | | • |
| XPR 6000 SERIES | 1 | IMPRES Windporting Public Safety Microphone, large, submersible (IP57) | PMMN4047 | • | Windporting | 30 | | | | ♦ IP57 | FM | | | • | | • | | |
| (UHF/VHF only) | 18 | IMPRES Windporting Public Safety Microphone, large, submersible (IP57) | PMMN4048 | • | Windporting | 24 | - | | | ♦ IP57 | FM | | | • | | • | | |
| | | IMPRES Windporting Public Safety Microphone, large, submersible (IP57) | PMMN4049 | • | Windporting | 18 | - | | | ♦ IP57 | FM | | | • | | • | | |

^{*}Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.



HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE?

IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility.

If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.

> Experience IMPRES audio

| MPATIBILITY | ACCESSORY | | | FEATURES | | | | | | | VERTICAL MAR | KETS: Recomme | ndations based o | on typical use cas | e for each of vertica | ls listed. | |
|--|--|--|--|----------------------------------|------------------------------------|------------------------|------------|------------------------------------|---|---|--------------------------------------|--------------------------------------|--------------------------------|--------------------|-----------------------|---------------------------|---------------------|
| IRVEILLANCE And of the state of | ACCESSORIES AND EAd tough conditions. A quic | ARPIECES Transmit and receive discreetly k-disconnect, durable and comfortable tran | y with a variety of sunslucent tube enable | rveillance kits s easy sharin | s that feature a g between shif | streamlined design a | and rugged | Two-wire kits h Three-wire kits | ave one wire for receiv feature separate wires | ring transmissions and for receiving transmi | d one wire with a ssions, push-to-ta | combined microp | ophone and pu none. | ısh-to-talk. | | | |
| TABLE RADIOS | SURVEILLANCE ACCESSORIES | DESCRIPTION | PART NUMBER | IMPRES | INTELLIGENT AUDIO | EARPIECE TYPE | MICROPHONE | РТТ | PROGRAMMABLE BUTTON | INTRINSIC SAFETY RATING * | TRANSPORTATION AND LOGISTICS | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATIO (CAMPUS |
| | Dt | 1-Wire Receive-only earpiece, black | PMLN6125 | | • | Earpiece | | | | FM TIA | | | | | • | • | |
| | 10 | 1-Wire Receive-only earpiece, beige | PMLN6126 | | • | Earpiece | | | | FM TIA | | | | | • | • | |
| | \subseteq | IMPRES 2-Wire Surveillance Kit, programmable button, black | PMLN6127 | • | • | Earpiece | ě | • | | FM TIA | | | | | • | • | |
| | | IMPRES 2-Wire Surveillance Kit, programmable button, beige | PMLN6128 | • | • | Earpiece | 7 | 7 | Y | FM TIA | | | | | • | • | |
| XPR 6000 SERIES | | 1-Wire Surveillance Kit with translucent tube, in-line microphone and PTT, black | NNTN8459 | | | Clear Rubber Eartip | - | - | | TIA | | | | | • | • | |
| | 6 | IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black | PMLN6129 | • | • | Clear Rubber Eartip | ě | • | | FM TIA | | | | | • | • | |
| XPR 7000 SERIES | | IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige | PMLN6130 | • | • | Clear Rubber Eartip | 7 | 7 | Y | FM TIA | | | | | • | • | |
| | 08 | IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black | PMLN6123 | • | • | Clear Rubber Eartip | | | 42 | FM TIA | | | | | • | • | |
| | 9 | IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige | PMLN6124 | • | • | Clear Rubber Eartip | | P | P | FM TIA | | | | | • | • | |

*Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as pushto-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe.

Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.



| /IPATIBILITY | ACCESSORY | | | FEATURES | | | | | | | VERTICAL M | ARKETS: Recomm | endations based o | n typical use case | for each of vertic | als listed. | |
|--------------------|-----------------------------|---|-------------|----------|----------------------|------------------------|------------|------------|------------------------|------------------------------|--------------------------------|--------------------------------------|-----------------------------|--------------------|---------------------|---------------------------|------------------------|
| RVEILLANCE A | ACCESSORIES AND E | ARPIECES | | | | | | | | | | | | | | | |
| TABLE RADIOS | SURVEILLANCE ACCESSORIES | DESCRIPTION | PART NUMBER | IMPRES | INTELLIGENT AUDIO | EARPIECE TYPE | MICROPHONE | PTT | PROGRAMMABLE BUTTON | INTRINSIC SAFETY RATING * | TRANSPORTATIO AND LOGISTICS | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSES |
| | | 2-Wire Surveillance Kit with translucent tube, black | PMLN5724 | | • | Clear Rubber Eartip | | | | | | | | | • | • | • |
| | 50) | 2-Wire Surveillance Kit with translucent tube, beige | PMLN5726 | | • | Clear Rubber Eartip | 4 | S A | | | | | | | • | • | • |
| | | 2-Wire Surveillance Kit with translucent tube, black; (coming Q2 2015) | PMLN7269 | | • | Clear Rubber Eartip | 1 | 1 | | | | | | | • | • | • |
| XPR 3000 SERIES | -1 | 2-Wire Surveillance Kit with translucent tube, beige (coming Q2 2015) | PMLN7270 | | • | Clear Rubber Eartip | _ | | | | | | | | • | • | |
| | (36) | IMPRES 3-Wire Surveillance Kit with quick disconnect translucent tube, programmable button, black | PMLN6754 | • | • | Clear Rubber Eartip | • | D. | 42 | | | | | | • | • | |
| | 002 | IMPRES 3-Wire Surveillance Kit with quick disconnect translucent tube, programmable button, beige | PMLN6755 | | • | Clear Rubber Eartip | | P | P | | | | | | • | • | |
| | ₩ | 1-Wire Surveillance Kit with in-line mic and push-to-talk, black | PMLN5957 | | | Clear Rubber Eartip | Ň | | | | | | • | | • | • | |
| el ernice | \$ | 1-Wire Surveillance Kit with in-line microphone and push-to-talk, black | PMLN7158 | | | Clear Rubber Eartip | | | | | | | • | | • | • | |
| SL SERIES | A | 2-Wire Surveillance Kit with translucent tube, black | PMLN7157 | | | Clear Rubber Eartip | | 9 | | | | | | | • | • | |

^{*}Note: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.

| COMPATIBILITY | ACCESSORY | | | FEATURES | |
|--|------------------|--|----------------|---------------------|--|
| SURVEILLANCE A | CCESSORY REPLACE | MENT KITS | | | |
| PORTABLE RADIOS | REPLACEMENT KITS | DESCRIPTION | PART NUMBER | EARPIECE TYPE | COMPATIBLE SURVEILLANCE KITS |
| | | Low Noise Kit with translucent tube and 1 clear rubber eartip | RLN6242 | Clear Rubber Eartip | PMLN6123, PMLN6124, PMLN6129, PMLN6130, NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7157, PMLN7158 |
| XPR 3000 SERIES XPR 6000 SERIES XPR 7000 SERIES | | Note: for High noise kit solution combine RLNi Kit and 5080384F72 Replacement Foam Plugs | 6242 Low Noise | Foam Eartip | PMLN6123, PMLN6124, PMLN6129, PMLN6130, NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7157, PMLN7158 |
| SERIES SL SERIES | O TO | Replacement standard clear rubber eartip. Pack of 50 | RLN6282 | Clear Rubber Eartip | PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PLMN6127, PMLN6128, PMLN6129, PMLN6130, |
| | | Replacement Foam Plugs for RLN6242. Noise reduction = 24dB. Pack of 50 pairs | 5080384F72 | Foam Eartip | NNTN8459, RLN5882, RLN5883, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7157, PMLN7158 |
| XPR 6000 SERIES | 5 | Low Noise Kit with 1 clear rubber eartip | RLN5886 | Clear Rubber Eartip | RLN5882 RLN5883 PMLN5111 |
| XPR 7000 SERIES | 1 | High Noise Kit with 2 foam earplugs | RLN5887 | Foam Eartip | PMLN5112 PMLN6125 PMLN6126 |
| XPR 3000 SERIES SL SERIES | 8 | Replacement standard clear rubber eartip. Pack of 10 (replacement for PMLN5724/PMLN5726 and PMLN5957) | 67009254001 | Clear Rubber Eartip | PMLN5724 PMLN5726 PMLN5957 |
| XPR 3000 SERIES | | Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5724/26) | HKLN4478 | Clear Rubber Eartip | PMLN5724 PMLN5726 |
| SL SERIES | 2 | Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5957) | PMLN6175 | Clear Rubber Eartip | PMLN5957 |
| | | Small Custom Earpiece - Right Ear | RLN4760 | Custom Earpiece | |
| VDD COSS | | Medium Custom Earpiece - Right Ear | RLN4761 | Custom Earpiece | _ |
| XPR 6000 SERIES | | Large Custom Earpiece - Right Ear | RLN4762 | Custom Earpiece | _ |
| XPR 7000 SERIES SL SERIES | | Small Custom Earpiece - Left Ear | RLN4763 | Custom Earpiece | _ |
| OL OLINEO | | Medium Custom Earpiece - Left Ear | RLN4764 | Custom Earpiece | _ |
| | | Large Custom Earpiece - Left Ear | RLN4765 | Custom Earpiece | |




OPTIMIZED FOR DIGITAL

Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

> <u>Hear what Chopper Noise sounds like</u>






| COMPATIBILITY | ACCESSORY | | | FEATURES | | |
|--|-------------------|--|---------|---------------------|--|--|
| SURVEILLANCE | ACCESSORY REPLACE | EMENT KITS | | | | |
| SURVEILLANCE ACCESSORY REPLACEMENT KITS PORTABLE RADIOS REPLACEMENT KITS DESCRIPTION PART NUMBER EARPIECE TYPE COMPATION REPLACEMENT KITS Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB RLN6511 Comply™ foam eartip RLN538 RLN6512 Comply™ foam eartip PMLN6 | | | | | | |
| | 4 | [Sonic Defenders] Ultra Earplugs | RLN6511 | Comply™ foam eartip | RLN5313, RLN5314, RLN4941, NNTN8459, RLN5882, RLN5883, PMLN5111, PMLN5112, | |
| | | [Sonic Defenders] Ultra Earplugs | RLN6512 | Comply™ foam eartip | PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130, | |
| SL SERIES | | Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB | RLN6513 | Comply™ foam eartip | RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7157, PMLN7158 | |



| | | Noise reduction = 280B | | | PMLN | / 158 | | | 100 | | |
|--|-----------|--|-------------|-----------------------|------------|---------|-----------------------------|---------------------|--|---------------------------|-----------------------|
| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | MARKETS: Recommendate of verticals listed. | ations based on t | ypical use |
| EARPIECES | | | | | | | | | | | |
| PORTABLE RADIOS | EARPIECES | DESCRIPTION | PART NUMBER | EARPIECE TYPE | MICROPHONE | PTT | INTRINSIC SAFETY RATING* | PRIVATE SECURITY | MANUFACTURING AND CONSTRUCTION | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSE |
| XPR 6000 SERIES XPR 7000 SERIES | MA | D-Style Earset with boom microphone and in-line push-to-talk | PMLN5096 | D-Style | Boom | In-Line | FM TIA | • | • | • | • |
| | Rea | Swivel Earpiece with in-line microphone and push-to-talk | PMLN5958 | Over-the-Ear | In-Line | In-Line | | • | | • | • |
| SL SERIES | | Swivel Earpiece with in-line microphone and push-to-talk | PMLN7189 | Over-the-ear | In-Line | In-Line | | • | | • | • |
| | | Adjustable D-style earpiece with in-line microphone and push-to-talk, black | PMLN7159 | Adjustable D-Style | In-Line | In-Line | | • | • | • | • |
| XPR 3000 SERIES | • | Adjustable D-style earpiece with in-line microphone and push-to-talk, black (coming 02 2015) | PMLN6757 | Adjustable D-Style | In-Line | In-Line | | • | • | • | • |
| MAG ONE™ ACC | ESSORIES | | | | | | | | | | |
| SL SERIES | -2 | Mag One Earbud with in-line microphone and push-to-talk | PMLN7156 | Earbud | In-Line | In-Line | | • | | • | • |
| .,] | B | Mag One Earbud with in-line microphone and push-to-talk | PMLN5733 | Earbud | In-Line | In-Line | | • | | • | • |
| XPR 3000 SERIES | 0 | Mag One Swivel Earpiece with in-line microphone and push-to-talk | PMLN5727 | Over-the-Ear | In-Line | In-Line | | • | | • | • |
| SERIES | 50 | Mag One Earset with boom microphone and in-line push-to-talk | PMLN5732 | Earset | In-Line | In-Line | | • | | • | • |



These headsets use transducers that rest on your temple

to convert audio into sound vibration and transmit it to your inner ear. If you're using hearing protection or directing heavy traffic, you can hear the audio from your radio and the surrounding environment. Since the transducer sits in front of your ears, you can also wear earplugs and still hear the radio.



| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | | | | VERTICAL MA | RKETS: Recommer | ndations based or | ı typical use case | for each of vertica | ls listed. | |
|--------------------|-----------|---|-------------|-----------------|--------------------|--------|----------------------|------------|---------------|----------------------|--------------------------------|---------------|--------------------------------------|--------------------------------|--------------------|---------------------|---------------------------|-------------------------|
| HEADSETS | | | | | | | | | | | | | | | | | | |
| PORTABLE RADIOS | HEADSETS | DESCRIPTION | PART NUMBER | HEADSET TYPE | EARPIECE STYLE | IMPRES | INTELLIGENT AUDIO | MICROPHONE | РТТ | WEIGHT | INTRINSIC SAFETY RATING* | AND LOCIOTION | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSES) |
| | GO | Heavy-Duty Headset with Noise-Canceling boom mic and in-line push-to-talk, noise reduction = 24dB (See user guide for replacement parts) | PMLN5731 | Over-the-Head | Dual-Ear | | | Boom | In-Line | Heavy Duty | FM | • | • | • | • | | | |
| | 1 | Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB (see user guide for replacement parts) | PMLN6760 | Behind-the-head | Dual-Ear | | • | Boom | On Ear Cup | Heavy Duty | | • | • | • | • | | | |
| XPR 3000 SERIES | (E) | IMPRES Temple Transducer with boom microphone and in-line push-to-talk | PMLN6759 | Behind-the-head | Bone Conduction | • | • | Boom | In-Line | Lightweight | | • | • | • | | • | | • |
| | C) | Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic | PMLN6635 | Over-the-Head | Single-Ear | | | Boom | In-Line | Lightweight | | | • | • | | • | • | • |
| | | Mag One Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01- Windscreen; 4204005K01-Clothing clip) | PMLN6761 | Behind-the-head | Single-Ear | | • | Boom | In-Line | Ultra Lightweight | | | • | • | | • | • | • |

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | | | | VERTICAL MA | ARKETS: Recomme | endations based or | n typical use case | for each of vertica | als listed. | |
|--------------------|-----------|--|-------------|-----------------|-------------------|--------|----------------------|------------|---------------------------------|----------------------|--------------------------------|---------------------------------|--------------------------------------|-----------------------------|--------------------|---------------------|---------------------------|-------------------------|
| HEADSETS | | | | | | | | | | | | | | | | | | |
| PORTABLE RADIOS | HEADSETS | DESCRIPTION | PART NUMBER | HEADSET TYPE | EARPIECE STYLE | IMPRES | INTELLIGENT AUDIO | MICROPHONE | РТТ | WEIGHT | INTRINSIC SAFETY RATING* | TRANSPORTATION AND LOGISTICS | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSES) |
| | | Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB (See user guide for replacement parts) | PMLN6852 | Behind-the-Head | Dual-Ear | | • | Boom | On Ear Cup | Heavy Duty | | • | • | • | • | | | |
| | 9 | Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24dB, FM, TIA (See user guide for replacement parts) | PMLN5275 | Behind-the-Head | Dual-Ear | | • | Boom | In-Line | Heavy Duty | FM TIA | • | • | • | • | | | |
| 1 | | IMPRES Temple Transducer with boom microphone and in-line push-to-talk | PMLN5101 | Behind-the-Head | Bone Conductor | • | • | Boom | In-Line | Lightweight | FM | • | • | • | • | • | | • |
| XPR 6000 SERIES | CS | Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic | RMN5058 | Over-the-Head | Single-Ear | | • | Boom | In-Line | Lightweight | FM TIA | | • | • | | • | • | • |
| XPR 7000 SERIES | | Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01 – Windscreen; 4204005K01 – Clothing clip) | PMLN5102 | Behind-the-Head | Single-Ear | | • | Boom | In-Line | Ultra Lightweight | FM TIA | | • | • | | • | • | • |
| SERIES | 6 - B | Tactical PTT Interface Module | PMLN6827 | | | | | | | | | • | • | • | | • | | • |
| | - | Tactical Temple Transducer with noise cancelling boom microphone (Requires interface module PMLN6827) | PMLN6833 | Over-the-Head | Bone Conductor | | | Boom | Interface module PMLN6827 | Heavy Duty | | • | • | • | | • | | • |
| | 00 | Tactical Remote Body PTT (For use with interface module PMLN6827) | PMLN6767 | | | | | | | | | • | • | • | | • | | • |
| | 3 | Tactical Remote Ring PTT (For use with interface module PMLN6827) | PMLN6830 | | | | | | | | | • | • | • | | • | | • |

| COMPATIBILITY | ACCESSORY | | | | FEATURES | | | | | |
|--------------------|---------------|---|-------------|------------------------|-------------------|----------------------------|----------|------------------------------|------------|---------------------------|
| M PELTOR HEAI | DSETS | | | | | | | | _ | |
| RTABLE RADIOS | HEADSETS | DESCRIPTION AND ADAPTER TYPE | PART NUMBER | PELTOR PART NUMBER | HEADSET TYPE | CONNECTOR TYPE | SPEAKER | NOISE REDUCTION RATING (NRR) | MICROPHONE | PTT (MOTOTRBO) |
| | | MT Series Over-The-Head Headset, direct radio connect | RMN5137 | MT7H79A-C5063-34 | Over-The-Head | Connects directly to Radio | Dual-Ear | 25dB | Boom | On Ear Cup |
| XPR 6000 SERIES | 99 | MT Series Neckband Headset, direct radio connect | RMN5138 | MT7H79B-C5063-34 | Neckband | Connects directly to Radio | Dual-Ear | 24dB | Boom | On Ear Cup |
| XPR 7000 SERIES | | MT Series Hard Hat Attached Headset, direct radio connect | RMN5139 | MT7H79P3E- C5063-34 | Hard Hat Attached | Connects directly to Radio | Dual-Ear | 21dB | Boom | On Ear Cup |
| T ADAPTER CO | ONFIGURATIONS | | | | | | | | | |
| | 6 | MT Series Over-the-Head Headset with Nexus connector | PMLN6088 | MT7H79A-34 | Over-the-Head | Nexus | Dual-Ear | 25dB | Boom | Requires PTT Adapter PMLN |
| ı | 99 | MT Series Neckband Headset with Nexus connector | RLN6477 | MT7H79B-34 | Neckband | Nexus | Dual-Ear | 24dB | Boom | Requires PTT Adapter PMLN |
| | | MT Series Hard Hat Attached with Nexus connector | RMN4051 | MT7H79P3E-34 | Hard Hat Attached | Nexus | Dual-Ear | 21dB | Boom | Requires PTT Adapter PMLN |
| XPR 6000 SERIES | | TacticalPro Series Over-The-Head Headset with Nexus connector | RMN4052 | MT15H7A-34 | Over-The-Head | Nexus | Dual-Ear | 26dB | Boom | Requires PTT Adapter PMLN |
| XPR 7000 SERIES | 6.0 | TacticalPro Series Neckband Headset with Nexus connector | RMN5135 | MT15H7B-07-34 | Neckband | Nexus | Dual-Ear | 25dB | Boom | Requires PTT Adapter PMLI |
| | | TacticalPro Series Hard Hat Attached with Nexus connector | RMN4053 | MT15H7P3E-34 | Hard Hat Attached | Nexus | Dual-Ear | 22dB | Boom | Requires PTT Adapter PML |
| | • | PTT Nexus Adapter | PMLN6095 | FL5063-34 | N/A | N/A | N/A | N/A | N/A | N/A |


| COMPATIBILITY | ACCESSORY | | | | FEATURES | | | | | |
|--|-----------|--|-------------|--------------------|-------------------|--------------------|----------|------------------------------|---------------|--|
| RSM CONFIGURA | ATIONS | | | | | | | | | |
| PORTABLE RADIOS | HEADSETS | DESCRIPTION AND ADAPTER TYPE | PART NUMBER | PELTOR PART NUMBER | HEADSET TYPE | CONNECTOR TYPE | SPEAKER | NOISE REDUCTION RATING (NRR) | MICROPHONE | PTT (MOTOTRBO) |
| XPR 3000 SERIES XPR 6000 SERIES | 66 | HT Series Listen Only Over-The-Head Headset with 3.5mm NON threaded connector | RMN4055 | HTM79A-34 | Over-The-Head | 3.5mm NON threaded | Dual-Ear | 25dB | (Listen-Only) | MOTOTRBO radios require |
| XPR 7000 SERIES | 98 | HT Series Listen Only Neckband Headset with 3.5mm NON threaded connector | RMN5132 | HTM79B-34 | Neckband | 3.5mm NON threaded | Dual-Ear | 24dB | (Listen-Only) | RSM: PMMN4024, PMMN4025, PMMN4041, PMMN4042, PMMN4043, PMMN4050, PMMN4071, PMMN4073 |
| | 4 | HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON threaded connector | RMN5133 | HTM79P3E-34 | Hard Hat Attached | 3.5mm NON threaded | Dual-Ear | 23dB | (Listen-Only) | or PMMN4076 |
| XPR 6000 SERIES XPR 7000 SERIES | 66 | HT Series Listen Only Over-The-Head Headset with 3.5 threaded connector | RMN4056 | HTM79A-42 | Over-The-Head | 3.5mm threaded | Dual-Ear | 25dB | (Listen-Only) | MOTOTRBO radios require |
| | - | HT Series Listen Only Hard Hat Attached Headset with 3.5 threaded connector | RMN4057 | HTM79P3E-42 | Hard Hat Attached | 3.5mm threaded | Dual-Ear | 23dB | (Listen-Only) | RSM: NNTN8383 |

| COMPATIBILITY | ACCESSORY | | | |
|--------------------|-------------------------------------|------------------------------------|-------------|--------------------|
| REPLACEMENT F | PARTS | | | |
| PORTABLE RADIOS | REPLACEMENT PELTOR HEADSET PARTS | DESCRIPTION | PART NUMBER | PELTOR PART NUMBER |
| i | | Earmuff Hygiene Kit Black Earseals | RLN4923 | HY79 |
| | 0 | Earmuff Hygiene Kit Gel Sealing | RLN6541 | HY80 |
| XPR 6000 SERIES | | Hygiene Tape for Microphone | RLN6542 | HYM1000 |
| XPR 7000 SERIES | | Boom Microphone Wind Screen | RLN6543 | M40/1 |
| | - Sh | Metal Boom with Microphone | RMN5131 | MT7N |





| OMPATIBILITY | ACCESSORY | | | FEATURES | |
|---------------------|--------------------|---|---------------|---------------------------------|--|
| IEARING PROTE | ECTION ACCESSORIES | S – CAN BE USED ALONE OR IN CON | JUNCTION WITH | HEAVY-DUTY HEADS | ETS |
| ORTABLE RADIOS | REPLACEMENT KITS | DESCRIPTION | PART NUMBER | EARPIECE TYPE | COMPATIBLE SURVEILLANCE KIT |
| | | Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB | RLN6511 | Comply™ foam eartip | RLN5313, RLN5314, RLN4941, NNTN8459, |
| XPR 6000 SERIES | | Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB | RLN6512 | Comply [™] foam eartip | RLN5882, RLN5883, PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130, RLN4941, PMLN7269, |
| SERIES SL SERIES | | Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB | RLN6513 | Comply [™] foam eartip | PMLN7270, PMLN6754, PMLN6755 |



XBT HEAVY-DUTY WIRELESS HEADSET IN USE

It's the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS™ situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

> See the XBT Headset in action

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | | | | | | | | VERTICAL MA | RKETS: Recommer | ndations based or | n typical use case | for each of vert | icals listed. | |
|--------------------------------|-------------|--|-------------|---------------|------------|---------------|--|---------------------------|-------------------|-----------------------|--|--------------------|----------------------------------|---------------|--------------------------------|---------------------------------|--------------------|--------------------------------|--------------------|---------------------|---------------------------|------------------------|
| | | UETOOTH® ACCESSORIES This portfolio is om your belt and stay connected within 30 feet | | , | | | | | | Note: SL SEF | IES and XPR | 7000 portable | radios have | Bluetooth | ı embedded i | n the radio and o | lo not require a s | eparate extern | al adapter. | | | |
| PORTABLE RADIOS | ACCESSORIES | DESCRIPTION | PART NUMBER | EARPIECE TYPE | MICROPHONE | PTT | TALK TIME (HOURS) 5/5/90 DUTY CYCLE | CHARGE TIME (HOURS) | WEIGHT (GRAMS) | SIZE (MILLIMETERS) | OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL | TOUCH/ STANDARD | RANGE (FEET LINE OF SIGHT) | IP RATING | INTRINSIC SAFETY RATING* | TRANSPORTATION AND LOGISTICS | | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSES |
| XPR 6000 SERIES | | Operations Critical Wireless Bluetooth Adapter | PMLN5712 | N/A | N/A | On Adapter | | | 30 | 65 x 22 x 20 | Operations Critical | Standard | | ♦ IP57 | | • | • | • | | • | • | • |
| XPR 6000 SERIES XPR 7000 | | XBT Operations Critical Wireless Behind- the-Neck Headset | RLN6490 | Dual-Ear | Boom | On Ear Cup | 22 | 7 | 429 | | Operations Critical | Standard | | IP54 | | • | • | • | | | | |
| SERIES SL SERIES | 8. | XBT Operations Critical Wireless Headband Style Headset | RLN6491 | Dual-Ear | Boom | On Ear Cup | 22 | 7 | 422 | | Operations Critical | Standard | | IP54 | | • | • | • | | | | |

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort™style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort™ style earpiece is ideal for lower noise environments.

OPERATIONS CRITICAL/ENHANCED OPERATIONS CRITICAL: This Bluetooth® solution specifically for businesses features simple pairing, high quality audio and fast pushto-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all this, plus instant pairing with just a touch of the accessory to the radio's Bluetooth adapter,

and some devices have intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need grab-and-go device can all pair at the same time without connecting to the wrong radio.



HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place her radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.

> See Operations Critical Wireless Accessories in action

| TIBILITY | ACCESSORY | | | FEATURES | | | | | | | | | | | | VERTICAL MAR | RKETS: Recomme | ndations based o | n typical use case | e for each of ve | rticals listed. | |
|----------------------------|---|---|-------------------------|-----------------------------|---------------------------------------|----------------|--|-----------------------------|-------------------|---|--|-------------------------------|----------------------------------|---------------|---------------------------------|---------------------------------|--------------------------------------|--------------------------------|--------------------|---------------------|---------------------------|--------------|
| ATIONS CRIT | TICAL WIRELESS BLU ty to remove the radio fro | JETOOTH® ACCESSORIES This portfolio m your belt and stay connected within 30 fee | is a game change et. | r, | | | | | | Note: SL SE | RIES and XPR | 7000 portable | radios ha | ve Bluetooth | embedded i | n the radio and do | o not require a s | eparate extern | al adapter. | | | |
| LE RADIOS | ACCESSORIES | DESCRIPTION | PART NUMBER | EARPIECE TYPE | MICROPHONE | РТТ | TALK TIME (HOURS) 5/5/90 DUTY CYCLE | CHARGE , TIME (HOURS) | WEIGHT (GRAMS) | SIZE (MILLIMETERS) | OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL | TOUCH/ STANDARD PAIRING | RANGE (FEET LINE OF SIGHT) | IP RATING | INTRINSIC SAFETY RATING** | TRANSPORTATION AND LOGISTICS | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUC (CAM |
| | 53 | Operations Critical Wireless Earpiece with 12 inch cable | NNTN8125 | Over-the-ear (CommPort™) | Directional, above the Earpiece | On PTT Pod | 10 | 3 | 43 | 70 x 41 x 25 | Operations Critical | Standard | 30 | IP54 | FM | • | • | • | | • | • | |
| | | Operations Critical Wireless push-to-talk pod | NNTN8127 | N/A | N/A | On PTT Pod | 10 | 3 | 43 | 70 x 41 x 25 | Operations Critical | Standard | 30 | IP54 | FM | • | • | • | | • | • | |
| 00 XPR 7000 SERIES | ()C | Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT) | RLN6500 | Over-the-ear (Swivel) | In-line | Radio only* | 8 | | 18 | Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16 | Operations Critical | Standard | 30 | | | • | • | • | | • | • | |
| SL SERIES | | Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT) | PMLN7181 | Over-the-ear (Swivel) | Boom | Radio only* | 8 | | 18 | Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16 | Operations Critical | Standard | 30 | | | • | • | • | | • | • | |
| NCED OPER | ATIONS CRITICAL W | RELESS | | | | | | | | | | | | | | | | | | | | |
| 1 | | Enhanced Operations Critical Wireless Adapter with touch pairing | PMLN5993 | N/A | N/A | On Adapter | | | 35 | 65 x 22 x 20 | Enhanced Operations Critical | Touch | | ♦ IP57 | FM | • | • | • | • | • | • | |
| CPR 6000 GERIES | 5 | Enhanced Operations Critical Wireless Earpiece with 12 inch cable and push-to-talk pod | NTN2570 | Over-the-ear (CommPort™) | Directional, above the Earpiece | On PTT Pod | 10 | 3 | 43 | 70 x 41 x 25 | Enhanced Operations Critical | Touch | 30 | IP54 | FM | • | • | • | • | • | • | |
| ERIES XCEPT PR 6100) | - | Enhanced Operations Critical Wireless push-to-talk pod | NTN2571 | N/A | N/A | On PTT Pod | 10 | 3 | 43 | 70 x 41 x 25 | Enhanced Operations Critical | Touch | 30 | IP54 | FM | • | • | • | • | • | • | |





| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | VERTICAL MAR | KETS: Recommen | dations based on typ | ical use case for ea | nch of verticals list | ted. | |
|----------------------|----------------------|---|-------------|-----------------------|------------|------------------------------|---|---------------------------------|--------------------------------------|--------------------------------|----------------------|-----------------------|---------------------------|-------------------------|
| OPERATIONS CR | RITICAL WIRELESS BLI | JETOOTH® ACCESSORIES | | | | | | | | | | | | |
| PORTABLE RADIOS | ACCESSORIES | DESCRIPTION | PART NUMBER | EARPIECE TYPE | MICROPHONE | PTT | OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL | TRANSPORTATION AND LOGISTICS | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSES) |
| OPERATIONS CR | RITICAL AND ENHANC | ED OPERATIONS CRITICAL WIRELESS | ACCESSORIES | AND EARPIECES | | | | | | | | | | |
| | | Operations Critical Wireless Earbud with 11.5 inch cable | NNTN8294 | Earbud | In-line | On Pod (order separately) | Operations Critical and Enhanced Operations Critical | • | • | • | | • | • | • |
| | 3 | Operations Critical Wireless Earbud with 45 inch cable | NNTN8295 | Earbud | In-line | On Pod (order separately) | Operations Critical and Enhanced Operations Critical | • | • | • | | • | • | • |
| XPR 6000 SERIES | | Operations Critical Wireless 1-Wire Surveillance kit with quick disconnect translucent tube | PMLN7052 | Clear Rubber Eartip | In-line | On Pod (order separately) | Operations Critical and Enhanced Operations Critical | • | • | • | | • | • | • |
| XPR 7000 SERIES | 5.5 | Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the-shelf headphones) | NNTN8296 | Earbud | In-line | On Pod (order separately) | Operations Critical and Enhanced Operations Critical | | | | | • | | |
| SL SERIES | ~ | Swivel Earpiece with in-line microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit | RLN6550 | Over-the-Ear (Swivel) | In-line | On Radio** | Operations Critical | • | • | • | | • | • | • |
| | | Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit | PMLN7203 | Over-the-Ear (Swivel) | Boom | On Radio** | Operations Critical | • | • | • | | • | • | • |


30 **Note: PTT on radio or with separate wireless PTT

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | VERTICAL MARI | KETS: Recommen | dations based on typ | ical use case for ea | ach of verticals lis | ted. | |
|----------------------|---------------------|--|-------------|---------------------|------------------------------------|------------------------------|---|---------------------------------|--------------------------------------|--------------------------------|----------------------|----------------------|---------------------------|-------------------------|
| OPERATIONS CR | RITICAL WIRELESS BL | UETOOTH® ACCESSORIES | | | | | | | | | | | | |
| PORTABLE RADIOS | ACCESSORIES | DESCRIPTION | PART NUMBER | EARPIECE TYPE | MICROPHONE | РТТ | OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL | TRANSPORTATION AND LOGISTICS | MANUFACTURING AND CONSTRUCTION | UTILITIES OR PUBLIC SERVICE | OIL AND GAS | PRIVATE SECURITY | HOSPITALITY AND RETAIL | EDUCATION (CAMPUSES) |
| OPERATIONS CR | RITICAL WIRELESS CO | MPLETELY DISCREET KIT* | | | | | | | | | | | | |
| XPR 6000 | | Completely Discreet Earpiece Kit (includes Phonak phonito intra earpiece and inductive neckloop) | RLN4922 | Completely discreet | On Y-adapter (order separately) | On Pod (order separately) | Operations Critical or Operations Critical and Enhanced Operations Critical | | | | | • | | |
| SERIES | 2 | Wireless Neckloop Y-adapter and retention hook | NNTN8385 | | Separate wire | On Pod (order separately) | Operations Critical or Operations Critical and Enhanced Operations Critical | | | | | • | | |
| XPR 7000 SERIES | | Wireless Push-to-Talk Pod | NNTN8127 | | On Y-adapter (order separately) | On PTT Pod | Operations Critical | | | | | • | | |

| COMPATIBILITY WIRELESS REPLA | ACCESSORY CEMENT KITS | | |
|------------------------------|-----------------------|--|-------------|
| PORTABLE RADIOS | ACCESSORIES | DESCRIPTION | PART NUMBER |
| | 5 | Replacement Wireless Earpiece 12 inch cable for NNTN8125 | NTN2572 |
| XPR 6000 SERIES | (in | Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for comport earpiece | NTN8821 |
| XPR 7000 SERIES | ooocooode | Ear strap for comport earpiece (pack of 10) | NTN8988 |
| SL SERIES | ~ | Eartube for comport earpiece (pack of 10) | RLN5037 |







33

Note: SL series and XPR 7000 series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter. * Must order all 3 items for the complete solution - RLN4922, NNTN8385 and NNTN8127.

Note: SL series and XPR 7000 series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | | | |
|------------------------------------|-----------------|--|---|------------------------------------|---------------------------------|---------------------------------------|--|-----------------------------|---------------------------|--------------------------------|---------------|
| MOTOROLA ORIG MOTOTRBO radio. M | INAL TWO-WAY RA | ADIO BATTERIES The only batteries develor Proven Tough, in lab test after lab test, to with | oped, tested and cer estand shocks, knoc | rtified for optii ks, drops and | mal performand shakes and ou | tperform the o | | | | | |
| PORTABLE RADIOS | BATTERIES | DESCRIPTION | PART NUMBER | IMPRES | CHEMISTRY | TYPICAL RATED CAPACITY (mAh) | APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE | DIMENSIONS (MILLIMETERS) | WEIGHT (MAX. GRAMS) | INTRINSIC SAFETY RATING* | IP RATING |
| XPR 3000 SERIES | | Slim Li-lon 1500 mAh battery Submersible (IP57) | PMNN4406 | | Li-lon | 1600 | Analog: 8 Digital: 11.5 | 113 x 52 x 18 | 125 | | ● IP57 |
| | | IMPRES Slim Li-lon 1500 mAh battery Submersible (IP57) | PMNN4407 | • | Li-lon | 1600 | Analog: 8 Digital: 11.5 | 113 x 52 x 18 | 125 | | ● IP57 |
| XPR 3000 SERIES | | IMPRES Li-lon 2150 mAh battery Submersible (IP57) | PMNN4409 | • | Li-lon | 2250 | Analog: 11 Digital: 16.5 | 113 x 52 x 23 | 150 | | ♦ IP57 |
| XPR 7000 SERIES | | Long life (LiMn) 1300 mAh battery Submersible (IP57), -30°C rated | PMNN4435 | | LiMn | 1400 | Analog: 7 Digital: 10 | 113 x 52 x 23 | 150 | | ♦ IP57 |
| | | IMPRES Hi-Cap Li-Ion 2700 mAh battery Submersible (IP57) | PMNN4448 | • | Li-lon | 2800 | Analog: 14 Digital: 20.5 | 113 x 52 x 23 | 150 | | ● IP57 |
| , 1 T | | IMPRES Li-lon 2300 mAh battery Submersible (IP57), Intrinsically safe (FM) | NNTN8129 | • | Li-lon | 2350 | Analog: 12 Digital: 17.5 | 113 x 52 x 23 | 150 | FM | ● IP57 |
| XPR 7000 SERIES | | IMPRES Hi-Cap Li-lon 2500 mAh battery Submersible (IP57), Intrinsically safe (TIA4950) | NNTN8560 | • | Li-lon | 2500 | Analog: 12.5 Digital: 18.5 | 113 x 52 x 23 | 195 | TIA | ♦ IP57 |

WHAT IS THE LONG-LIFE COLD **TEMPERATURE BATTERY?**

The Motorola Original® Long-Life Cold Temperature Lithium Manganese battery has up to 1000 full charge/discharge cycles and is rated to withstand extreme temperatures down to -30 degrees C. Maintenance-free and lightweight, this battery does not require reconditioning or hazardous waste disposal.



KNOCKS, DROPS, SHOCKS, VIBRATION, STATIC.

If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See <u>www.motorolasolutions.com/proventough</u> for details.


| PROVEN TOUGH BATTERY TESTING PASS RATE | | | | | | | | |
|--|-----|-----|--|--|--|--|--|--|
| MOTOROLA | | 98% | | | | | | |
| POWER PRODUCTS | 53% | | | | | | | |
| MULTIPLIER | 47% | | | | | | | |
| HONEYWELL | 52% | | | | | | | |
| | | | | | | | | |

IMPRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

INTRINSIC SAFETY RATING: Motorola-approved batteries are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved batteries may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous

BATTERY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against any defects in workmanship for **four years** — twice as long as most leading competitive batteries.

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | |
|------------------------------------|--|--|---|--------------------------------------|--------------------------------|---------------------------------------|---|-----------------------------|---------------------------|
| MOTOROLA ORIO MOTOTRBO radio. N | GINAL® TWO-WAY F MOTOTRBO batteries are | RADIO BATTERIES The only batteries develo e Proven Tough, in lab test after lab test, to with | oped, tested and ce estand shocks, kno | ertified for optin cks, drops and | nal performan shakes and ou | ce with your Itperform the c | ther brands. | | |
| PORTABLE RADIOS | BATTERIES | DESCRIPTION | PART NUMBER | IMPRES | CHEMISTRY | TYPICAL RATED CAPACITY (mAh) | APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE | DIMENSIONS (MILLIMETERS) | WEIGHT (MAX. GRAMS) |
| | | IMPRES™ Li-Ion 1500 mAh battery Submersible (IP57) | PMNN4066 | • | Li-Ion | 1600 | Analog: 9 Digital: 13 | 129 x 55 x 21 | 145 |
| | 0 | IMPRES Li-lon 1400 mAh battery Submersible (IP57), Intrinsically safe (FM) | PMNN4069 | • | Li-lon | 1450 | Analog: 8.5 Digital: 12 | 129 x 55 x 23 | 155 |
| XPR 6000 SERIES | ı | IMPRES Li-lon 2150 mAh battery Submersible (IP57) | PMNN4077 | • | Li-lon | 2250 | Analog: 13 Digital: 18 | 129 x 55 x 23 | 160 |
| | 1 | NiMH 1300 mAh battery Submersible (IP57) | PMNN4065 | | NiMH | 1400 | Analog: 8 Digital: 11 | 129 x 55 x 21 | 215 |
| | S contained | BT100x Li-lon 2300 mAh Battery | PMNN4468 | | Li-lon | 2300 | 14 | 12 x 36 x 54 | 50 |
| | (1) = 7 | BT90 Li-lon 1800 mAh Battery | HKNN4013 | | Li-lon | 1800 | 11.5 | 9 x 36 x 54 | 38 |
| | Ti e (() | BT7X Li-lon 1400 mAh Battery | PMNN4425 | | Li-lon | 1400 | 8.5 | 7 x 36 x 54 | 30 |
| SL SERIES | | Replacement Battery Cover (BT100x - ultra high capacity battery) | PMLN6745 | | | 1 | | | |
| | | Replacement Battery Cover (BT90 - high capacity battery) | PMLN6001 | | | M | | | |
| | | Replacement Battery Cover (BT7X - standard battery) | PMLN6000 | | | | | | |



HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?

♦ IP57

♦ IP57

♦ IP57

♦ IP57

They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery.

IMPRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

INTRINSIC SAFETY RATING: Motorola-approved batteries are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved batteries may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous

BATTERY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against any defects in workmanship for **four years** – twice as long as most leading competitive batteries.

| COMPATIBILITY | ACCESSORY | | | FEATU | RES | | | |
|------------------------------------|----------------|---|----------------------|------------|--------------------------------|--|---|------------------|
| | | variety of solutions including single-unit, multi-ur d ready to go the moment you need it. | it, travel and in-ve | ehicle cha | rgers | | | |
| PORTABLE RADIOS | CHARGERS | DESCRIPTION | PART NUMBER | IMPRES | CHEMISTRY | POWER SOURCE | DIMENSIONS (MILLIMETERS) HXLXD | NUMBE POCKET |
| XPR 3000 SERIES | 0. | Single-Unit Rapid Rate Charger, 120V (US Plug) | NNTN8275 | | Li-lon, NiMh | 120V | | 1 |
| . 1 | | IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug) | WPLN4232 | • | Li-lon, NiMh | 120V | 61 x 97 x 163 | 1 |
| | | IMPRES Multi-Unit Rapid Rate Charger with 1 Display , 120V (US plug) | WPLN4212 | • | Li-lon, NiMh | 120V | 153 x 445 x 292 | 6 |
| PR 3000 XPR 6000 SERIES | 11111 | IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US plug) | WPLN4219 | • | Li-lon, NiMh | 120V | 153 x 445 x 292 | 6 |
| | Ap | Display Module for IMPRES Multi-Unit Charger | RLN5382 | • | | | | |
| XPR 7000 SERIES | 11/1 2000 | Wall Mount Bracket for IMPRES Multi-Unit Charger | NLN7967 | | | | | |
| | | Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, 120V (US plug) | PMPN4009 | | Li-lon | 120V | | 1 |
| SL SERIES | | Tri-unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), 120V (US plug) | PMLN6701 | | Li-lon | 120V | 52 x 93 x 113 | 2+ |
| OF OFFIIED | - | Six-Pocket Multi-Unit Rapid Rate Charger, 120V (US plug) | PMLN6687 | | Li-lon | 120V | 65 x 424 x 110 | 6 |
| EHICULAR AND | TRAVEL CHARGEF | RS | | | | | | |
| XPR 3000 SERIES | | IMPRES Single-Unit Rapid Rate Vehicular Charger, heavy-duty permanent mount | NNTN7616* | • | Li-lon, NiMh | 12 VDC (hardwire) | 200 x 83 x 97 | 1 |
| XPR 6000 SERIES XPR 7000 SERIES | | Travel Charger, Rapid Rate with voltage regulated adapter, custom charger base, mounting bracket and coil cord | NNTN8525 | | Li-lon, NiMh | 12 VDC Cigarette Lighter Adapter | 58 x 64 x 67 | 1 |
| MPRES BATTERY | MANAGEMENT | TOOLS | | | | | | |
| | | IMPRES Battery Reader | NNTN7392 | | IMPDE | C . C - + +h | -+ - | . |
| | | IMPRES Battery Management Multi-Unit Charger Interface Unit | NNTN7677 | | and elin alerts". how mu | ninate the sur IMPRES char uch capacity is | st out of every bat prise of "low batte gers tell you exact in an IMPRES bat by your radio and ex | ery Y terv |
| XPR 3000 XPR 6000 SERIES SERIES | a | IMPRES Battery Management Single-Unit Charger Interface Unit | NNTN8045 | | when a end of s | n IMPRES bat service life. | tery has reached to | ne . |
| | | IMPRES Battery Management License Key | HKVN4036 | | unit cha up to 6 | rgers let you radios and/or | simultaneously cha batteries. The union | arge que |

tri-unit charger for the SL Series enables you to charge a radio, spare battery and wireless

device simultaneously

NNTN7676



IMPRES BATTERY MANAGEMENT TOOLS


With the IMPRES Battery Reader and IMPRES Battery Fleet Management systems, efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software applications alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

NEW IMPRES OVER THE AIR (OTA) BATTERY MANAGEMENT


IMPRES OTA Battery Management, for XPR 7000 or XPR 3000 Series radios when used with IMPRES batteries, automatically collects battery information over the air while radios are in use. It eliminates the need for wired network connections and a computer at charger locations. It also enables real-time data querying of any radio in the field and adds radio related data for radio asset tracking and other uses.

> For more information go to www.motorolasolutions.com





REAL TIME BATTERY HEALTH REPORT Enables immediate battery health and capacity querying



IMPRES BATTERY DATA READER, GENERAL INFORMATION SCREEN

IMPRES Battery Management Software,

downloadable from Motorolasolutions.com

| OMPATIBILITY | ACCESSORY | | | FEATURES | | | |
|------------------------------------|--|--|--------------------|-------------------|--|-------------------|-----------------------|
| ARRY SOLUTIO ur carry accessori | NS Carrying cases are aves keep your hands-free, | vailable in sizes designed to fit your radio and so you can concentrate on the task at hand. | battery and permit | audio to be heard | clearly. | | |
| RTABLE RADIOS | CARRY SOLUTIONS | DESCRIPTION | PART NUMBER | MATERIAL | BELT LOOP/CLIP DIMENSION (INCHES) | SWIVEL / FIXED | DISPL NON DISPL |
| | Í | Nylon Case with 3 inch Fixed Belt Loop (limited keypad model) | PMLN5869 | Nylon | 3 | Fixed | Displ |
| | | Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (limited keypad model) | PMLN5867 | Hard Leather | 2.5 | Swivel | Disp |
| | W | Hard Leather Carry Case with 3 inch Swivel Belt Loop (limited keypad model) | PMLN5865 | Hard Leather | 3 | Swivel | Disp |
| | É | Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model) | PMLN5863 | Hard Leather | 3 | Fixed | Disp |
| XPR 3000 SERIES | Ė | Nylon Case with 3 inch Fixed Belt Loop (non-display model) | PMLN5870 | Nylon | 3 | Fixed | Non Disp |
| | | Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model) | PMLN5868 | Hard Leather | 2.5 | Swivel | Non Disp |
| | T | Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model) | PMLN5866 | Hard Leather | 3 | Swivel | Non Disp |
| | Ť | Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model) | PMLN5864 | Hard Leather | 3 | Fixed | Non Disp |
| | Ó | Nylon Carry Case with 3 inch Fixed Belt Loop (display model) | PMLN5015 | Nylon | 3 | Fixed | Disp |
| XPR 6000 SERIES | (T | Nylon Carry Case with 3 inch Fixed Belt Loop (non-display model) | PMLN5024 | Nylon | 3 | Fixed | Non Disp |
| | | Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (display model) | PMLN5019 | Hard Leather | 2.5 | Swivel | Disp |

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | |
|---------------------------------------|---|---|-------------------|--------------|--|-------------------|--------------------------|
| CARRY SOLUTIO all designed to keep | NS Choose from a wide your radio protected, yet | range of nylon cases, leather cases, straps, ho still easy to access. | Isters and clips, | | | | |
| PORTABLE RADIOS | CARRY SOLUTIONS | DESCRIPTION | PART NUMBER | MATERIAL | BELT LOOP/CLIP DIMENSION (INCHES) | SWIVEL / FIXED | DISPLA' NON DISPLA |
| | | Hard Leather Carry Case with 3 inch Swivel Belt Loop (display model) | PMLN5020 | Hard Leather | 3 | Swivel | Displa |
| | | Hard Leather Carry Case with 3 inch Fixed Belt Loop (display model) | PMLN5021 | Hard Leather | 3 | Fixed | Displa |
| VPD COO | | Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model) | PMLN5028 | Hard Leather | 2.5 | Swivel | Non Displa |
| XPR 6000 SERIES | | Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model) | PMLN5029 | Hard Leather | 3 | Swivel | Non Displa |
| | | Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model) | PMLN5030 | Hard Leather | 3 | Fixed | Non Displa |
| | | Nylon Case with 3 inch Fixed Belt Loop (full keypad model) | PMLN5844 | Nylon | 3 | Fixed | Displa |
| | | Hard Leather Case with 2.5 inch Swivel Belt Loop (full keypad model) | PMLN5842 | Hard Leather | 2.5 | Swivel | Displa |
| | | Hard Leather Case with 3 inch Swivel Belt Loop (full keypad model) | PMLN5840 | Hard Leather | 3 | Swivel | Displa |
| 4 | | Hard Leather Case with 3 inch Fixed Belt Loop (full keypad model) | PMLN5838 | Hard Leather | 3 | Fixed | Displa |
| XPR 7000 SERIES | | Nylon Case with 3 inch Fixed Belt Loop (non-display model) | PMLN5845 | Nylon | 3 | Fixed | Non Displa |
| | | Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model) | PMLN5843 | Hard Leather | 2.5 | Swivel | Non Displa |
| | | Hard Leather Case with 3 inch Swivel Belt Loop (non-display model) | PMLN5846 | Hard Leather | 3 | Swivel | Non Displa |
| | | Hard Leather Case with 3 inch Fixed Belt Loop (non-display model) | PMLN5839 | Hard Leather | 3 | Fixed | Non Displa |

) 41



| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | | |
|--------------------|-----------------|--|-------------|--------------|---|----------------|--|--|--|
| CARRY SOLUTION | VS | | | | | | | | |
| PORTABLE RADIOS | CARRY SOLUTIONS | DESCRIPTION | PART NUMBER | MATERIAL | BELT LOOP/CLIP DIMENSION (INCHES) | SWIVEL / FIXED | | | |
| | | Spring Action 2 inch Belt Clip | PMLN4651 | Plastic | 2.5 | | | | |
| | | Spring Action 2.5 inch Belt Clip | PMLN7008 | Plastic | 2.5 | | | | |
| XPR 3000 SERIES | | Replacement 2.5 inch Swivel Belt Loop | PMLN5610 | Hard Leather | 2.5 | Swivel | | | |
| | | Replacement 3 inch Leather Swivel Belt Loop | PMLN5611 | Hard Leather | 3 | Swivel | | | |
| J | | Replacement 2.5 inch Leather Swivel Belt Loop | PMLN5022 | Hard Leather | 2.5 | Swivel | | | |
| | | Replacement 3 inch Leather Swivel Belt Loop | PMLN5023 | Hard Leather | 3 | Swivel | | | |
| XPR 6000 SERIES | | Spring Action 2.5 inch Belt Clip | PMLN4652 | Plastic | 2 | | | | |
| | 1 | Carry Holder/Holster for SL series radio with Swivel Belt Loop | PMLN5956 | Plastic | | Swivel | | | |
| SL SERIES | ~ | Nylon Wrist Strap for securely carrying Motorola two-way radios | PMLN6074 | Nylon | | | | | |
| SL SERIES | P | Soft leather carry case with 1.5 inch quick release swivel belt clip | PMLN7040 | Soft Leather | 1.5 | Swivel | | | |

| COMPATIBILITY CARRY SOLUTION | ACCESSORY | | | FEATURES |
|-------------------------------|-----------------|---|-------------|----------|
| PORTABLE RADIOS | CARRY SOLUTIONS | DESCRIPTION | PART NUMBER | MATERIAL |
| | 1 | Waterproof Bag with large strap for securely carrying Motorola two-way radios | HLN9985 | |
| | H | 1.75 inch Wide Leather Belt | 4200865599 | Leather |
| | M | Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch | HLN6602 | |
| XPR 3000 SERIES | M | Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch | RLN4570 | |
| I | | Replacement Strap for HLN6602 and RLN4570 | 1505596Z02 | |
| | | Radio Pack Radio Utility Case | RLN4815 | |
| XPR 6000 SERIES | | Radio Pack Extension Belt for waists larger than 40 inches | 4280384F89 | |
| 44 | 6 | Adjustable Nylon Carrying Strap | NTN5243 | Nylon |
| XPR 7000 SERIES | | Leather Radio Strap | RLN6486 | Leather |
| | | Leather Radio Strap - XL | RLN6487 | Leather |
| | open | Anti-Sway Strap for Leather Radio Straps | RLN6488 | Leather |
| XPR 6000 SERIES | | Accessory Connector Dust Cover | 1571477L01 | Plastic |
| XPR 3000 SERIES | | Accessory Connector Dust Cover | PMLN6066 | Plastic |
| XPR 7000 SERIES | 0 | Accessory Connector Dust Cover | 15012157001 | Plastic |

| SCREEN PROTECT | ACCESSORY | | |
|--------------------|--------------------------|---|-------------|
| SCHEEN PROTEC | Juna | | |
| PORTABLE RADIOS | SCREEN PROTECTORS | DESCRIPTION | PART NUMBER |
| XPR 7000 SERIES | Chity Parks Contact Zone | Screen Protector, clear (single pack - Qty 1) | AY000267A01 |
| SL SERIES | Ch Security 5 | Screen Protector, clear (single pack - Qty 1) | AY000269A01 |



| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | |
|--------------------|-----------|---|-------------|------------------------------|----------------------------|-------------------|----------------|------|
| ANTENNAS | | | | | | | | |
| PORTABLE RADIOS | ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | LENGTH (CM) | TYPE |
| XPR 6000 SERIES | | UHF/GPS Combination Folded Monopole Whip Antenna for the 403-433 MHz range | PMAE4018 | UHF | 403-433 | • | 14 | Whip |
| | | UHF/GPS Combination Folded Monopole Whip Antenna for the 430-470 MHz range | PMAE4024 | UHF | 430-470 | • | 14 | Whip |
| | | UHF/GPS Combination Folded Monopole Whip Antenna for the 450-495 MHz range | PMAE4050 | UHF | 450-495 | • | 14 | Whip |
| | | UHF/GPS Combination Folded Monopole Whip Antenna for the 495-527 MHz range | PMAE4051 | UHF | 495-527 | • | 14 | Whip |



| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | |
|--------------------|-----------|---|-------------|------------------------------|----------------------------|-------------------|----------------|---------|
| ANTENNAS | | | | | | | | |
| PORTABLE RADIOS | ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | LENGTH (CM) | TYPE |
| | , | VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz range | PMAD4067 | VHF | 136-147 | • | 16 | Helical |
| | | VHF/GPS Combination Helical Whip Antenna for the 147-160 MHz range | PMAD4068 | VHF | 147-160 | • | 16 | Helical |
| | | VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz range | PMAD4069 | VHF | 160-174 | • | 16 | Helical |
| | | Whip 350-400 MHz + GPS Fld Mnp Antenna 16.5cm | PMAD4112 | VHF | 350-400 | • | 16.5 | Whip |
| XPR 6000 SERIES | / | GPS/800/900 MHz Combination Helical Antenna | PMAF4003 | 800/900 MHz | 806-941 | • | 18 | Helical |
| | 1 | Whip Antenna 806-870 MHz 1/2 Wave | NAF5087 | 800/900 MHz | 806-870 | | 7 | Whip |
| | | Whip Antenna 896-941 MHz 1/2 Wave | NAF5088 | 800/900 MHz | 896-941 | | 6.6 | Whip |

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

INTEGRATED GPS: A GPS antenna is integrated into the RF antenna. (The XPR 3000 series radios do not have GPS capability, but use these antennas.)

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | | |
|--|---|---|-----------------------|------------------------------|----------------------------|-------------------|----------------|---------|
| ANTENNAS Get to offer superior performance of the superior | he best possible recep mance over XPR 6000 | tion wherever you operate. New stubby antenn Series stubby antennas. | nas for the XPR 7000 | and XPR 3000 | series radios | | | |
| PORTABLE RADIOS | ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | LENGTH (CM) | TYPE |
| | , | UHF Wideband Flexible Whip Antenna for the 403-470 MHz range | PMAE4022 | UHF | 403-470 | | 16 | Whip |
| | | UHF Wideband Flexible Whip Antenna for the 450-512 MHz range | PMAE4049 | UHF | 450-512 | | 16 | Whip |
| | • | VHF Wideband Flexible Whip Antenna for the 136-174 MHz range | PMAD4124/ PMAD4088 | VHF | 136-174 | | 21 | Whip |
| | | UHF/GPS Combination Stubby Antenna for the 403-433 MHz range | PMAE4021 | UHF | 403-433 | • | 9 | Stubby |
| | / | UHF/GPS Combination stubby antenna for the 430-470 MHz range | PMAE4023 | UHF | 430-470 | • | 9 | Stubby |
| XPR 6000 Series | | UHF/GPS Combination Stubby Antenna for the 450-512 MHz range | PMAE4048 | UHF | 450-512 | • | 9 | Stubby |
| | | VHF Stubby Antenna for the 136-147 MHz range | PMAD4093 | VHF | 136-147 | | 11 | Stubby |
| | | VHF Stubby Antenna for the 147-160 MHz range | PMAD4094 | VHF | 147-160 | | 11 | Stubby |
| | | VHF Stubby Antenna for the 160-174 MHz range | PMAD4095 | VHF | 160-174 | | 11 | Stubby |
| 1 | / | UHF/GPS Combination Wideband Slim Whip Antenna (403-527 MHz) | PMAE4079 | UHF | 403-527 | • | 15 | Whip |
| XPR 3000 SERIES | | VHF/GPS Combination Helical Antenna (136-155 MHz) | PMAD4117 | VHF | 136-155 | • | 15 | Helical |
| | | VHF/GPS Combination Helical Antenna (144-165 MHz) | PMAD4116 | VHF | 144-165 | • | 15 | Helical |
| XPR 7000 SERIES | | VHF/GPS Combination Helical Antenna (152-174 MHz) | PMAD4118 | VHF | 152-174 | • | 15 | Helical |

| COMPATIBILITY ANTENNAS | ACCESSORY | | | FEATURES | | | | - |
|-------------------------|-----------|---|-------------|------------------------------|----------------------------|-------------------|----------------|--------|
| PORTABLE RADIOS | ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | LENGTH (CM) | TYPE |
| | | UHF/GPS Combination Stubby Antenna (403-450 MHz) | PMAE4069 | UHF | 403-450 | • | 11 | Stubby |
| | | UHF/GPS Combination Stubby Antenna (440-490 MHz) | PMAE4070 | UHF | 440-490 | • | 11 | Stubby |
| | | UHF/GPS Combination Stubby Antenna (470-527 MHz) | PMAE4071 | UHF | 470-527 | • | 11 | Stubby |
| | / | VHF/GPS Combination Stubby Antenna (136-148 MHz) | PMAD4119 | VHF | 136-148 | • | 9 | Stubby |
| XPR 3000 SERIES | | VHF/GPS Combination Stubby Antenna (146-160 MHz) | PMAD4120 | VHF | 146-160 | • | 9 | Stubby |
| SERIES | | VHF Stubby Antenna (160-174 MHz) | PMAD4121 | VHF | 160-174 | | | Stubby |
| XPR 7000 SERIES | | VHF Stubby Antenna (300-337 MHz) | PMAD4137 | VHF | 300-337 | | | Stubby |
| | | VHF Stubby Antenna (320-360 MHz) | PMAD4135 | VHF | 320-360 | | | Stubby |
| | | VHF Stubby Antenna (350-380 MHz) | PMAD4136 | VHF | 350-380 | | | Stubby |
| | | VHF Stubby Antenna (360-400 MHz) | PMAD4133 | VHF | 360-400 | | | Stubby |
| | | VHF Whip Antenna (300-360 MHz) | PMAD4138 | VHF | 300-360 | | | Whip |
| | | VHF Whip Antenna (350-400 MHz) | PMAD4139 | VHF | 350-400 | | | Whip |

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | |
|--------------------|--------------------|---|-------------|------------------------------|----------------------------|--------------|--------|
| ANTENNAS | | | | | | | |
| PORTABLE RADIOS | ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | ENGTH CM) | TYPE |
| | / | 800 MHz Flexible Whip Antenna (806-870 MHz) | PMAF4011 | 800/ 900 MHz | 806-870 | 14 | Whip |
| | | 900 MHz Flexible Whip Antenna (896-941 MHz) | PMAF4012 | 800/ 900 MHz | 896-941 | 16.4 | Whip |
| XPR 7000 SERIES | XPR 7000 SERIES | 800/900 Stubby Antenna (806-870 MHz) | PMAF4009 | 800/ 900 MHz | 806-870 | | Stubby |
| | | 800/900 Stubby Antenna (896-941 MHz) | PMAF4010 | 800/ 900 MHz | 896-941 | | Stubby |
| | | UHF Antenna Kit for the 403-425 MHz range | PMAE4078 | UHF | 403-425 | 1.9 | Stubby |
| | | UHF Antenna Kit for the 420-445 MHz range | PMAE4076 | UHF | 420-445 | 1.9 | Stubby |
| | | UHF Antenna Kit for the 438-470 MHz range | PMAE4077 | UHF | 438-470 | 1.9 | Stubby |
| SL SERIES | | UHF Stubby Antenna Kit for the 450-490 MHz range | PMAE4091 | UHF | 450–490 | 1.9 | Stubby |
| | - | UHF Stubby Antenna Kit for the 480-527 MHz range | PMAE4092 | UHF | 480–527 | 1.9 | Stubby |
| | | Antenna Kit for the 800 MHz range | PMAF4017 | 800/ 900 MHz | 806-870 | 1.1 | Stubby |
| | | Antenna Kit for the 900 MHz range | PMAF4018 | 800/ 900 MHz | 896-941 | 0.5 | Stubby |



| COMPATIBILITY | ACCESSORY | | |
|--------------------|---------------------|---|-------------|
| ANTENNA ACCESS | | | |
| ANTENNA ACCESS | Unies | | |
| PORTABLE RADIOS | ANTENNA ACCESSORIES | DESCRIPTION | PART NUMBER |
| SL SERIES | | Antenna Mounting Kit with 10 screws and plugs | PMLN6040 |
| اه | | Gray Antenna ID Bands (pack of 10pcs) | 32012144001 |
| XPR 3000 SERIES | | Yellow Antenna ID Bands (pack of 10pcs) | 32012144002 |
| | | Green Antenna ID Bands (pack of 10pcs) | 32012144003 |
| | | Blue Antenna ID Bands (pack of 10pcs) | 32012144004 |
| XPR 7000 SERIES | | Purple Antenna ID Bands (pack of 10pcs) | 32012144005 |

| COMPATIBILITY | ACCESSORY | | |
|--------------------|--------------------|---|---------------|
| PROGRAMMING | CABLES | | |
| PORTABLE RADIOS | PROGRAMMING CABLES | DESCRIPTION | PART NUMBER |
| | | Portable Programming Cable (USB) for XPR 3000 series | PMKN4115 |
| XPR 3000 SERIES | | Programming Cable Slim Conn to DB25 and TTR | PMKN4116 |
| | | Programming, Test, and Alignment Cable for XPR 3000 series | PMKN4117 |
| 4 | | Portable Programming Cable (USB) for XPR 6000/7000 series | PMKN4012B |
| XPR 7000 SERIES | | Programming, Test, and Alignment Cable for XPR 6000/7000 series | PMKN4013 |
| | .0. | Portable Telemetry Cable | PMKN4040 |
| XPR 6000 SERIES | | Portable to RS232 DB25M Connector Cable | PMKN4071 |
| | | IMPRES Mobile MMP Non-PC Adapter | PMKN4072 |
| XPR 6000 SERIES | | IMPRES Mobile MAP Non-PC Adapter | PMKN4070 |
| XPR 7000 Series | | Test Alignment, TTR and Programming Cable | PMKN4126 |
| | | Portable Programming Cable (micro USB) for SL series | 25-124330-01R |
| SL SERIES | | Programming Cable, Micro USB, with Tuning Connector | 30012055001 |

MOTOTRBO MOBILE RADIOS





XPR 5000 SERIES



XPR 4000 SERIES



XPR 2500 SERIES

UNRIVALED VOICE AND DATA ON THE GO XPR 5000 SERIES

The XPR 5000 series shares the same connector as the XPR 4000 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth[®], giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 30 feet of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.


INTEGRATED VOICE AND DATA ON THE GO XPR 4000 SERIES

Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XPR 4000 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.

XPR 2500 SERIES

The XPR 2500 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XPR 2500 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that quickly fills with chattering children — you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.

| COMPATIBILITY | ACCESSORY | | | FEATURES |
|--------------------|---|---|--|--|
| MICROPHONES Kee | eypad microphones let y ophone is easy to use wh | ou easily navigate menus on your XPR 4550 or ile wearing gloves and the telephone-style ha | XPR 5550, dial phone ndset enables more (| e numbers and send text messages. discreet communication. |
| MOBILE RADIOS | MICROPHONES | DESCRIPTION | PART NUMBER | MICROPHONE STYLE IMPRES |
| | 2 | IMPRES Keypad Microphone with 4-way navigation button | RMN5127 | Keypad + Navigation |
| XPR 5000 SERIES | - | MOTOTRBO Mobile Handheld Control Head Upgrade Kit with 3M Straight Cable | PMLN7131 | |
| | 0 | MOTOTRBO Mobile Handheld Control Head 5 Meter Straight Extension Cable | PMKN4174 | |
| XPR 4000 Series | | IMPRES Keypad Microphone | RMN5065 | Keypad |
| | | Standard Compact Microphone | RMN5052 | Compact |
| | 4. | IMPRES Heavy-Duty Microphone | RMN5053 | Heavy-Duty |
| XPR 5000 SERIES | 7 | IMPRES Telephone Style Handset | HMN4098 | Telephone Style Handset |
| XPR 4000 SERIES | 10 | IMPRES Visor Microphone | RMN5054 | Visor |
| | L | Desktop Microphone | RMN5050 | Desktop |
| | (| Compact Microphone | PMMN4090 | Compact |
| XPR 2500 SERIES | 4 | Heavy Duty Microphone | PMMN4091 | Heavy-Duty |




| COMPATIBILITY | ACCESSORY | | FEATURES | | | |
|--------------------|-------------|--|-------------|-------------------------|--------|--|
| MICROPHONES | | | | | | |
| MOBILE RADIOS | MICROPHONES | DESCRIPTION | PART NUMBER | MICROPHONE STYLE | IMPRES | |
| XPR 2500 SERIES | | Keypad Microphone | | Keypad | | |
| | | Visor Microphone | GMMN4065 | Visor | | |
| | | Telephone Style Handset with hang-up cup | PMLN6481 | Telephone Style Handset | | |
| | 1 | Desktop Microphone | PMMN4098 | Desktop | | |

| COMPATIBILITY | ACCESSORY | | |
|--------------------------------|---------------------------|---|-------------|
| MOBILE MICROPH | IONE ACCESSORIES | | |
| MOBILE RADIOS | MICROPHONE ACCESSORIES | DESCRIPTION | PART NUMBER |
| XPR 5000 SERIES XPR 4000 | Of the | Microphone Hang-Up Clip (Requires installation) | HLN9073 |
| SERIES XPR 2500 SERIES | 0 | Universal Microphone Hang-Up Clip (No installation required) | HLN9414 |
| | 0 | 10-Foot Mobile Microphone Extension Cable | PMKN4033 |
| XPR 5000 SERIES | | 20-Foot Mobile Microphone Extension Cable | PMKN4034 |
| XPR 4000 | | Compact Microphone Replacement Cable | 3075336B07 |
| SERIES | | Heavy Duty / Keypad Microphone Replacement Cable | 075336B10 |



EXTERNAL PUSH-TO-TALK (PTT) Activate the PTT or emergency footswitch without having to use the mobile microphone. A simple pushbutton PTT can be held in the hand or mounted in your vehicle for easy access, while the emergency footswitch lets you discreetly activate emergency hands-free when a critical

| situation arises. | | | |
|--------------------|---------------------------|--|-------------|
| MOBILE RADIOS | MICROPHONE ACCESSORIES | DESCRIPTION | PART NUMBER |
| XPR 5000 SERIES | 0 | Pushbutton push-to-talk to interface with your visor microphone | RLN5926 |
| XPR 4000 Series | XPR 4000 SERIES | Emergency Footswitch can be used with a visor microphone | RLN5929 |
| | | Emergency Footswitch can be used with a visor microphone | RLN4836 |
| XPR 2500 SERIES | 0 | Remote Mount Footswitch Push-to-Talk to interface with your visor microphone | RLN4856 |
| | S | Remote Mount Pushbutton Push-to-Talk to interface with your visor microphone | RLN4857 |





OPTIMIZED FOR DIGITAL

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for XPR™ 2500 mobile radios.

Receive-Only Earbud

AARLN4885

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals COMPATIBILITY ACCESSORY FEATURES Plug and play - Just attach the mobile gateway microphone to your radio, align the two devices where indicated by the blue dot and you are ready to go. Voice prompts will walk LONG RANGE WIRELESS The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Long Range Wireless RSM works up to 100 meters away line-of-sight from the mobile radio, keeping you in communication where you never thought possible. TRANSPOR-TATION AND REMOTE SPEAKER MICROPHONES PORTABLE RADIOS DESCRIPTION PART NUMBER AND CONS-Long Range Wireless Kit with charger Includes: Long Range Wireless RSM; 300 ft. line Enhanced RLN6551 Windporting 88 x 26 x 63 **♦** IP55 Mobile Mic Bluetooth Gateway; Vehicular Operations Critical of sight Long Range wireless kit 300 ft. line Includes: Long Range Wireless RSM; RLN6552 Windporting 158 88 x 26 x 63 ● IP55 Operations Critical of sight Mobile Mic Bluetooth Gateway Dual unit charger (Charger base with US PMLN7120 3 power supply) Power Supply for Dual Unit Charger US 25012022001 Mobile Microphone with Bluetooth Enhanced 300 ft. line PMMN4097 ■ IP55 Operations Critical of sight Wireless RSM (Remote Speaker 300 ft. line RLN6544 ■ IP55 88 x 26 x 63 Windporting Microphone) with Battery and Clip Operations Critical of sight Wireless RSM Battery, 1750mA PMNN4461 28 3 Li-Ion 3.6 VDC battery only Vehicular Charger with coil cord cigarette PMLN6716 lighter plug Hang Up Clip, required for vehicular charger HLN5391 **LONG RANGE WIRELESS** Designed for customers who depend on their high power mobile radio for system connection but D Ring Swivel Clip 42009312001 must work outside of their vehicle. The Long Range Wireless solution allows you to maintain critical communications even on remote job site. Receive-Only Earpiece with Comfort RLN4941 Eartube



HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

COMPATIBILITY ACCESSORY FEATURES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES This portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain connected to your radio up to 30 feet away.


| OPERATIONS CRITICAL WIRELESS | DESCRIPTION | PART NUMBER | EARPIECE TYPE | MICROPHONE | РТТ | TALK TIME (HOURS) 5/5/90 DUTY CYCLE | CHARGE TIME (HOURS) | DIMENSIONS (MM) | WEIGHT (GRAMS) | PAIRING TYPE | IP RATING |
|---------------------------------|--|---|--|--|---|--|--|--|--|--|--|
| 3 | Operations Critical Wireless Earpiece with 12 inch cable | NNTN8125 | Over-the-ear tube (CommPort™) | Directional, above the earpiece | On PTT pod | 10 | 3 | 70 x 41 x 25 | 43 | Standard | IP54 |
| | Operations Critical Wireless 1-Wire Surveillance kit with quick disconnect translucent tube | PMLN7052 | Clear Rubber Eartip | In-line | Requires separate PTT Pod | 10 with pod | | | | Standard | IP54 |
| | Operations Critical Wireless Earbud with 11.5 inch cable | NNTN8294 | Earbud | In-line | Requires separate PTT pod | 10 with PTT pod | | | | Standard | IP54 |
| 3 | Operations Critical Wireless Earbud with 45 inch cable | NNTN8295 | Earbud | In-line | Requires separate PTT pod | 10 with PTT pod | | | | Standard | IP54 |
| | Operations Critical Wireless push-to-talk pod | NNTN8127 | N/A | N/A | On PTT pod | 10 | 3 | 70 x 41 x 25 | 43 | Standard | IP54 |
| (I)C | Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT) | PMLN6500 | Over-the-ear (Swivel) | In-line | On Radio* | 8 | | Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16 | 18 | Standard | |
| | Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT) | PMLN7181 | Over-the-ear (Swivel) | Boom | On Radio* | 8 | | Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16 | 18 | Standard | |
| Q | XBT Operations Critical Wireless Behind-the-Neck Headset | RLN6490 | Dual-Ear | Boom | On Ear Cup | 22 | 7 | | 429 | Standard | IP54 |
| 8 | XBT Operations Critical Wireless Headband Style Headset | RLN6491 | Dual-Ear | Boom | On Ear Cup | 22 | 7 | | 422 | Standard | IP54 |
| | WIRELESS | Operations Critical Wireless Earpiece with 12 inch cable Operations Critical Wireless 1-Wire Surveillance kit with quick disconnect translucent tube Operations Critical Wireless Earbud with 11.5 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless push-to-talk pod Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT) Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT) XBT Operations Critical Wireless Behind-the-Neck Headset | Operations Critical Wireless Earpiece with 12 inch cable Operations Critical Wireless 1-Wire Surveillance kit with quick disconnect translucent tube Operations Critical Wireless Earbud with 11.5 inch cable Operations Critical Wireless Earbud with 11.5 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless push-to-talk pod NNTN8295 Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT) Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT) XBT Operations Critical Wireless Behind-the-Neck Headset RLN6490 | Operations Critical Wireless Earpiece with 12 inch cable Operations Critical Wireless 1-Wire Surveillance kit with quick disconnect translucent tube Operations Critical Wireless Earbud with 11.5 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless push-to-talk pod NNTN8295 Earbud NNTN8295 Earbud NNTN8295 Earbud Operations Critical Wireless push-to-talk pod NNTN8127 N/A Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT) Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT) XBT Operations Critical Wireless Behind-the-Neck Headset NNTN8125 Over-the-ear (Swivel) Over-the-ear (Swivel) Over-the-ear (Swivel) Dial-Ear | Operations Critical Wireless Earpiece with 12 inch cable Operations Critical Wireless 1-Wire Surveillance kit with quick disconnect translucent tube Toperations Critical Wireless Earbud with 11.5 inch cable Operations Critical Wireless Earbud with 11.5 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless push-to-talk pod NNTN8295 Earbud In-line Operations Critical Wireless push-to-talk pod NNTN8127 N/A N/A N/A Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT) Bluetooth Accessory Kit with Rexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT) XBT Operations Critical Wireless Behind-the-Neck Headset RLN6490 Dual-Ear Recent Moderature Description Directional, above the earpiece In-line Directional, above the earpiece In-line Directional, above the earpiece In-line NNTN8295 In-line NNTN8296 Dual-Ear Recent Moderature NNTN8127 N/A N/A N/A N/A N/A N/A N/A N/ | Operations Critical Wireless Earbud with 11.5 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless Publicate Inches PMLN5500 Operations Critical Wireless Publicate Inches PMLN5500 Operations Critical Wireless Publicate Inches PMLN5500 Over-the-ear (Swivel) Bluetooth Accessory Kit with Hoxible Fit swivel earpines with Boom Microphone and charging cardle [PTT on radio or with separate wireless PTT] XBT Operations Critical Wireless Earbud Wireless Earbud Wireless Earbud PMLN7181 Over-the-ear (Swivel) XBT Operations Critical Wireless Headband PMLN5600 Dual-Ear Boom On Ear Cup XBT Operations Critical Wireless Headband PMLN5600 Dual-Ear Boom On Ear Cup | Operations Critical Wireless Earbud with 11.5 inch cable Operations Critical Wireless Earbud with 45 inch cable Operations Critical Wireless | Operations Critical Wireless Farpiece with 12 inch cable Operations Critical Wireless Early with 15 inch cable NNTN8295 Early Dearly Dea | Operations Critical Wireless Earluid with Operations Critical Wireless push to talk pool NNTN8275 Eeduud In-line Beduuts separate PTI pod In-line On PTI pod In-line On Fadio* Operations Critical Wireless push to talk pod NNTN8127 N/A N/A N/A On PTI pod In-line On Fadio* Buttorth Accessory (it-with Evolute Fit Swive) Swivel employment wireless FTI Without Clips Avail a 75 With Clips Avail a 75 With Clips Avail a 75 Over-the-ear (Swivel) NST Operations Critical Wireless Buth of the Next Headstand On Fadio* Or Radio* Or Radio* Or Radio* NST Operations Critical Wireless Buth of the Next Headstand On Hadio* Or Radio* Or Star Operations Critical Wireless Buth of the Next Headstand On Hadio* NST Operations Critical Wireless Buth of the Next Headstand On Hadio* On Star Operations Critical Wireless Buth of the Next Headstand On Hadio* On Star Operations Critical Wireless Buth of the Next Headstand On Star Operations Critical Wireless RUN430 On Star Operations Critical Wireless On Star Operations Critical W | Operations Dirical Wireless Expicise with 12 inch cable Operations Dirical Wireless Expicate with 13 inch cable Operations Dirical Wireless Expicate with 13 inch cable Operations Dirical Wireless Expicate with 13 inch cable Operations Dirical Wireless Expicate with 14 inch cable Operations Dirical Wireless Expicate with 15 inch c | Constitute Critical Wireless Earliese with NoTRIEZS Earliese In-line Requires associate PFT (vs) To with PFT pod To with PFT pod |

Note: XPR 5000 series mobile radios have Bluetooth embedded in the radi

*Note: PTT on radio or with separate wireless PTT

EARPIECE TYPE: Choose the right fit for your operations — a simple, low cost, discreet earbud or the rugged, high performance CommPort™ style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is great for general use, while the directional microphone on the CommPort™ style earpiece is ideal for lower noise environments.



| COMPATIBILITY | ACCESSORY | | | FEATURES | | | |
|--------------------|-------------------------------|--|-------------|--------------------------------------|---------------------------------------|-----------|--|
| WIRELESS REPLA | CEMENT PARTS | | | | | | |
| MOBILE RADIOS | WIRELESS REPLACEMENT PARTS | DESCRIPTION | PART NUMBER | EARPIECE TYPE | MICROPHONE | РТТ | |
| | 5 | Mission Critical/Operations Critical Replacement Wireless Earpiece with 12 inch cable | NTN2572 | Over-the- ear tube (CommPort™) | Directional, above the earpiece | N/A | |
| | (4) | Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens | NTN8821 | N/A | N/A | N/A | |
| | 0000000000 | Ear strap for comport earpiece (pack of 10) | NTN8988 | N/A | N/A | N/A | |
| | 5 | Eartube for comport earpiece (pack of 10) | RLN5037 | N/A | N/A | N/A | |
| XPR 5000 SERIES | | Replacement ear tips for wireless earbuds (20 small, 20 medium, 20 larger and 10 clips) | NNTN8361 | Earbud | N/A | N/A | |
| | | Replacement or spare micro-USB plug-in charger (US plug) for wireless pod | PMPN4027 | N/A | N/A | N/A | |
| | 4 | Swivel clip for Operations Critical Wireless pod and Enhanced Operations Critical Wireless pod | PMLN6246A | | | | |
| | ~ | Swivel Earpiece with in-line microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit | RLN6550 | Over-the-Ear (Swivel) | In-line | On radio* | |
| | | Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit | PMLN7203 | Over-the-Ear (Swivel) | Boom | On radio* | |



| OMPATIBILITY | ACCESSORY | | |
|--|--|--|--------------------------------|
| CONTROL STATION deal for transportation | ON ACCESSORIES Que on, manufacturing and p | ickly and conveniently convert your radio into ublic service operations that have dispatch re | a base station. quirements. |
| MOBILE RADIOS | CONTROL STATION ACCESSORIES | DESCRIPTION | PART NUMBER |
| | 1 | Desktop Tray with speaker | RSN4005 |
| | | Desktop Tray without speaker | GLN7318 |
| | 00 | Adapter Cable for Control Station | HKN9088 |
| XPR 5000 SERIES | | Power Supply, 25-60W, 1-60W cord included | HPN4007 |
| XPR 4000 SERIES | | Switchmode Power Supply, 1-25W radios only with provision for back-up battery hook-up | GPN6145 |
| | 0 | Power Supply Cable for GPN6145 | GKN6266 |
| | | US Line cord for GPN6145 | 3060665A04 |
| | | Mini-UHF to PL259 antenna adapter cable | HKN9557 |



*Note: PTT on radio or with separate wireless PTT.

| COMPATIBILITY | ACCESSORY | | | | | |
|--|---|---|------------------|--|--|--|
| compromising safet | y. Trunnion kits give you | CESSORIES Mount your radio in your vehicle the flexibility to mount the radio under your das ount kits allow the radio be mounted in the trun | h, in your dash, | | | |
| MOBILE RADIOS | INSTALLATION AND MOUNTING ACCESSORIES INSTALLATION DESCRIPTION | | | | | |
| XPR 4000 SERIES | | Low Profile Trunnion Kit keeps radio tucked up under dash | RLN6077 | | | |
| XPR 5000 SERIES XPR 2500 SERIES | | Low Profile Trunnion Kit keeps radio tucked up under dash | RLN6466 | | | |
| XPR 4000 SERIES | | High Profile Trunnion Kit with under dash or floor mount | RLN6078 | | | |
| XPR 5000 SERIES XPR 2500 SERIES | | High Profile Trunnion Kit with under dash or floor mount | RLN6467 | | | |
| XPR 4000 SERIES | | Key Lock Trunnion Kit provides extra protection from theft | RLN6079 | | | |
| XPR 5000 SERIES XPR 2500 SERIES | , 63 | Key Lock Trunnion Kit provides extra protection from theft | RLN6468 | | | |
| XPR 4000 SERIES | | Direct In Dashboard Mounting Kit | RLN5933 | | | |
| XPR 5000 SERIES | | Direct In Dashboard Mounting Kit | RLN6465 | | | |
| | | MOTOTRBO Mobile Remote Mount Adapter Kit | PMLN5404 | | | |

MOTOTRBO Mobile Remote Mount

PMLN6404A



| COMPATIBILITY | ACCESSORY | | | | | |
|--------------------|---|--|------------|--|--|--|
| INSTALLATION A | ND MOUNTING ACC | ESSORIES | | | | |
| MOBILE RADIOS | INSTALLATION AND MOUNTING ACCESSORIES | DESCRIPTION PAR | | | | |
| | | In-Dash Mounting Kit - DIN | FTN6083 | | | |
| | | Power Cable to Battery - 10 foot, 15 amp 14 AWG | HKN4137 | | | |
| | -0 | Power Cable to Battery - 10 foot, 20 amp 12 AWG | HKN4191 | | | |
| XPR 2500 SERIES | (3) | Power Cable to Battery - 20 foot, 20 amp 10 AWG | HKN4192 | | | |
| | 0/1 | Ignition Sense Cable | HKN9327 | | | |
| | | Trunnion Mounting Screws | 3012045001 | | | |

| EXTERNAL SPEAK speakers. Different wa | ERS Boost audio at you att speakers can be cust | r control station on your desk or in your vehicl omized to your environment. | e with external |
|--|--|---|-----------------|
| MOBILE RADIOS | EXTERNAL SPEAKERS | DESCRIPTION | PART NUMBER |
| | | 13W External Speaker | RSN4002 |
| XPR 5000 SERIES | | 7.5W External Speaker | RSN4003 |
| XPR 4000 SERIES | | 5W External Speaker | RSN4004 |
| | | 7.5W External Speaker | HSN8145 |
| XPR 2500 SERIES | | 13W External Speaker | RSN4001 |
| | 0 | Speaker Extension Cable | GMKN4084 |

ACCESSORY





| COMPATIBILITY | ACCESSORY | | |
|--------------------|------------------|--|-------------|
| CABLES | | | |
| MOBILE RADIOS | CABLES | DESCRIPTION | PART NUMBER |
| | Ω | Mobile Remote Mount 5-Meter Cable Kit | PMKN4073 |
| XPR 4000 SERIES | | Mobile Remote Mount 3-Meter Cable Kit | PMKN4074 |
| | | Mobile Remote Mount 5-Meter Cable Kit | PMKN4144 |
| XPR 5000 SERIES | | Mobile Remote Mount 3-Meter Cable Kit | PMKN4143 |
| | - Υ _Υ | Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG | HKN4191 |
| XPR 5000 SERIES | | Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG | HKN4192 |
| XPR 4000 SERIES | | Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG | HKN4137 |



| COMPATIBILITY | ACCESSORY | | |
|--------------------|--|---|-------------|
| CABLES | | | |
| MOBILE RADIOS | CABLES | DESCRIPTION | PART NUMBER |
| | 070 | Ignition Sense Cable | RKN4136 |
| | 0 | Mobile and Repeater Rear Accessory Programming Cable | PMKN4010 |
| XPR 5000 SERIES | | Mobile and Repeater Rear Programming, Test and Alignment Cable | PMKN4016 |
| NOT SEED | 40 | Mobile Rear Accessory Connector Universal Cable | PMKN4018 |
| XPR 4000 SERIES | | Mobile Front Programming Cable | HKN6184 |
| | | Hardware Kit for Rear Accessory Connector | PMLN5072 |
| | | Mobile Front Programming Cable | PMKN4147 |
| | | Mobile Rear Accessory Connector Universal Cable | PMKN4151 |
| | S. | Rear Accessory Connector Seal with Connector and Pins | GMBN1021 |
| | | Rear Accessory Connector USB Programming Cable | PMLN4148 |
| XPR 2500 SERIES | THE PARTY OF THE P | 16 Pin Accessory Connector Kit | HLN9457 |
| | | Connector Extender, 20 pieces | PMLN5620 |
| | | Gasket, Cover, Accessory Connector | 3202607Y01 |
| | | Mobile Crimping tool | 6680388A26 |



| OMPATIBILITY | ACCESSORY | | | FEATURES | | | |
|------------------------------------|--------------------------|---|--------------------|------------------------------|-------------------------|-------------------|------------------|
| ANTENNAS A va | riety of antennas ensure | the best possible reception wherever you opera | ite. Choose from a | antennas with int | egrated GPS to | standalone RF | : antennas. |
| MOBILE RADIOS | UHF ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | MOUNTIN STYLE |
| COMBINATION (| GPS/UHF ANTENNAS | | | | | | |
| | | GPS/UHF Combination 1/4 Wave Antenna for the 403-430 MHz range | PMAE4030 | UHF | 403-430 | • | Through hole |
| | | GPS/UHF Combination 1/4 Wave Antenna for the 450-470 MHz range | PMAE4031 | UHF | 450-470 | • | Through hole |
| | 40 | GPS/UHF Combination Antenna for the 406-420 MHz range, 3.5 dB Gain | PMAE4032 | UHF | 406-420 | • | Through hole |
| | | GPS/UHF Combination Antenna for the 450-470 MHz range, 3.5 dB Gain | PMAE4033 | UHF | 450-470 | • | Through hole |
| XPR 5000 SERIES | | GPS/UHF Combination Antenna for the 450-470 MHz range, 5 dB Gain | PMAE4034 | UHF | 450-470 | • | Through hole |
| XPR 4000 SERIES | | GPS/UHF Combination Antenna for the 403-527 MHz range, 2 dB Gain | HAE6019 | UHF | 403-527 | • | Through hole |
| | | GPS/UHF Combination 1/4 Wave Antenna for the 470-527 MHz range | HAE6020 | UHF | 470-527 | • | Through hole |
| | | GPS/UHF Combination Through-Hole Mount Antenna for 470-494 MHz, 3.5 dB Gain | HAE6024 | UHF | 470-494 | • | Through hole |
| | | GPS/UHF Combination Through-Hole Mount Antenna, 494-512 MHz, 3 dB Gain | HAE6026 | UHF | 494-512 | • | Through hole |
| IHF ANTENNAS | (RF ONLY) | | | | | | |
| XPR 4000 SERIES XPR 5000 | | UHF Wide Area Through-Hole Mount Antenna for the 406-420 MHz range, 3.5 dB Gain, Mini-U | HAE4010 | UHF | 406-420 | | Through hole |
| SERIES XPR 2500 SERIES | | UHF Wide Area Through-Hole Mount Antenna for the 450-470 MHz range, 3.5 dB Gain, Mini-U | HAE4011 | UHF | 450-470 | | Through hole |
| XPR 4000 SERIES XPR 5000 SERIES | | UHF Wide Area Through-Hole Mount Antenna for the 470-494 MHz range, 3.5 dB Gain | HAE4012 | UHF | 470-494 | | Through hole |

communication flexibility.

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | |
|--------------------|-------------------------|---|-------------|------------------------------|-------------------------|-------------------|-------------------|
| ANTENNAS | | | | | | | |
| MOBILE RADIOS | UHF/VHF/GPS ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | MOUNTING STYLE |
| UHF ANTENNAS | (RF ONLY) | | | | | | |
| XPR 5000 SERIES | 1 | UHF Wide Area Through-hole Mount Antenna for the 403-527 MHz range 2dB Gain, Mini-U | HAE6022 | UHF | 403-527 | | Through- hole |
| XPR 4000 SERIES | | UHF Wide Area Through-Hole Mount Antenna for the 445-470 MHz range, 5 dB Gain, Mini-U (with base) | RAE4004ARB | UHF | 445-470 | | Through- hole |
| | | UHF Urban Roof Mount 1/4 Wave Antenna for the 403-430 MHz range, Mini-U | HAE4002 | UHF | 403-430 | | Roof mount |
| XPR 2500 SERIES | 0 | UHF Urban Roof Mount 1/4 Wave Antenna for the 450-470 MHz range, Mini-U | HAE4003 | UHF | 450-470 | | Roof mount |
| | | UHF Urban Roof Mount 1/4 Wave Antenna for the 470-512 MHz range, Mini-U | HAE4004 | UHF | 470-512 | | Roof mount |
| | | UHF Wide Area Roof Mount Antenna for the 494-512 MHz range, 3.5 dB Gain | HAE4013 | UHF | 494-512 | | Through- hole |
| | | UHF Stubby Through hole Mount Antenna, 410-430 MHz | RAE4163ARB | UHF | 410-430 | | Through- hole |
| XPR 5000 SERIES | • | UHF Stubby Through hole Mount Antenna, 430-450 MHz | RAE4164ARB | UHF | 430-450 | | Through- hole |
| SERIES | | UHF Stubby Through hole Mount Antenna, 450-470 MHz | RAE4168ARB | UHF | 450-470 | | Through- hole |
| XPR 4000 SERIES | | UHF Antenna Kit 403-430 MHz, 1/4 Wave | PMAE4039 | UHF | 403-430 | | |
| | | UHF Antenna Kit 450-470 MHz, 1/4 Wave | PMAE4041 | UHF | 450-470 | | |
| | | UHF Antenna Kit 450-470 MHz, 3.5 dB Gain | PMAE4042 | UHF | 450-470 | | |
| | | UHF Antenna Kit 450-470 MHz, 5.0 dB Gain | PMAE4043 | UHF | 450-470 | | |
| | | | | | | | 6 |


| COMPATIBILITY | ACCESSORY | | | FEATURES | | | |
|--------------------|-------------------------|---|-------------|------------------------------|-------------------------|-------------------|-------------------|
| ANTENNAS | | | | | | | |
| MOBILE RADIOS | UHF/VHF/GPS ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | MOUNTING STYLE |
| UHF ANTENNAS (| RF ONLY) | | | | | | |
| | | UHF Antenna Kit 470-527 MHz, 1/4 Wave, Through-hole Mount | HAE6030 | UHF | 470-527 | | Through- hole |
| XPR 5000 SERIES | | UHF Antenna Kit 403-527 MHz, 2 dB Gain, Through-hole Mount | HAE6029 | UHF | 403-527 | | Through- hole |
| XPR 4000 SERIES | | UHF Antenna Kit 470-494 MHz, 3 dB Gain, Through-hole Mount | HAE6028 | UHF | 470-494 | | Through- hole |
| | | UHF Antenna Kit 494-512 MHz, 3 dB Gain, Through-hole Mount | HAE6027 | UHF | 494-512 | | Through- hole |
| COMBINATION G | PS/VHF ANTENNAS | | | | | | |
| | | GPS/VHF Combination Through-Hole Mount 1/4 wave Antenna for the 136-144 MHz range | RAD4214 | VHF | 136-144 | • | Through- hole |
| | | GPS/VHF Combination Through-Hole Mount 1/4 wave Antenna for the 146-150.8 MHz range | RAD4215 | VHF | 146-150.8 | • | Through- hole |
| XPR 5000 SERIES | | GPS/VHF Through-Hole Mount 1/4 wave Antenna for the 150.8-162 MHz range | RAD4216 | VHF | 150.8-162 | • | Through- hole |
| XPR 4000 SERIES | | GPS/VHF Through-Hole Mount 1/4 wave Antenna for the 162-174 MHz range | RAD4217 | VHF | 162-174 | • | Through- hole |
| | | GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz range, 3 dB Gain | RAD4218 | VHF | 146-172 | • | Through- hole |

| COMPATIBILITY | ACCESSORY | | | FEATURES | | | |
|--|------------------|---|-------------|------------------------------|-------------------------|-------------------|-------------------|
| ANTENNAS | | | | | | | |
| MOBILE RADIOS | VHF/GPS ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | MOUNTING STYLE |
| VHF ANTENNAS (| RF ONLY) | | | | | | |
| | | VHF Urban Roof Mount 1/4 Wave Antenna for the 136-144 MHz range, Mini-U | HAD4006 | VHF | 136-144 | | Roof mount |
| | S | VHF Urban Roof Mount 1/4 Wave Antenna for the 146-150.8 MHz range, Mini-U | HAD4007 | VHF | 146-150.8 | | Roof mount |
| XPR 5000 SERIES | | VHF Urban Roof Mount 1/4 Wave Antenna for the 150.8-162 MHz range, Mini-U | HAD4008 | VHF | 150.8-162 | | Roof mount |
| XPR 4000 SERIES XPR 2500 SERIES | 8 | VHF Urban Roof Mount 1/4 Wave Antenna for the 162-174 MHz range, Mini-U | HAD4009 | VHF | 162-174 | | Roof mount |
| | | VHF Wide Area Through-hole Mount Antenna for the 132-174 MHz range 3dB Gain, Mini-U | HAD4022 | VHF | 132-174 | | Through- hole |
| STANDALONE GP | S ANTENNAS | | | | | | |
| | % • | Fixed Mount GPS Active Antenna | PMAN4000 | N/A | N/A | • | Fixed |
| XPR 5000 SERIES | SO. | Glass Mount GPS Active Antenna | PMAN4001 | N/A | N/A | • | Glass |
| XPR 4000 SERIES | 5 | Magnetic Mount GPS Active Antenna | PMAN4002 | N/A | N/A | • | Magnetic |

| ACCESSORY | | | FEATURES | | | |
|----------------------|---|---|--|--|---|--|
| 800/900 VHF ANTENNAS | DESCRIPTION | PART NUMBER | UHF / VHF / (800/900 MHz) | FREQUENCY BAND (MHz) | INTEGRATED GPS | MOUNTI STYLE |
| S/800/900 ANTENN | AS | | , | | | |
| | GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz range | HAF4029 | 800/900 | 806-941 | • | Through hole |
| | GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz range, 3 dB Gain | HAF4030 | 800/900 | 806-941 | • | Throug hole |
| | GPS/800/900 MHz Stubby Antenna for the 806-941 MHz range | HAF4032 | 800/900 | 806-941 | • | Throug hole |
| | GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain | HAF4033 | 800/900 | 806-941 | • | Throug hole |
| S + RF | | | | | | |
| 9000 | — Kit, Combination GPS+RF, Base Only, Through-hole Mount, Mini-U | PMAN4004 | | | | Throug hole |
| INAS (RF ONLY) | | | | | | |
| | Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz range, 3 dB Gain | HAF4013 | 800/900 | 806-941 | | Throug hole |
| | Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz range | HAF4025 | 800/900 | 806-941 | | Throug hole |
| | Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain | HAF4026 | 800/900 | 806-941 | | Throug hole |
| pl. | Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain | HAF4027 | 800/900 | 806-941 | | Throug hole |
| | S/800/900 ANTENNA S + RF | GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz range GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz range, 3 dB Gain GPS/800/900 MHz Stubby Antenna for the 806-941 MHz range GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain S + RF Kit, Combination GPS+RF, Base Only, Through-Hole Mount, Mini-U Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz range, 3 dB Gain Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz range Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain | GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz range GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz range, 3 dB Gain GPS/800/900 MHz Stubby Antenna for the 806-941 MHz range GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz range GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain S + RF Kit, Combination GPS+RF, Base Only, Through-hole Mount, Mini-U Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz range, 3 dB Gain Urban Through-Hole Mount Stubby Antenna for the 806-941 MHz range Wide Area Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz range Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain | SOUTH PARTIENTIALS DESCRIPTION DESCRIP | SABO SOBO SOBO | S/800/300 ANTENNAS S/800/3 |

| COMPATIBILITY | ACCESSORY | | | |
|---------------------|---------------------|--|-------------|--|
| ANTENNA ACCESSORIES | | | | |
| MOBILE RADIOS | ANTENNA ACCESSORIES | DESCRIPTION | PART NUMBER | |
| XPR 5000 SERIES | 603 | Mobile Mini-U Antenna Adapter, 8-foot cable | HKN9088 | |
| XPR 4000 SERIES | - | PL259/Mini-U Antenna Adapter, 8-foot cable | HKN9557 | |













MOTOTRBO LONG RANGE WIRELESS RSM



INC REMOTE SPEAKER MICROPHONE



WINDPORTING

For more information on Motorola accessories, visit motorolasolutions.com/mototrbo.

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2015 Motorola Solutions, Inc. All rights reserved. RC-3-1001E



